

UNIFORM TRAFFIC FINE LIST INDEX

A	PAGE
Abandoned Vehicles	4
Accidents	4
Advertising Material	5
Animals	5
Animal-Drawn Vehicles	6
B	PAGE
Brakes	6
C	PAGE
Cellular Phones/ Communication Device	9
Compelled to Stop	9
Convey Goods/Passengers	9
Convoys	10
Cross order Transportation	10
D	PAGE
Dangerous Goods	11
Damaging of Roads	28
Distinguished Sign	28
Drink and Drive	29
Duties of Driver	29
Duties of Licence Inspector	31
Duties Road Transport Inspector	32
Duties Vehicle Examiner	33
Duties Traffic Officer/ Peace Officer	33
E	PAGE
Emergency Warnings Signs	35
Engine not Covered	35
Entrance and Exits	35
Exhaust / Silencer Systems	36
F	PAGE
False Documents	36
False Information	37
Fitness of Drivers	37
Fuel Tank, Electrical Wiring, etc	39
Freeways- Special Provisions	39
G	PAGE
General Speed Limits	40
Government Vehicles	50
I	PAGE
Illegal Acts Vehicles	50
Illegal Combination- Vehicles	50
Inconsiderate Driving	50
Indicators – Directors	51
Information Plates	54

L	PAGE
Lamps	54
Licensing and Registration- Vehicles	64
Locomotives	70
Loads on Vehicles	70
M	PAGE
Minibus/bus	77
Motorcade	80
Motorcycles	80
Motor Trade Numbers	82
N	PAGE
Number Plates	83
O	PAGE
Operator	85
Overall Height	86
Overall Length	87
Overall Width	88
Overhang Front	88
Overhang Rear	89
Overtaking	89
P	PAGE
Parking	90
Pedal Cycles	92
Pedestrians	93
Proceed Before Signalled	94
Projections	94
Protective Helmet	95
Professional Authorisation	96
R	PAGE
Races and Sport	96
Rear Underrun Device	96
Reckless or Negligent	97
Reflectors	97
Refuse Name and Address	100
Road Traffic Signs	100
Roadworthiness	102
Rule of the Road	102
S	PAGE
School Bus	102
Seatbelts	103
Sounding Device	104
Special/ Temporary Permits	104
Special Vehicles- Abnormal Vehicles	105
Steering Mechanism	108
Stopping	108

T	PAGE
Towing of Vehicles	110
Trading	111
Turning	111
Turning Radius	111
Tyres	112
V	PAGE
Vehicle Reverse/ Forward	113
View Driver	113
W	PAGE
Wheel Base	113
Wheel Flaps	114
Wilfully Hindered	114
Windscreens, Glass, etc	114
SCHEDULE 3	PAGE
Motor Dealers	115
SCHEDULE 5	PAGE
Public Motor Vehicles	116
SCHEDULE 6	PAGE
Roadworthiness	119
ROAD TRANSPORT	PAGE
PERMIT PASS	120
ROAD FUND ADMINISTRATION	121

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
ABANDONED VEHICLES					
Reg.355(2)(b)(i) r/w 369 r/w Sec.1,86&89	64876	X	X	left a vehicle in same place on a public road outside an urban area for more than 24 hours	150
Reg.355(2)(b)(ii) r/w 369 r/w Sec.1,86&89	64892	X	X	left a vehicle in same place on a public road within an urban area for more than seven days	150
Reg.355(2)(b)(iii) r/w 369 r/w Sec.1,86&89	64912	X	X	left a vehicle in same place on the site of any vehicle testing station for more than seven days	150
Reg.355(8) r/w 369 r/w Sec.1,86&89	40018	X	X	left a vehicle in same place on a public road for a continuous period area for more than seven days	150
ACCIDENTS					
Sec.78(1)(a) r/w 1,78(5),86,89 &106	40068			failed to stop vehicle immediately after an accident in which a person was killed/injured or suffered damage of property or animal	NAOG
Sec.78(1)(b) r/w 1,78(5),86, 89&106	40084			failed to ascertain nature and extent of injuries sustained by any person after accident	NAOG
Sec.78(1)(c) r/w 1, 78(5),86, 89&106	40107			failed to render assistance to injured person after accident	NAOG
Sec.78(1)(d) r/w 1, 78(5),86, 89&106	40123			failed to ascertain nature and extent of damage sustained after accident	NAOG
Sec.78(1)(e) r/w 1, 78(5),86, 89&106	40149			failed to give name and address to any person having reasonable grounds to required it at scene of accident	NAOG
Sec.78(1)(e) r/w 1, 78(5),86, 89&106	64931			failed to give name and address of owner to any person having reasonable grounds to required it at scene of accident	NAOG
Sec.78(1)(e) r/w 1, 78(5),86, 89&106	64957			failed to give licence mark and number or similar mark and number of motor vehicle to any person having reasonable grounds to required at scene of accident	NAOG
Sec.78(1)(f) r/w 1, 78(5),86, 89&106	40165			failed to report accident within 24 hours after the occurrence thereof at any police station or any office of a traffic officer	NAOG
Sec.78(2) r/w 1, 78(5),86, 89&106	40181			took intoxicating liquor or drug having a narcotic effect after an accident	NAOG
Sec.78(2) r/w 1, 78(5),86, 89&106	64973			took intoxicating liquor or drug having a narcotic effect before he/she complied with the request of a traffic officer to provide a specimen of breath or to submit to the taking of a specimen of his/her blood after an accident	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
ADVERTISING MATERIAL					
Sec.78(3) r/w1,78(5),86, 89& 106	40204			removed vehicle from position where it came to rest after an accident - person killed or injured	NAOG
Sec.78(4) r/w 1, 78(3) 86,89& 106	40238			Removed vehicle from the scene of an accident - without permission of owner/driver/operator/lawful possesor	NAOG
Sec.79(2) r/w 1, 79(1), 86& 106	40246	X		failing as garage owner to keep a record of motor vehicle involved in an accident for three years and to produce it on request	300
Reg.321(1) r/w 369 r/w Sec.1,86&89	40301	X		displaying advertising material on or attaching it to a road traffic sign	300
Reg.321(2) r/w 369 r/w Sec.1,86&89	40327	X		using road traffic sign in an advertisement visible to road user	300
ANIMALS					
Reg.348(1) R/w 348(2),(3) & 369 R/w Sec.1 & 86	40385	X		leaving or allowing an animal to be left on a fenced or enclosed public road	300
Reg.348(1) R/w 348(2),(3) & 369 R/w Sec.1 & 86	64999	X		leaving an animal at a place from where it may stray onto on a public road so fenced or enclosed	300
Reg.348(4)(a) R/w 369 R/w Sec.1 & 86	40408	X		driving animals between sunset and sunrise without a red light	300
Reg.348(4)(a) R/w 369 R/w Sec.1 & 86	65000	X		tending a flock or herd of more than 10 animals without a red light as precedes and a person carrying a red light follows the animals	300
Reg.348(4)(b) R/w 369 R/w Sec.1 & 86	40424	X		driving animals without displaying in a conspicuous manner a red cloth or a red cloth less than 300mm x 300mm during daytime	200
Reg.348(4)(b) R/w 369 R/w Sec.1 & 86	65026	X		tending a flock or herd of more than 10 animals without displaying in a conspicuous manner a red cloth or a red cloth less than 300mm x 300mm as precedes and a person carrying a red cloth follows the animals during day time	300
Reg.348(5) R/w 369 R/w Sec.1 & 86	40432	X		allowing an animal to constitute an obstruction or a danger to traffic	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
ANIMAL DRAWN VEHICLES					
Reg.349(1) R/w 369 R/w Sec.1,86&89	40505	X		operating animal-drawn vehicle for hire or reward without name and address of owner painted on left side of vehicle	100
Reg.349(2) R/w 369 R/w Sec.1,86&89	40521	X		operating animal-drawn vehicle where vehicle, harness and equipment is inefficient and unsafe	100
Reg.349(3) R/w 369 R/w Sec.1,86&89	40547	X		permitting an incompetent person to use animal-drawn vehicle	100
Reg.349(4) R/w 369 R/w Sec.1,86&89	40563	X		failing to give undivided attention to animal-drawn vehicle or ceasing to retain control when standing	100
Reg.349(5) R/w 369 R/w Sec.1,86&89	40589	X		operating vehicle drawn by team of animals with no reins, without a leader or controller of team of animals	100
Reg.349(6) R/w 369 R/w Sec.1,86&89	40602	X		permitting the vehicle following any other vehicle at a distance of less than 150m between the two animal drawn vehicles outside an urban area	100
BRAKES					
Reg.165(1) R/w 1&369 R/w Sec.1,86&89	40597	X	X	operated motor vehicle not equipped with a service brake/emergency brake/parking brake	300
Reg.165(2) R/w 369 R/w Sec.1,86&89	40686	X	X	operated motor vehicle fitted with an anti theft device that interfered with the braking system - vehicles registered for the first time on or after 1 July 2002	100
Reg.166 R/w 1&369 R/w Sec.1,86&89	40709	X	X	operated motorcycle not equipped with two independent braking systems on front and/or rear wheels	300
Reg.166 R/w 1&369 R/w Sec.1,86&89	40725	X	X	operated motorcycle when efficiency of brakes on front and/or rear wheels not equivalent to emergency brakes	300
Reg.166 R/w 1&369 R/w Sec.1,86&89	40741	X	X	operated motorcycle when efficiency of brakes combined not equivalent to service brake	300
Reg.167(1)(a)(i) R/w 1&369 R/w Sec.1,86&89	40767	X	X	operated a trailer of 750 kg or less and did not exceed half of the drawing vehicle's tare not equipped with a parking brake or other device	200
Reg.167(1)(a)(ii) R/w 1&369 R/w Sec.1,86&89	65042	X	X	operated a trailer of 750 kg or less and exceed half of the drawing vehicle's tare not equipped with a parking brake and/or either an overrun brake or a service brake	200
Reg.167(1)(b) R/w 1&369 R/w Sec.1,86&89	40783	X	X	operated a trailer of more than 750 kg but less than 3500 kg and did not exceed the tare of the drawing vehicle not equipped with a parking brake and/or either an overrun brake or a service brake	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.167(1)(c) R/w 1,167(4)&369 R/w Sec.1,86&89	40806	X	X	operated a trailer of more than 750 kg and exceed the tare of the drawing vehicle or 3500 kg not equipped with a parking brake and a service brake	200
Reg.167(1)(c) R/w 1,167(4)&369 R/w Sec.1,86&89	65068	X	X	drawing more than one trailer each trailer not equipped with a parking brake and a service brake (the GVM must be construed as the total of the GVM of all trailers so drawn)	200
Reg.167(2) R/w 1,171,172& 369 r/w Sec.1,86&89	40822	X	X	the service brake of trailer not capable of being operated by driver of towing vehicle when in motion	200
Reg.167(3) R/w 1,171,172& 369 r/w Sec.1,86&89	65084	X	X	operated a trailer not fitted with a separate parking brake whilst the service brake or the overrun brake is used as a parking brake	200
Reg.167(4) R/w 1,167(1)(c), 171,172& 369 r/w Sec.1,86&89	65107	X	X	operated a trailer drawn by a tractor in excess of 35 km/h not equipped with an overrun brake	200
Reg.168 R/w 1&369 R/w Sec.1,86	40848	X	X	operated pedal cycle not equipped with at least one brake that operates on the rear wheel/wheels	100
Reg.169 R/w 1,165 to 172 &369 r/w Sec.1,86&89	40864	X	X	operated an unspecified vehicle for which no brakes are specified in the regulations without at least a parking brake or device to keep it stationary	200
Reg.170(1) R/w 1&369 R/w Sec.1,86&89	63008	X	X	operated minibus, bus, tractor or goods vehicle with a GVM exceeding 3500 kg fitted with brakes which does not comply with specifications	300
Reg.170(2) R/w 1&369 R/w Sec.1,86&89	40872	X	X	operated tractor or a not designed/capable of exceeding 35 km/h or trailer fitted with brakes which does not comply with specifications	100
Reg.171(1)(a)(i) R/w 1,171(2),(4), (5)&369 r/w Sec.1,86&89	40903	X	X	operated light motor vehicle or combination capable of exceeding 35 km/h with service brake not complying with requirements for braking performance (initial speed 35 km/h stopping distance 14 m)	300
Reg.171(1)(a)(i) R/w 1,171(2),(4), (5)&369 r/w Sec.1,86&89	65123	X	X	operated heavy motor vehicle or combination capable of exceeding 35 km/h with service brake not complying with requirements for braking performance (initial speed 35 km/h stopping distance 16 m)	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.171(1)(a)(ii) R/w 1,171(2),(4), (5)&369 r/w Sec.1,86&89	65149	X	X	operated motor vehicle or combination capable of not exceeding 35 km/h with service brake not complying with requirements for braking performance maximum initial speed 35 km/h stopping distance 15 7m 20 11m 25 16m 30 23m 35 30m	300
Reg.171(b)(i) R/w 1,171(2),(4),(5)& 369 R/w Sec.1,86&89	40929	X	X	operated motor vehicle or combination with emergency brake not complying with requirements for braking performance (initial speed 35 km/h stopping distance 30 m)	100
Reg.171(1)(b)(ii) R/w 1,171(2),(4), (5)&369 r/w Sec.1,86&89	65165	X	X	operated motor vehicle or combination capable of not exceeding 35 km/h with emergency brake not complying with requirements for braking performance maximum initial speed 35 km/h stopping distance 15 12m 20 20m 25 29m 30 41m 35 55m	100
Reg.171(c) R/w 1,171(4)& 369 r/w Sec.1,86&89	40945	X	X	operated motor vehicle or combination with parking brake not complying with requirements for braking performance-gradient of not more than 1 in 8.33	100
Reg.172(1)(a) R/w 1,165 to 171 &369 R/w Sec.1,86&89	40961	X	X	operated a vehicle with a brake not in a good working order and condition	100
Reg.172(1)(b) R/w 1, 165 to 171 &369 R/w Sec.1,86&89	40987	X	X	operated vehicle, other than motorcycle with side-car, with brakes not acting with approximately equal intensity on wheels symmetrical placed	150
Reg.172(2) R/w 1, 171&369 r/w Sec.1,86&89	41006	X	X	operated motor vehicle equipped with a service brake operated solely by air or vacuum by air without a warning device in the driving compartment	100
Reg.172(3) R/w 1, 171, 172(2)& 369 r/w Sec.1,86&89	41022	X	X	operated a drawn vehicle equipped with a service brake operated solely by air or vacuum with no warning device in driving compartment	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
CELLULAR PHONES/COMMUNICATION DEVICE					
Reg.342(1)(a) R/w 369 R/w Sec.1,86&89	41072	X		driving motor vehicle while holding a cellular/mobile phone, or any other communication device in hand/hands or with other part of the body	300
Reg.342(1)(b) R/w 342(3)&369 R/w Sec.1,86&89	41103	X		driving motor vehicle while using or operating a cellular/mobile phone, or any other communication device whilst not affixed or part of the fixture of the motor vehicle	300
COMPEL TO STOP					
Reg.340(a) R/w 369 R/w Sec.1,86&89	41161	X	X	failed to stop vehicle in compliance with any direction conveyed by a road traffic sign or direction given by a traffic officer in uniform	300
Reg.340(b) R/w 369 R/w Sec.1,86&89	41187	X		failed to stop vehicle on request or on signal of person leading or driving animals	200
CONVEYING OF GOODS/PASSENGERS					
Reg.265(a) r/w 369 r/w Sec.1,86&89	41242	X		carrying any goods coming into contact with the road surface	300
Reg.265(b) r/w 369 r/w Sec.1,86&89	41268	X		carrying any goods in a manner to obscure the driver's view to the front or on either sides	300
Reg.265(b) r/w 369 r/w Sec.1,86&89	65181	X		carrying any goods in a manner to obscure the driver's view in the rear-view mirror/mirrors of traffic to the rear	300
Reg.265(c) r/w 369 r/w Sec.1,86&89	41284	X		carrying any goods not safely contained in the body of the vehicle, securely fastened and that could be dislodged or spilled	300
Reg.265(c) r/w 369 r/w Sec.1,86&89	65204	X		carrying any goods not securely fastened to the body of the vehicle	300
Reg.265(c) r/w 369 r/w Sec.1,86&89	65220	X		carrying any goods which are not properly protected that it could be dislodged or spilled from the vehicle	300
Reg.265(e) r/w 369 r/w Sec.1,86&89	41307	X		carrying goods in a container not securely fastened with at least 4 twist locks to the vehicle	300
Reg.265(e) r/w 369 r/w Sec.1,86&89	65246	X		carrying an empty container not securely fastened with at least 4 twist locks to the vehicle	300
Reg.265(e) r/w 369 r/w Sec.1,86&89	65262	X		carrying a container measured parallel to the length of the vehicle not in excess of at least 1,5m in length not securely fastened with 2 twist locks to the vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.265(d) r/w 369 r/w Sec.1,86&89	41323	X		conveying any on the roof of a motor car in excess of one-half of the height of the motor car – (pedal cycles on the roof excluded)	300
Reg.266(a) r/w 1&369 r/w Sec.1,86&89	41349	X		conveying persons in a goods vehicle when in motion: 350mm above surface enclosed - seated	300
Reg.266(b) r/w 1&369 r/w Sec.1,86&89	41365	X		conveying persons in a goods vehicle when in motion: 900mm above surface enclosed - standing	300
Reg.266(b) r/w 1&369 r/w Sec.1,86&89	65288	X		operate a goods vehicle not enclosed with a material of sufficient strength to prevent persons from falling from the vehicle when it is in motion	300
Reg.269 r/w 369 r/w Sec.1,86&89	41381	X		carrying persons for reward in the goods compartment of the motor vehicle	300
CONVOYS					
Reg.353(a) r/w 369 r/w Sec.1,86&89	41446	X		operating motor vehicle forming part of a convoy of motor vehicles which are being delivered to a motor dealer or other person during prohibited period	200
Reg.353(b) r/w 369 r/w Sec.1,86&89	41462	X		operating motor vehicle forming part of a convoy of motor vehicles which are being delivered to a motor dealer or other person during prohibited period	200
CROSS BORDER ROAD TRANSPORTATION					
Sec.70(1)(a) r/w 1, 68,69,86 89&106	65301			Undertook road transportation from a point in Namibia crossing or intending to cross its borders into the territory of a contracting country without a cross-border permit	300
Sec.70(1)(b) r/w 1, 68,69,86 89&106	65327			Undertook road transportation from a point in a contracting country crossing Namibia's border to a destination in Namibia without a cross-border permit	300
Sec.70(1)(c) r/w 1, 68,69,86 89&106	65343			Undertook road transportation from a point in Namibia crossing or intending to cross its borders into the territory of a contracting country and in transit across that country to a third country without a cross-border permit	300
Sec.70(1)(d) r/w 1, 68,69,86 89&106	65369			Undertook road transportation from a point in a contracting country crossing Namibia's border and in transit across Namibia to a third country without a cross-border permit	300
Sec.70(3) r/w 1, 68,69,86 89&106	65385			Foreign carrier undertook cabotage without a cross-border permit issued by a competent authority in Namibia	300

SEC/REG	CODE	56	341	DESCRIPTION	FINE
Sec.70(4) r/w 1, 68,69,86 89&106	65408			Undertook road transportation contrary to the conditions , provisions and/or agreement of the cross-border permit	300
Sec.70(5) r/w 1, 68,69,86 89&106	65424			Owner of motor vehicle allowed such vehicle to be used for purposes of road transportation without a transport permit	300
Sec.71(1)(a) r/w 1, 68,69,86 89&106	65440			Undertook road transport from a non-contracting country to Namibia without a cross-border permit	300
Sec.71(1)(b) r/w 1, 68,69,86 89&106	65466			Undertook road transport from Namibia crossing or intending to cross into the territory of a non-contracting country without a cross-border permit	300
Sec.71(2) r/w 1, 68,69,86 89&106	65482			Undertook road transportation contrary to the conditions , provisions and/or agreement of the cross-border permit	300
Sec.71(3) r/w 1, 68,69,86 89&106	65505			Owner of motor vehicle allowed such vehicle to be used for purposes of road transportation without a transport permit	300
Reg.301(3) r/w 301 & 369 r/w Sec.1, 68,69, 86&89	65521			Failed to kept the cross-border permit at all times in the motor vehicle	300
Reg.303(3) r/w 369 r/w Sec.1, 68,69, 86&89	65547			Failed to kept the copy of the counterfoil of the original cross-border permit at all times in the motor vehicle	300
DANGEROUS GOODS					
Reg.306(1) r/w 304,306(3) &369 r/w Sec.1,86&89	65563			Transport dangerous goods which might not be transported in terms of the Standard Specifications	NAOG
Reg.306(2) r/w 304,306, &369 r/w Sec.1,86&89	65589			Transport dangerous goods other than those which might be transported in terms of the Standard Specifications	NAOG
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.5	65555			Operator failed to register with the Ministry of Transport as a dangerous goods operator in terms of the Standard Specifications	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.5	65602	X		Operator failed inspect and/or obtain details of the loading and unloading facilities to be used before transporting dangerous goods in terms of the Standard Specifications	NAOG
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.5(b)	65628	X		Operator failed to check the entry and/or exit space for the vehicle at each depot in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.5(c)	65644	X		Operator failed to satisfy himself/herself that the facilities and/or safety standards at each depot are adequate in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.5(d)	65660	X		Operator failed to check the compatibility of the hose connections, loading ramps, height of facilities in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.6	65686	X		Operator failed to ensure that the vehicle comply with the axle loading requirements of the Road Traffic and Transport Act in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.6	65709	X		Operator failed to provide sufficient detailed instructions for loading to ensure that the loading operator could fulfil his obligations in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.53&.1.6	65725	X		Operator failed to ensure that the quantity of bulk liquid cargo to be filled not resulting in stability problems owing to excess ullage in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.53&.1.7	65741	X		Operator failed to plan the route he/she intends to take and/or investigate it for possible obstructions and/or other difficulties in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.7	65767	X		Operator failed to conduct risk and/or environment assessments/reviews in conformance with ISO 14001 and other international environment management procedures in a systematic and structured way in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.5.1.8	65783	X		Operator failed to inform the emergency response centres of the areas through which his/her vehicles will pass in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.8	65806	X		Operator failed to provide the emergency response centres of the areas through which his/her vehicles will pass with full information regarding the substance to be transported, the nature of its hazards and the intended route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.8	65822	X		Operator failed to provide the emergency response centres of the areas through which his/her vehicles will pass of the discontinuation of the operations and of any change in the operations that might influence the hazard in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.9(a)	65848	X		Operator failed to obtain full written details, including medical information, emergency action to be taken in the vent of spillage to the substance hazard and handling from the consignor in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.9(b)	65864	X		Failed to obtain an appropriate Tremcard, for handing over to the vehicle driver from the consignor in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.9	65880	X		Operator failed to ensure that the driver understood the procedures, instructions fully and that he/she is capable of implementing them in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.10	65903	X		Operator failed to ensure that the consignor provide the full set of obligatory emergency action warning placards in accordance with SABS 0232-1 appropriate to the hazard in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par. 3&5.1.11(a)	65929	X		Operator failed to ensure that his/her driver is in possession of a valid professional driving permit – hazardous goods and competently trained in driving the type of vehicle which he/she is going to use in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.11(b)	65945	X		Operator failed to ensure that his/her driver is in possession was competently trained in dealing with the particular hazards and requirements of his intended load in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.11(c)	65961	X		Operator failed to ensure that his/her driver is in possession was competently trained in operating any special equipment provided on the vehicle including the fire extinguishers in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.11(d)	65987	X		Operator failed to ensure that his/her driver is in possession was competently trained in the use of protective clothing if it was required to wear it in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.12	66006	X		Operator failed to ensure that his/her driver was medical fit in accordance with the procedure laid down in Par 5.2.2(e) in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.13	66022	X		Operator failed to ensure that his/her driver underwent annual refresher courses in the driving of dangerous goods vehicles and/or in the use of fire extinguishers and/or the wearing of protective clothing in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.13	66048	X		Operator failed to ensure that his/her driver underwent annual refresher courses in the driving of dangerous goods vehicles when a change was made with regard to a class of dangerous goods and it was not covered in the annual refreshers course in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.14	66064	X		Operator failed to informed the relevant emergency response centre and the Police when his/her vehicle was involved in an incident in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.14	66080	X		Operator failed to prepare an accident report and /or submit it to the DOT and/or other relevant government department within 30 days in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(a)	66103	X		Operator failed to advise the emergency services, Police and/or traffic police immediately nearest to the breakdown and/or incident after being informed that the vehicle en route was in an incident or breakdown involved in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(b)	66129	X		Operator failed to arrange for site-repairs after be informed that the vehicle was in an incident or breakdown involved in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(c)	66145	X		Operator failed to arrange for a replacement vehicle in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(c)	66161	X		Operator failed to ensure that the replacement vehicle conforms to the appropriate standards for the cargo concerned in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(c)	66187	X		Operator failed to provide any equipment to effect the transfer of the cargo safely in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.15(c)	66200	X		Operator failed to provide new placards for the replacement vehicle in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.16	66226	X		Operator failed to submit the dangerous goods carrier for examination and tests at an authorised test station, tank manufacturer or repairer after it was involved and damaged in an accident in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.17(a)	66242	X		Operator failed to made arrangements for the vehicle to proceed under official escort to a designated area after being informed that the vehicle was detained owing to overloading in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.17(b)	66268	X		Operator dumped excess cargo after being informed that the vehicle was detained owing to overloading in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.18	66284	X		Operator failed to schedule the use of the vehicle to enable periodic inspections and maintenance to be carried out in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,86&89 r/w SABS0231:1997 Par.3&5.1.19	66307	X		Operator failed to ensure that the road permit required by the fire brigade Service Act, the Nuclear Safety Council or the Ministry of Transport be carried on the vehicle in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.1.20(a)	66323	X		Operator failed to ensure that before despatching the vehicle was registered as a dangerous goods carrier in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.1.20(a)	66349	X		Operator failed to ensure that before despatching the vehicle was roadworthy in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.1.20(a)	66365	X		Operator failed to ensure that before despatching the vehicle was prepared for the journey in accordance with a suitable standard schedule in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.1	66381	X		Driver operate a dangerous goods vehicle without a professional driving permit hazardous goods in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.1	66404	X		Driver operate a dangerous goods vehicle failed to carry the professional driving permit on his person in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.1	66420	X		Driver operate a dangerous goods vehicle with an endorsed driving license in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(a)	66446	X		Driver not fit to drive the dangerous goods vehicle in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(b)	66462	X		Driver not able to interpreted and implemented the instructions on the Tremcard in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(c)	66488	X		Driver operate a dangerous goods vehicle without receiving the general training as prescribed in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(d)	66501	X		Driver did not receive comprehensive theoretical and practical training relevant to the type of vehicle and dangerous foods to which he/she was assigned in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(d)	66527	X		Driver did not receive comprehensive theoretical and practical training relevant in the Hazchem emergency response system and procedures specific to the cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(e)	66543	X		Driver failed to hold a valid medical certificate for fitness to drive dangerous goods carriers in terms of the Standard Specifications.	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(e)	66569	X		Driver failed to lodge the valid medical certificate for fitness to drive dangerous goods carriers with the operator in terms of the Standard Specifications .	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(e)	66585	X		Driver failed to be examined by a medical practitioner within the preceding 12 months in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.2(d)	66608	X		Driver older than 55 years of age failed to be examined by a medical practitioner within the preceding 6 months in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(a)	66624	X		Driver of dangerous goods carrier failed to ensure that the vehicle is registered as a dangerous goods carrier before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(a)	66640	X		Driver of dangerous goods carrier failed to ensure that the vehicle has a valid certificate of fitness before proceeding on the route in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(b)	66666	X		Driver of dangerous goods carrier failed to ensure that the vehicle was in a roadworthy condition before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(c)	66682	X		Driver of dangerous goods carrier failed to ensure that the vehicle has been prepared for the journey in accordance with a suitable standard schedule laid down by the operator before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(d)	66705	X		Driver of dangerous goods carrier failed to ensure that the Tremcard and/or manifests are in the designated place in the cab of the vehicle for the duration of the trip before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(d)	66721	X		Driver of dangerous goods carrier failed to make the Tremcard and/or manifests available on request to the emergency services, the police or the traffic police in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(e)	66747	X		Driver of dangerous goods carrier failed to take full note of any written instructions he/she was given and not kept in the designated space regarding the route to be taken, the locations of authorised stopping places, the special hazards to be watched out for or the precautions to be taken en route before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(f)	66763	X		Driver of dangerous goods carrier failed to ensure that emergency warning signs are stored in the vehicle for use in an emergency or breakdown before proceeding on the route in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(g)	66789	X		Driver of dangerous goods carrier failed to ensure that the orange warning diamond in the front of the vehicle and the Hazchem placards, conforming to the requirements of SABS 0232-1 are fitted and are correct type for the load before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(g)	66802	X		Driver of dangerous goods carrier failed to ensure that the orange warning diamond in the front of the vehicle and the Hazchem placards, conforming to the requirements of SABS 0232-1 are clean, undamaged and clearly visible before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(h)	66828	X		Driver of dangerous goods carrier failed to ensure that the type and/or number of fire extinguishers prescribed in SABS 1398 or in SABS 1518 are fitted to the vehicle before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(i)	66844	X		Driver of dangerous goods carrier failed to ensure that the vehicle was free of any product likely to contaminate the load or create a safety hazard before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(j)	66860	X		Driver of dangerous goods carrier failed to ensure that the correct protective clothing and/or breathing apparatus as specified by the consignor have been stored aboard on the vehicle before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.3(j)	66886	X		Driver of dangerous goods carrier failed to ensure that the correct protective clothing and/or breathing apparatus as specified by the consignor were in a good condition to protect the driver and the crew before proceeding on the route in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.2.4	66909	X		Driver of dangerous goods carrier failed to drive the vehicle to the point where the load is to be taken on and/or report to the qualified person in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.1	66925	X		Loading operation not carried out under the supervision of a qualified person selected by the operator of the vehicle, the consignor and the consignee in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.2	66941	X		Loading proceed while the qualified person or the driver considered it unsafe to load the vehicle in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.3	66967	X		Consignor failed to ensure that the instructions provided by the operator regarding the loading procedure are adhered to in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.4	66983	X		Consignor failed to supply the correct type and quantity of Hazchem placards for the consignment in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.4	67002	X		Consignor failed to supply the correct Tremcards and/or manifests for the consignment in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(a)	67028	X		Qualified person failed to ensure that the vehicle presented for loading was of the correct type and capacity as agreed upon in the transportation contract before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(b)	67044	X		Qualified person failed to ensure that the vehicle was properly parked and the engine was switched off before permitting loading to start in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(c)	67060	X		Qualified person failed to ensure that the operations took place in a registered work place where all the necessary safety measures associated with material being transported before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(c)	67086	X		Qualified person failed to ensure that the working place was equipped with the necessary safety equipment before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(d)	67109	X		Qualified person failed to ensure that the operations took place in a correct, efficient and productive way with no risk of distraction caused by other operations taking place and/or goods stored, in the vicinity before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(e)	67125	X		Qualified person failed to ensure that the capacity of the vehicle tank is adequate to receive, without overloading, the volume of the gaseous and/or liquid substances before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(e)	67141	X		Qualified person failed to ensure that an appropriate ullage was allowed on the vehicle tank before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(f)	67167	X		Qualified person failed to ensure that the vehicle tank was properly cleaned of any previous contents before permitting loading to start in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(f)	67183	X		Qualified person failed to ensure that a certificate was issued to certify that the vehicle tank was properly cleaned of any previous contents before permitting loading to start in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(f)	67206	X		Qualified person failed to ensure that the certificate contain a statement on the seals fitted in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(g)	67222	X		Qualified person failed to ensure that earth bonding wires was provided and/or incorrectly connected when flammable liquids are to be transferred in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(h)	67248	X		Qualified person failed to ensure that he/she remained in the vicinity of the flow valves during fluid type transfers in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(h)	67264	X		Qualified person failed to stop the fluid type transfer immediately in the event of a rupture, spillage and/or any other emergency by closing the flow valves in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(i)	67280	X		Qualified person failed to ensure that the vehicle cargo space was cleared of any spillage from previous contents before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(i)	67303	X		Qualified person failed to ensure that the vehicle cargo space was examined for aspects such as sharp protrusions or faulty fittings before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(i)	67329	X		Qualified person failed to ensure that the vehicle was free of any product likely to contaminate the load or create a safety hazard before the loading of packaged cargo in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(j)	67345	X		Qualified person failed to ensure that the vehicle's was adequate for the planned packaged cargo consignment before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(k)	67361	X		Qualified person failed to ensure that the packaged cargo of mixed hazard classes was compatible before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(l)	67387	X		Qualified person failed to ensure that the packaged goods were not packed and labelled in provisions of SABS 0229 before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.5(m)	67400	X		Qualified person failed to ensure that the intermediate bulk containers meet the requirements of SABS 0233 before the loading of packaged cargo in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(a)	67426	X		Qualified person failed to ensure that the load was secured by sealing off the outlets appropriately in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(a)	67442	X		Qualified person failed to ensure that the vehicle was washed free of any spillage in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(b)	67468	X		Qualified person failed to ensure that the permissible vehicle and axle mass-loads for the loaded vehicle was not exceeded in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(c)	67484	X		Qualified person failed to ensure that the packaged cargo was properly secured and undamaged in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(d)	67507	X		Qualified person failed to ensure that the correct type and number of Hazchem placards was provided by the consignor in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(d)	67523	X		Qualified person failed to ensure that the correct type and number of Hazchem placards was properly installed in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(e)	67549	X		Qualified person failed to ensure that the correct Tremcard and manifest was provided by the consignor in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.3.6(e)	67565	X		Qualified person failed to ensure that the driver placed the Tremcard , manifest, other relevant written route instructions in the designated space in the vehicle cab in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(a)	67581	X		Driver failed to follow the route without deviation in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(b)	67604	X		Driver failed to stop in an authorised pre-planned safe area in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(c)	67620	X		Driver stopped otherwise except during an emergency or for pre-planned stops in an authorised preplanned safe area in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(c)	67646	X		Driver failed to switch the hazard warning lights on when stopped en route at an authorised stopping place and/or for checking the vehicle's tyres in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(d)	67662	X		Driver failed drove for a longer period than laid down in Annex A in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(e)	67688	X		Driver left the vehicle in any circumstances unattended in an unsupervised area in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(f)	67701	X		Driver permit the unloading of part of load while detained en route because of axle overloading in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(g)	67727	X		Driver failed to observe good driving practice by the use of forethought to anticipate problems in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(h)	67743	X		Driver failed to inform the authorities and the operator without delay in the event of an unscheduled stop in terms of the Standard Specifications.	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(h)	67769	X		Vehicle not equipped with a battery isolation switch and/or two portable intrinsically safe flashing hazard lights in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(i)	67785	X		Driver failed to consult the Tremcard and alert the emergency services, police and/or traffic police in the event of either an incident in which spillage occurs and/or any other circumstances which puts the cargo at risk in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.1(j)	67808	X		Driver failed to check all load indicators, pressure gauges for the correct readings regularly at prescribed intervals in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.4.2	67824	X		Driver failed to report to the responsible party contractually agreed upon on reaching his/her destination in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.5.4.1	67840	X		Qualified person failed to ensure that any fuel tanks are securely closed and washed free of any spillage and/or that the shut-off valves are closed to prevent possible hazards in terms of the Standard Specifications	300
Reg.308 (1) r/w 304,&369 r/w Sec.1,78,86 &89 r/w SABS0231:1997 Par.3&5.5.4.2	67866	X		Unloaded vehicle not maintained under full Hazchem placarding until such time as it was cleaned of the product and was certified to that effect in terms of the Standard Specifications	300
Reg.308 (2) r/w 304,&369 r/w Sec.1,86&89	67882			Operator, consignor or consignee failed to nominate a qualified person to perform the tasks with respect to the transportation of dangerous goods in terms of the Standard Specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.309 r/w 304&369 r/w Sec.1,86&89	67905			Operator failed to ensure that the multi-load of dangerous goods transported on the vehicle was compatible as prescribed in Annex D to code of practice SABS 0232-1 in terms of the Standard Specifications	300
Reg.311(2) r/w 304,305(1), 311(1)&369 r/w Sec.1,86&89	67921			Operator failed to ensure that his/her driver underwent training every 12 months in terms of the Standard Specifications	300
Reg.311(3) r/w 304,305(1), 311(1)(4)&369 r/w Sec.1,86&89	67947			Institution failed to submit a syllabus for the training of drivers 30 days before the training commences to the Minister for approval in terms of the Standard Specifications	300
Reg.311(5) r/w 304,305(1), 311(1)&369 r/w Sec.1,86&89	67963			Institution failed to issue a certificate to the driver on successful completion of training in terms of the Standard Specifications	300
Reg.312(1) r/w 304,305(1), &369 r/w Sec.1,86&89	67989			Driver of vehicle failed to ensure that the Tremcards and manifests as are required and which pertained to the dangerous goods was kept in the vehicle in terms of the Standard Specifications	300
Reg.312(2)(a) r/w 304,305(1), &369 r/w Sec.1,86&89	68008			Driver of vehicle failed to produce a valid medical certificate on demand in terms of the Standard Specifications	300
DAMAGING OF ROADS					
Reg.356(a) r/w 369 r/w Sec.1,86&89	41527	X		causing any wheel of vehicle to drag or spin upon the surface of the roadway	150
Reg.356(b) r/w 369 r/w Sec.1,86&89	41543	X		using chocks or shoes between wheel of vehicle moving along the roadway and the surface of the roadway	100
Reg.356(c) r/w 369 r/w Sec.1,86&89	41569	X		using or moving vehicle or thing on roadway causing damage or likely to cause damage	150
DISTINGUISHED SIGN					
Reg.49 r/w 1&369 r/w Sec.1,86&89	41624	X		motor vehicle registered in Namibia travelling internationally not consisting of distinguishing sign or prescribed specifications	100
Reg.48((5)(e) r/w 1&369 r/w Sec.1,86&89	41632	X		motor vehicle registered outside Namibia not displaying the distinguished sign of the country of registration allocated in terms of the Convention	100
Reg.48((5)(f) r/w 1&369 r/w Sec.1,86&89	41640	X		motor vehicle registered in Namibia displaying a distinguished sign other than the distinguished sign allocated to Namibia in terms of the Convention	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
DRINK AND DRIVE					
Sec.14(1)(I)(i) r/w 1,82,86,89& 106	41682			driver failed to provide a specimen of breath with the directions of a traffic officer while under the influence	NAOG
Sec.14(1)(I)(ii) r/w 1,82,86,89& 106	41705			driver failed to submit to the taking of his/her blood by a medical practitioner/registered nurse	NAOG
Sec.14(1)(I)(ii) r/w 1,82,86,89& 106	41713			driver failed to proceed to a place indicated by the officer to submit to the taking of his/her blood to a place designated by the officer	NAOG
Sec.82(1)(a) r/w 1,86,89&106	41721			drove vehicle whilst under influence of liquor or narcotic drug having a narcotic effect	NAOG
Sec.82(1)(b) r/w 1,86,89&106	41747			occupied the driver's seat of which the engine was running whilst under influence of liquor or narcotic drug having a narcotic effect	NAOG
Sec.82(2)(a) r/w 1,82(3),(4),86, 89&106	41763			drove vehicle whilst the concentration of alcohol was in excess 0.079 g. per 100ml.at any time within 2 hours after the offence - blood specimen	NAOG
Sec.82(2)(b) r/w 1,82(3),(4),86, 89&106	63016			occupied the driver's seat of which the engine was running whilst under influence of liquor or narcotic drug having a narcotic effect	NAOG
Sec.82(5)(a) r/w 1,82(6),(7),86, 89&106	41789			drove vehicle whilst the concentration of alcohol was in excess 0.37 mg. per 1000ml. – breath exhaled	NAOG
Sec.82(5)(b) r/w 1,82(6),(7),86, 89&106	41802			occupied driver's seat of which the engine was running whilst the concentration alcohol was in excess of 0.37 mg. per 1000ml. – breath exhaled	NAOG
Sec.82(8) r/w 1,106	41828			during detention consumed a substance containing alcohol	NAOG
Sec.82(9) r/w 1,14(1)(I)(i), 86,89& 106	41844			refused that a specimen of blood or breath be taken on request	NAOG
DUTIES OF A DRIVER					
Reg.341(1)(a) r/w 369 r/w Sec.1,86&89	41894	X		causing vehicle to travel backwards unsafely	200
Reg.341(1)(a) r/w 369 r/w Sec.1,86&89	41909	X		causing vehicle to run backwards for a distance or time longer than might be necessary for the safety or reasonable convenience of any occupant of of other traffic	200
Reg.341(1)(b) r/w 369 r/w Sec.1,86&89	63024	X		following another vehicle too closely	200
Reg.341(1)(c) r/w 369 r/w Sec.1,86&89	41933	X		permitting a person animal or object to occupy a position preventing the driver to have complete control over the movements of the vehicle	200
Reg.341(1)(d) r/w 369 r/w Sec.1,86&89	41959	X		permitting a person to hold of or to interfere with the steering or operating mechanism	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.341(1)(e) r/w 369 r/w Sec.1,86&89	41975	X		occupying such position not having complete control over vehicle	200
Reg.341(1)(e) r/w 369 r/w Sec.1,86&89	41983	X		occupying such position not having a full view of the roadway and the traffic ahead of the vehicle	200
Reg.341(1)(f) r/w 369 r/w Sec.1,86&89	41991	X		Allowing the vehicle to remain unattended without setting its brake or adopting other method to prevent the vehicle from moving	150
Reg.341(1)(g) r/w 369 r/w Sec.1,86&89	42002	X		entering road unsafely from a parked or stationary position	200
Reg.341(1)(h) r/w 369 r/w Sec.1,75,77, 86&89	42036	X		failing to give immediate and absolute right of way to vehicles sounding a device	300
Reg.341(1)(i) r/w 369 r/w Sec.1,86&89	42052	X		Driver allowing a portion of his/her body to protrude from vehicle while in motion	100
Reg.341(1)(j) r/w 369 r/w Sec.1,86&89	42078	X		permitting a person or animal to occupy the roof any step, running board or any other place on top of vehicle whilst it was in motion	150
Reg.341(1)(k) r/w 369 r/w Sec.1,86&89	42094	X		causing or allowing engine to run that it emitted smoke or fumes	150
Reg.341(1)(l) r/w 369 r/w Sec.1,86&89	42117	X		causing or allowing engine to run while vehicle was stationary and unattended	100
Reg.341(1)(m) r/w 369 r/w Sec.1,86&89	42133	X		negligently or wilfully depositing or causing or permitting to be deposited any petrol, other liquid fuel, any oil, grease, other flammable or offensive matter ashes or other refuse of whatsoever from the vehicle upon or alongside the road	200
Reg.341(1)(n) r/w 369 r/w Sec.1,86&89	42159	X		Causing or allowing engine to run or starting whilst taking in fuel or before tank is closed	100
Reg.341(2) r/w 369 r/w Sec.1&86	41917	X		Non - driver took hold or interfered with steering or operating mechanism of vehicle while in motion	200
Reg.341(3) r/w 369 r/w Sec.1,86&89	42175	X		Part of body of passenger protruding beyond the vehicle	100
Reg.341(4) r/w 369 r/w Sec.1,86&89	42191	X		entering or alighting from vehicle not stationary in an manner to endanger himself/herself or other road users	200
Reg.341(5) r/w 369 r/w Sec.1,86&89	42214	X	X	drove, pulled or pushed a vehicle upon a sidewalk	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.341(5) r/w 369 r/w Sec.86&89	42222	X	X	drove pulled or pushed a pedal cycle upon a sidewalk	100
DUTIES - LICENCE INSPECTOR					
Sec.13(1)(a) r/w 1,106	42298	X		failing to present, by notice in writing, a vehicle at a vehicle testing station for examination	300
Sec.13(1)(a) r/w 1,106	42311	X		failing to comply with written request of licence inspector to produce vehicle for examination	200
Sec.13(1)(a)(b) r/w 1&106	42337	X		failing to comply with an instruction of a licence inspector	200
Sec.13(1)(b) r/w 1&106	42379	X		failing to produce a document which he/she was required to hold in respect of a motor vehicle in terms of this Act on demand of a licence inspector	300
Sec.13(1)(b) r/w 1&106	42387	X		failing to produce a document which he/she was required to hold in respect of a motor vehicle issued by a competent authority outside Namibia on demand of a licence inspector	300
Sec.13(1)(c)(i)(ii) r/w 1,106	42395	X		failing to produce driving instructor's certificate forthwith or within 7days on request of a licence inspector	300
Sec.13(1)(d) r/w 1,13(1)(b),(2) &106	42400	X		refusing that vehicle be examined by licence inspector in order to verified whether it is in fact the motor vehicle in respect of which the document referred to	NAOG
Sec.13(1)(e)(h) r/w 1,13(1)(b),(2) &106	42418	X		refusing to hand documents over to licence inspector to impound	300
Sec.13(1)(f) r/w 1,13(1)(i) &106	42434			driver/owner/operator/person in charge/any other person refusing to furnish name and address/other information to license inspector	NAOG
Sec.13(1)(g) r/w 1,31(1)(b) & 106	42442	X	X	failing to produce a licence or temporary authorisation to drove a vehicle to immediately on demand of a license inspector	200
Sec.13(1)(i) r/w 1,31(1)(b) & 106	42450	X		failing to furnished particulars of his/her identification and address where it is believed that he/she was able to furnish information in relation to the identification of the owner, operator or driver	NAOG
Sec.13(1)(j) r/w 1,106	42476	X		refusing that a license inspector enter premises at any reasonable time in the execution of his/her duties	300
Sec.13(2) r/w 1,106	42492	X		failing to issue a receipt when impounding any licence or document	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
DUTIES - ROAD TRANSPORT INSPECTOR					
Sec.15(1)(a) r/w 1,13(1)(b) &106	42531	X		failing to produce a document which he/she was required to hold in respect of a motor vehicle in terms of this Act on demand of a road transport inspector	300
Sec.15(1)(a) r/w 1,13(1)(b) &106	68024	X		failing to produce a document which he/she was required to hold in respect of a motor vehicle in terms of this Act on demand of a road transport inspector	300
Sec.15(1)(a) r/w 1,13(1)(d) &106	68040			refusing that vehicle be examined by road transport inspector in order to verified whether it is in fact the motor vehicle in respect of which the document referred to	NAOG
Sec.15(1)(a) r/w 1,13(1)(f) &106	68066			driver/owner/operator/person in charge/any other person refusing to furnish name and address/other information to road transport inspector	NAOG
Sec.15(1)(a) r/w 1,13(h) &106	68082	X		refusing to hand documents over to road transport inspector to impound	300
Sec.15(1)(a) r/w 1,13(i) &106	68105			failing to furnished particulars of his/her identification and address where it is believed that he/she was able to furnish information in relation to the identification of the owner, operator or driver	NAOG
Sec.15(1)(a) r/w 1,13(1)(j) &106	68121	X		refusing that a road transport inspector enter premises at any reasonable time in the execution of his/her duties	300
Sec.15(1)(b) r/w 1,14(1)(b) &106	42557	X		refused to stop a vehicle on demand of a road transport inspector in uniform	300
Sec.15(1)(b) r/w 1,14(1)(d) &106	68147	X		failing to proceed with vehicle to a designated place for the purpose of ascertain the mass by means of a weighing device	300
Sec.15(1)(b) r/w 1,14(1)(g) &106	68163	X		failing to remove vehicle as directed by road transport inspector when impeding normal flow of traffic on public road	300
Sec.15(1)(b) r/w 1,14(1)(g) &106	68189	X		failing to follow a different route as directed by road transport inspector when impeding normal flow of traffic on public road	300
Sec.15(1)(b) r/w 1,14(1)(m)(i)&106	68202	X		failed to produce an authorisation document issued by a competent authority in the Public Service to use a Government vehicle at that point of time on request of a road transport inspector	300
Sec.15(1)(b) r/w 1,14(1)(m)(ii)& 106	68228	X		failed to furnish information when reasonably required to ascertain whether vehicle was used for the purpose for which authorisation was given on request of a road transport inspector	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec.15(1)(b) r/w 1,14(1)(m)(ii)& 106	68244	X		failed to furnish information when reasonably required to ascertain whether passengers are authorised to be conveyed by such vehicle on request of a road transport inspector	300
DUTIES – VEHICLE EXAMINER					
Sec. 16(1) r/w 1,&106	68260			failed that vehicle examiner examined vehicle to ascertain whether it is roadworthy or not	NAOG
Sec. 16(2) r/w 1,&106	68286			failed that vehicle examiner drove vehicle to ascertain whether it is roadworthy or not	NAOG
DUTIES – TRAFFIC OFFICER / PEACE OFFICER					
Sec.14(1)(a) r/w 1,13&106	42565			perform any of the functions assigned to a license inspector – SEE SECTION 13 (DUTIES OF A LICENCE INSPECTOR)	
Sec.14(1)(b) r/w +1,86,89 &106	42604	X	X	refused to stop a vehicle on demand of a traffic officer in uniform	300
Sec.14(1)(c) r/w 1.86,89&106	42612			refused a traffic officer to inspect or test his or her vehicle	NAOG
Sec.14(1)(d) r/w 1,86,89&106	42646	X		failing to proceed with vehicle to weighing device	300
Sec.14(1)(d) r/w 1&86,87,88,89 &106	42662	X		operating vehicle after prohibition of operation before mass has been reduced/adjusted	300
Sec.14(1)(d) r/w 1,86,87,88,89 &106	42688			refused a traffic officer to ascertain the dimensions, loads mass etc.	NAOG
Sec.14(1)(e) r/w 1,86,89&106	42701			refused a traffic officer to drive a vehicle in the execution of his/her duties	NAOG
Sec.14(1)(f) r/w 1,86,89&106	42727	X		continuing to drive a vehicle after being temporarily forbidden to continue to drive or be in charge of the vehicle by a traffic officer (mental or physical condition)	300
Sec.14(1)(g) r/w 1,86,89& 106	42743	X		failing to remove/follow other route as directed by traffic officer when impeding normal flow of traffic on public road	300
Sec.14(1)(g) r/w 1,86,89&106	42769	X	X	failed to comply with the direction of traffic officer while regulating or controlling traffic	300
Sec.14(1)(h) r/w 1,86,89&106	42777			Failing to give evidence to the commission or suspected commission when reasonably suspects of having committed an offence	NAOG
Sec.14(1)(i) r/w 1,14(1)(j)86, 89&106	42785	X		refusing to produce any document prescribed in terms of this Act	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec.14(1)(k) r/w 1,86,89&106	42793			failing to take vehicle to the nearest police station specified by the traffic officer when it was found that engine number or chassis number differs as specified on the documents	NAOG
Sec.14(1)(l)(i) r/w 1,82,86,89 &106	42808			driver failed to provide a specimen of breath with the directions of a traffic officer while under the influence	NAOG
Sec.14(1)(l)(ii) r/w1, 82,86,89 &106	42824			driver failed to submit to the taking of his/her blood by a medical practitioner/registered nurse	NAOG
Sec. 14(1)(m)(i) r/w 1,& 106	42832	X		failed to produce an authorisation document issued by a competent authority in the Public Service to use a Government vehicle at that point of time on request of a traffic officer/peace officer	300
Sec.14(1)(m)(ii) r/w 1, & 106	42840	X		failed to furnish information when reasonably required to ascertain whether vehicle was used for the purpose for which authorisation was given on request of a traffic officer/peace officer	300
Sec. 14(1)(m)(ii) r/w 1, & 106	42858	X		failed to furnish information when reasonably required to ascertain whether passengers are authorised to be conveyed by such vehicle on request of a traffic officer/peace officer	300
Sec.14(2)(a)(b) r/w 1,14(1)(l), (j)&106	42947			failed to issue a receipt after impounding a document/licence or to surrender the document or licence after police clearance was obtained	NAOG
Sec.18(1)(a) r/w 1,86,89&106	42989	X		failing to comply with instruction or direction of authorised officer	300
Sec.18(1)(a) r/w 1,86,89&106	63032			obstructed, hindered or interfered an authorised officer in the performance of any function of this Act	NAOG
Sec.18(1)(b) r/w 1&106	43008	X		failing to comply with an instruction of a peace officer	300
Sec.18(1)(b) r/w 1&106	63040			obstructed, hindered or interfered a peace officer in the exercise of any power relating to a provision assigned to him/her under this Act	NAOG
Sec.18(1)(c) r/w 1&106	63058			threatened or suggested the use of violence against or restraint upon such officer or any other person or suggested any injury to the property of such officer or any other person	NAOG
Sec.19(1) r/w 1&106	43024			conducted or demeanour pretended by word to be an authorised officer or peace officer	NAOG
Sec.19(2) r/w 1&106	43032			connived with or induced or attempted to induce an authorised officer or peace officer to omit to carry out his/her duty or to perform an act in conflict with his/her duty	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
EMERGENCY WARNING SIGNS					
Reg.233(2)(a) r/w 233(1)&369 r/w Sec.86&89	43040	X		operating a motor vehicle, carrying an emergency warning sign which was not a doubled-sided sign having the shape, design, minimum dimensions and colours as prescribed and/or does not consist of red reflective material.	100
Reg.233(2)(a) r/w 233(1)&369 r/w Sec.86&89	43058	X		operating a motor vehicle, carrying an emergency warning sign of which red portion was not painted red and does not have retro-reflectors on each corner	100
Reg.233(2)(a) r/w 233(1)&369 r/w Sec.86&89	43074	X		operating a motor vehicle, excluding ambulance, motor car and motorcycle, without carrying an emergency warning sign	100
Reg.233(3) r/w 1,233(2),(5) &369 r/w Sec.86&89	43082	X		failing to display or causing to be displayed at least 1 emergency warning sign at least 45 m from the motor vehicle when stationary on a roadway	150
Reg.233(4) r/w 1,233&369 r/w Sec.1,86&89	43113	X		removing or tampering with without lawful cause with an emergency warning sign displayed in terms of regulation 233	200
ENGINE NOT COVERED					
Reg.225 r/w 1&369 r/w Sec.1,86&89	43171	X		operating a motor vehicle other than a motorcycle or other cycle with the engine not covered properly so as not to constitute a danger	100
ENTRANCES AND EXITS					
Reg.229(1)(a) r/w 1,229(4) &369 r/w Sec.1,86&89	43236	X		operating a motor vehicle with a fixed hood and tare in excess of 570 kg without a convenient means of entrance and exit on both the left and right sides of the vehicle	100
Reg.229(1)(b) r/w 1,229(4) &369 r/w Sec.1,86&89	43252	X		operating a motor vehicle with a fixed hood and tare in excess of 570 kg without a convenient means of entrance and exit on both the left and right sides of the vehicle	100
Reg.229(2) r/w 229(1),(4)& 369 r/w Sec.1,86&89	43278	X		operating a motor vehicle without doors or effective barriers at the entrance or exit of that vehicle	100
Reg.229(3) r/w 229(2),(4) & 369 r/w Sec.1,86&89	43294	X		operating a motor vehicle of which the doors or barriers could not be opened from both outside and inside and not clear from obstructions when vehicle is in motion	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
EXHAUST / SILENCER SYSTEMS					
Reg.228(a) r/w 1&369 r/w Sec.1,86&89	43359	X		operating a motor vehicle without an efficient exhaust, silencer or muffling device affixed to that vehicle	100
Reg.228(b) r/w 1,228(a),369 r/wSec.1,86&89	43375	X		operating a motor vehicle with a device other than a silencer or muffling devices for the projecting of exhaust gasses	100
Reg.228(c) r/w 1,369 r/w Sec.1,86&89	43391	X		operating a motor vehicle with the exhaust gas or smoke from engine causes is so dense as to causing a nuisance to or obstructed the vision of other road users	100
Reg.228(d) r/w 1&369 r/w Sec.1,86&89	43414	X		operating a motor vehicle with the exhaust pipe or silencer so affixed that it causes a danger or leaks gasses into the interior of vehicle	100
Reg.228(d) r/w 1& 369 r/w Sec.1,86&89	63066	X		operating a motor vehicle with an exhaust pipe or silencer not in a good working order	150
Reg.228(d) r/w 1&369 r/w Sec.1,86&89	63074	X		operating a motor vehicle with exhaust pipe or silencer in such a position that oil or other flammable liquid or material can drip or fall onto it	150
Reg.228(e) r/w 344 & 369 r/w Sec.1,86&89	43422	X		operating a motor vehicle emitting noises in excess of the limits as prescribed in Code of Practise SABS 0181:1981	200
Reg.344 r/w 1,228&369 r/w Sec.1,86&89	43472	X		operating or permitting to be operated a vehicle in such a manner as to cause any excessive noise that can be avoided by reasonable care	200
FALSE DOCUMENTS					
Sec.85(1)(a) r/w 1,106	43537			falsified/counterfeited/intended to deceive/substituted/alterd/defaced/mutilated/added anything to licence number/mark or a similar number or mark	NAOG
Sec.85(1)(b) r/w 1,85(1)(a),86, 89 & 106	63082			in possession of licence number/ mark which has been falsified/counterfeited or so substituted/ altered/defaced/mutilated/to which has been added	NAOG
Sec.85(2)(a) r/w 1,85(1),85(3), 85(5), 86,89& 106	43553			falsified/counterfeited/substituted/alterd/defaced/ mutilated/added anything to a certificate/licence/ other document issued/recognised by Act 22 of 1999	NAOG
Sec.85(2)(b) r/w 1,85, 86,89 &106	63090			in possession certificate, licence or other document which has been falsified, counterfeited or so substituted, altered, defaced or mutilated or to which anything has been added	NAOG
Sec.85(3)(a) r/w 1,86,89,106	43579			used a certificate, licence or document of which he or she was not the holder	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec.85(3)(b) r/w 1,86,89 &106	43595	X		permitting a certificate, licence or document to be used by another person	300
Sec.85(4)(a) r/w 1,86,89&106	64004			with intent to deceive, falsified, replaced, altered, defaced, mutilated or added anything or removed anything from, or in any other way tampered with the engine, chassis number or identification mark of a motor vehicle	NAOG
Sec.85(4)(b) r/w 1,86,89&106	64012			in possession of a motor vehicle of which the engine number, chassis number or identification number has been falsified, replaced, altered, defaced, mutilated or to which anything has been added or from which anything has been removed or has been tampered with in any other way without lawful cause	NAOG
FALSE INFORMATION					
Sec.84(a,(b) r/w 1,106	43642			declared or furnished false information or in any material respect misleading, to be used for any purpose under Act 22 of 1999	NAOG
FITNESS OF DRIVERS					
Sec.31(1)(a) r/w 1,86,89&106 r/w Reg. 1,110 &122	64020	X	X	drove a motor vehicle without a driving licence	300
Sec.31(1)(a) r/w 1,86,89&106 r/w Reg.1,110 &122	43731	X	X	drove a motor vehicle of a class other than for which he or she holds a driving licence	300
Sec.31(1)(b) r/w 1,86,89&106 r/w Reg. 1,110 &122	64038	X	X	failed to carry learner's driving license, driving licence or temporary authorisation with him/her in the vehicle	200
Sec.35(1) r/w 1,34&106 r/w Reg. 113	43757			wilfully failed to disclose any disqualification to obtain or hold a learner's or driving licence – Sec. 34 of the Act	NAOG
Sec.35(2) r/w 1,34&106 r/w Reg. 113	43765			wilfully failed to submit his /her licence within 21 days of the date on which he/she becomes aware of the disqualified from holding that licence to the Minister for cancellation or endorsement	NAOG
Sec.36(4) r/w 1&106 r/w Reg. 1, 110 &115,	43773			wilfully or negligently issued or authorised the issuing of a learner's licence contrary to the provisions of Chapter 4	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec.37(10)(a) r/w 1&106 r/w Reg. 1,110, &122	64046			wilfully or negligently issued or authorised the issuing of a driving licence contrary to the provisions of Chapter 4	NAOG
Sec.37(10)(b) r/w 1,37(6)&106 r/w Reg. 1, 125, 126,136&137	43799			wilfully or negligently endorsed or failed to endorse a license when it is required to do so	NAOG
Sec.42(9) r/w 1&106	43812			failed to submit a cancelled or suspended driving licence	NAOG
Sec.45 r/w 1&106	43838	X		failing to submit learner's or driving licence issued contrary to the provisions of Chapter 4	300
Sec.46 r/w 1, 31&106	43854	X		allowing another person to use learner's or driving licence	300
Sec.47 r/w 1&106	43862	X		employing or permitting any person to drive a motor vehicle without a licence	300
Sec.48(1) r/w 1,49(2),49(3), &106	43870	X		instructed or supervised any person in the driving of a motor vehicle without a driving instructors certificate for reward (for himself/herself or any other person)	300
Sec.48(2) r/w 1,49(2),49(3), &106	43888	X		Employed made use of the service of any other person as an assistant without a driving instructors certificate	300
Sec.48(4) r/w 1,49(2),49(3), &106	43901	X		Failing to keep the driving instructors certificate available for inspection at all times while engaged in teaching a person in driving a motor vehicle	300
Sec.49(1) r/w 1,49(2),49(3), &106	43896	X		failing to produce every learner's licence or driving licence at the time of the hearing to the court	300
Reg 110(3)(a) r/w 1, &369 r/w Sect 1, 86 & 89	T0001	X	X	Driving a motor vehicle with a learner's driving license whilst not under the direct personal supervision of a person who is in possession of a license authorising him/her to drive that class of motor vehicle	300
Reg 110(3)(b) r/w 1 & 369 r/w 1, 86 & 89	T0002	X		Holder of learner's license failed to ensure that a red sign in the form of the letter "L" of at least 300mm by 200mm is displayed in the rear window on the right hand side of the motor vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg 110(3)(c) r/w 1 & 369 r/w 1, 86 & 89	T0003	X		Driving a motorcycle with a learner's license carrying passengers on the motorcycle	300
Reg 110(3)(d) r/w 1 & 369 r/w 1, 86 & 89	T0004	X		Learner driver conveying passengers for reward	300
FUEL TANK, ELECTRICAL WIRING ETC.					
Reg.224(a) r/w 1&369 r/w Sec.1,86&89	43951	X		operated a motor vehicle with defective fuel tank, carburettor, fuel receptacle or fuel pipe or so exposed it constitutes a danger	150
Reg.224(b) r/w 1&369 r/w Sec.1,86&89	43977	X		operated motor vehicle without an effective cap fitted to the filling aperture	150
Reg.224(c) r/w 1&369 r/w Sec.1,86&89	43993	X		operated a motor vehicle with electrical wiring and battery installed, insulated and maintained constituting a source of danger	100
SEC/REG.	CODE	56	341	DESCRIPTION	FINE
FREEWAYS – SPECIAL PROVISIONS					
Reg. 358(1)(a) r/w 369 r/w Sec.1,86&89	68309	X		Operated an animal drawn vehicle on a freeway	300
Reg. 358(1)(b) r/w 369 r/w Sec.1,86&89	68325	X		Operated a pedal cycle on a freeway	300
Reg. 358(1)(c) r/w 369 r/w Sec.1,86&89	68341	X		Operated a motorcycle with a cylinder capacity not exceeding 50 cubic centimetres	300
Reg. 358(1)(c) r/w 369 r/w Sec.1,86&89	68367	X		Operated a motor vehicle propelled by electrical power or vehicle prescribed in paragraph b of the definitions of a motor vehicle on a freeway	300
Reg. 358(1)(d) r/w 369 r/w Sec.1,86&89	68383	X		Operated a motor tricycle and/or motor quadrucycle on a freeway	300
Reg. 358(1)(e) r/w 369 r/w Sec.1,86&89	68406	X		Operated a vehicle with a mass less than 230 kg and specially designed, constructed or adapted for the use of a person suffering from a physical defect or disability on a freeway	300
Reg. 358(1)(f) r/w 369 r/w Sec.1,86&89	68422	X		Operated a tractor on a freeway	300
Reg. 358(2)(a) r/w 369 r/w Sec.1,86&89	68448	X		Person on foot on a freeway	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg. 358(2)(b) r/w 369 r/w Sec.1,86&89	68464	X		Leave or allow an animal on a freeway or leave an animal in a place where it may stray on a freeway	300
Reg. 358(2)(c) r/w 369 r/w Sec.1,86&89	68480	X		Stop a vehicle on a freeway except in an emergency situation or any cause beyond the control of the driver	300
Reg. 358(2)(d) r/w 369 r/w Sec.1,86&89	68503	X		Give hand signals when driving a motor vehicle on a freeway	300
Reg. 358(5) r/w 369 r/w Sec.1,86&89	68529	X		Fail to steer the motor vehicle to the lane on a freeway left of the one which he/she was driving became aware that another vehicle intends to overtake him/her	300
Reg. 358(5) r/w 369 r/w Sec.1,86&89	68545	X		Fail to steer to the left lane when another motor vehicle intends to overtake him/her endangering himself/herself or other traffic or other property	300
Reg. 358(5) r/w 369 r/w Sec.1,86&89	68561	X		Accelerate the speed of his/her vehicle until the second vehicle has passed	300

GENERAL SPEED LIMIT

20 km/h

Sec.76(2) r/w 1,76(1), 76(4),86,89&106 r/w Reg. 323 r/w Schedule 2 of RTTR	drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 20 km/h
---	---

INSIDE AN URBAN AREA

CODE	56	341	OFFENCE	FINE
44054	X	X	exceeds speed limit between: 31-35 km/h	100
44062	X	X	exceeds speed limit between: 36-40 km/h	125
44088	X	X	exceeds speed limit between: 41-45 km/h	150
44096	X	X	exceeds speed limit between: 46-50 km/h	175
44101	X	X	exceeds speed limit between: 51-55 km/h	200
44119	X	X	exceeds speed limit between: 56-60 km/h	225
44127	X	X	exceeds speed limit between: 61-65 km/h	250
44135	X	X	exceeds speed limit between: 66-70 km/h	275
44143	X	X	exceeds speed limit between: 71-75 km/h	300
44151		X	exceeds speed limit between: 76-80 km/h	NAOG
44169		X	exceeds speed limit between: 81-85 km/h	NAOG
44177		X	exceeds speed limit between: 86-90 km/h	NAOG
44185		X	exceeds speed limit between: 91-95 km/h	NAOG
44193		X	exceeds speed limit between: 96-100 km/h	NAOG

CODE	56	341	OFFENCE	FINE
44208		X	exceeds speed limit between: 101-105 km/h	NAOG
44216		X	exceeds speed limit between: 106-110 km/h	NAOG
44224		X	exceeds speed limit between: 111-115 km/h	NAOG
44232		X	exceeds speed limit between: 116-120 km/h	NAOG
44258		X	exceeds speed limit between: 121 km/h or faster	NAOG

30 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89&106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 30 km/h		
INSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
44266	X	X	exceeds speed limit between: 41-45 km/h	100
44274	X	X	exceeds speed limit between: 46-50 km/h	125
44282	X	X	exceeds speed limit between: 51-55 km/h	150
44305	X	X	exceeds speed limit between: 56-60 km/h	175
44313	X	X	exceeds speed limit between: 61-65 km/h	200
44321	X	X	exceeds speed limit between: 66-70 km/h	225
44339	X	X	exceeds speed limit between: 71-75 km/h	250
44347	X	X	exceeds speed limit between: 76-80 km/h	275
44355	X	X	exceeds speed limit between: 81-85 km/h	300
44363		X	exceeds speed limit between: 86-90 km/h	NAOG
44371		X	exceeds speed limit between: 91-95 km/h	NAOG
44389		X	exceeds speed limit between: 96-100 km/h	NAOG
44397		X	exceeds speed limit between: 101-105 km/h	NAOG
44402		X	exceeds speed limit between: 106 km/h or faster	NAOG
40 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89&106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 40 km/h		
INSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
44428	X	X	exceeds speed limit between: 51-55 km/h	100
44436	X	X	exceeds speed limit between: 56-60 km/h	125
44444	X	X	exceeds speed limit between: 61-65 km/h	150
44452	X	X	exceeds speed limit between: 66-70 km/h	175
44478	X	X	exceeds speed limit between: 71-75 km/h	200
44486	X	X	exceeds speed limit between: 76-80 km/h	225
44494	X	X	exceeds speed limit between: 80-85 km/h	250
44509	X	X	exceeds speed limit between: 86-90 km/h	275
44517	X	X	exceeds speed limit between: 91-95 km/h	300
44525		X	exceeds speed limit between: 96-100 km/h	NAOG
44533		X	exceeds speed limit between: 101-105 km/h	NAOG
44541		X	exceeds speed limit between: 106-110 km/h	NAOG
44559		X	exceeds speed limit between: 111-115 km/h	NAOG
44567		X	exceeds speed limit between: 116-120 km/h	NAOG
44575		X	exceeds speed limit between: 121 km/h or faster	NAOG

50 km/h				
Sec.76(2) r/w 1,76(1),76(4),86,89&106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 50 km/h INSIDE AN URBAN AREA		
CODE	56	341	OFFENCE	FINE
44583	X	X	exceeds speed limit between: 61-65 km/h	100
44591	X	X	exceeds speed limit between: 66-70 km/h	125
44606	X	X	exceeds speed limit between: 71-75 km/h	150
44614	X	X	exceeds speed limit between: 76-80 km/h	175
44622	X	X	exceeds speed limit between: 81-85 km/h	200
44648	X	X	exceeds speed limit between: 86-90 km/h	225
44656	X	X	exceeds speed limit between: 91-95 km/h	250
44664	X	X	exceeds speed limit between: 96-100 km/h	300
44672		X	exceeds speed limit between: 101-105 km/h	NAOG
44698		X	exceeds speed limit between: 106-110 km/h	NAOG
44703		X	exceeds speed limit between: 111 km/h or faster	NAOG

60 km/h				
Sec.76(1) R/w 1,76(2), 76(4),86,89 &106 R/w Reg. 323 R/w Schedule 2 of RTTR		drove a vehicle in excess of the general speed limit/speed limit indicated by an appropriate road traffic sign of 60 km/h INSIDE AN URBAN AREA		
CODE	56	341	OFFENCE	FINE
44711	X	X	exceeds speed limit between: 71-75 km/h	100
44729	X	X	exceeds speed limit between: 76-80 km/h	125
44737	X	X	exceeds speed limit between: 81-85 km/h	150
44745	X	X	exceeds speed limit between: 86-90 km/h	175
44753	X	X	exceeds speed limit between: 91 -95 km/h	200
44761	X	X	exceeds speed limit between: 96-100 km/h	225
44779	X	X	exceeds speed limit between: 101-105 km/h	250
44787	X	X	exceeds speed limit between: 106-110 km/h	300
44795		X	exceeds speed limit between: 111-115 km/h	NAOG
44818		X	exceeds speed limit between: 116-120 km/h	NAOG
44826		X	exceeds speed limit between: 121-125 km/h	NAOG
44834		X	exceeds speed limit between: 126-130 km/h	NAOG
44842		X	exceeds speed limit between: 131-135 km/h	NAOG
44868		X	exceeds speed limit between: 136-140 km/h	NAOG
44876		X	exceeds speed limit between: 141-145 km/h	NAOG
44884		X	exceeds speed limit between: 146-150 km/h	NAOG
44892		X	exceeds speed limit between: 151-155 km/h	NAOG
44907		X	exceeds speed limit between: 156-160 km/h	NAOG
44915		X	exceeds speed limit between: 161-165 km/h	NAOG
44923		X	exceeds speed limit between: 166-170 km/h	NAOG
44931		X	exceeds speed limit between: 171-175 km/h	NAOG
44949		X	exceeds speed limit between: 176-180 km/h	NAOG
44957		X	exceeds speed limit between: 181-185 km/h	NAOG
44965		X	exceeds speed limit between: 186-190 km/h	NAOG
44973		X	exceeds speed limit between: 191 km/h or faster	NAOG

70 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89 &106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 70 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
44981	X	X	exceeds speed limit between: 81-85 km/h	100
44999	X	X	exceeds speed limit between: 86-90 km/h	125
45018	X	X	exceeds speed limit between: 91-95 km/h	150
45026	X	X	exceeds speed limit between: 96-100 km/h	175
45034	X	X	exceeds speed limit between: 101-105 km/h	200
45042	X	X	exceeds speed limit between: 106-110 km/h	225
45068	X	X	exceeds speed limit between: 111-115 km/h	250
45076	X	X	exceeds speed limit between: 116-120 km/h	300
45084		X	exceeds speed limit between: 121-125 km/h	NAOG
45092		X	exceeds speed limit between: 126-130 km/h	NAOG
45107		X	exceeds speed limit between: 131 km/h or faster	NAOG
80 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89 &106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 80 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
45115	X	X	exceeds speed limit between: 91-95 km/h	100
45123	X	X	exceeds speed limit between: 96-100 km/h	125
45131	X	X	exceeds speed limit between: 101-105 km/h	150
45149	X	X	exceeds speed limit between: 106-110 km/h	175
45157	X	X	exceeds speed limit between: 111-115 km/h	200
45165	X	X	exceeds speed limit between: 116-120 km/h	225
45173	X	X	exceeds speed limit between: 121-125 km/h	250
45181	X	X	exceeds speed limit between: 126-130 km/h	300
45199		X	exceeds speed limit between: 131-135 km/h	NAOG
45204		X	exceeds speed limit between: 136-140 km/h	NAOG
45212		X	exceeds speed limit between: 141-145 km/h	NAOG
45238		X	exceeds speed limit between: 146-150 km/h	NAOG
45246		X	exceeds speed limit between: 151-155 km/h	NAOG
45254		X	exceeds speed limit between: 155 km/h or faster	NAOG

90 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89 &106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 90 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
45262	X	X	exceeds speed limit between: 101-105 km/h	100
45288	X	X	exceeds speed limit between: 106-110 km/h	125
45296	X	X	exceeds speed limit between: 111-115 km/h	150
45301	X	X	exceeds speed limit between: 116-120 km/h	175
45319	X	X	exceeds speed limit between: 121-125 km/h	200
45327	X	X	exceeds speed limit between: 126-130 km/h	225
45335	X	X	exceeds speed limit between: 131-135 km/h	250
45343	X	X	exceeds speed limit between: 136-140 km/h	275
45351	X	X	exceeds speed limit between: 141-145 km/h	300
45369		X	exceeds speed limit between: 146-150 km/h	NAOG
45377		X	exceeds speed limit between: 151-155 km/h	NAOG
45385		X	exceeds speed limit between: 155-160 km/h	NAOG
45393		X	exceeds speed limit between: 161-165 km/h	NAOG
45408		X	exceeds speed limit between: 166 km/h or faster	NAOG
100 km/h				
Sec.76(1) r/w 1,76(2), 76(4),86,89 &106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the general speed limit/speed limit indicated by an appropriate road traffic sign of 100 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
45416	X	X	exceeds speed limit between: 106-110 km/h	100
45424	X	X	exceeds speed limit between: 111-115 km/h	125
45432	X	X	exceeds speed limit between: 116-120 km/h	150
45458	X	X	exceeds speed limit between: 121-125 km/h	175
45466	X	X	exceeds speed limit between: 126-130 km/h	200
45474	X	X	exceeds speed limit between: 131-135 km/h	225
45482	X	X	exceeds speed limit between: 136-140 km/h	250
45505	X	X	exceeds speed limit between: 141-145 km/h	275
45513	X	X	exceeds speed limit between: 146-150 km/h	300
45521		X	exceeds speed limit between: 151-155 km/h	NAOG
45539		X	exceeds speed limit between: 156-160 km/h	NAOG
45547		X	exceeds speed limit between: 161 km/h or faster	NAOG

110 km/h				
Sec.76(2) r/w 1,76(1), 76(4),86,89 &106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle in excess of the speed limit indicated by an appropriate road traffic sign of 110 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
45555	X	X	exceeds speed limit between: 111-115 km/h	100
45563	X	X	exceeds speed limit between: 116-120 km/h	125
45571	X	X	exceeds speed limit between: 121-125 km/h	150
45589	X	X	exceeds speed limit between: 126-130 km/h	175
45597	X	X	exceeds speed limit between: 131-135 km/h	200
45602	X	X	exceeds speed limit between: 136-140 km/h	225
45623	X	X	exceeds speed limit between: 141-145 km/h	250
45636	X	X	exceeds speed limit between: 146-150 km/h	275
45644	X	X	exceeds speed limit between: 151-155 km/h	300
45652		X	exceeds speed limit between: 156-160 km/h	NAOG
45678		X	exceeds speed limit between: 161 km/h or faster	NAOG
120 km/h				
Sec.76(1) r/w 1,76(2), 76(4),86,89, 106 r/w Reg. 323 r/w Schedule 2 of RTTR		drove a vehicle excess of the general speed limit/speed limit indicated by an appropriate road traffic sign of 120 km/h		
OUTSIDE AN URBAN AREA				
CODE	56	341	OFFENCE	FINE
45686	X	X	exceeds speed limit between: 126-130 km/h	100
45694	X	X	exceeds speed limit between: 131-135 km/h	125
45709	X	X	exceeds speed limit between: 136-140 km/h	150
45717	X	X	exceeds speed limit between: 141-145 km/h	175
45725	X	X	exceeds speed limit between: 146-150 km/h	200
45733	X	X	exceeds speed limit between: 151-155 km/h	225
45741	X	X	exceeds speed limit between: 156-160 km/h	250
45759	X	X	exceeds speed limit between: 161-165 km/h	275
45767	X	X	exceeds speed limit between: 166-170 km/h	300
45775		X	exceeds speed limit between: 171-175 km/h	NAOG
45783		X	exceeds speed limit between: 176-180 km/h	NAOG
45791		X	exceeds speed limit between: 181-185 km/h	NAOG
45806		X	exceeds speed limit between: 186-190 km/h	NAOG
45814		X	exceeds speed limit between: 191 km/h or faster	NAOG

80 km/h - GOODS VEHICLES COMBINATION					
Sec.76(4)(c) r/w 1,76(3), 76(4),86,89 &106 r/w Reg. 1 & 324(1)(a)		drove a goods vehicle, combination of motor vehicles or articulated motor vehicle in excess of the prescribed speed limit of 80 km/h: OUTSIDE AN URBAN AREA			
CODE	56	341	OFFENCE		FINE
45822	X	X	exceeds speed limit between: 91-95 km/h		200
45848	X	X	exceeds speed limit between: 96-100 km/h		250
45856	X	X	exceeds speed limit between: 101-105 km/h		300
45864		X	exceeds speed limit between: 106-110 km/h		NAOG
45872		X	exceeds speed limit between: 111-115 km/h		NAOG
45898		X	exceeds speed limit between: 116-120 km/h		NAOG
45903		X	exceeds speed limit between: 121-125 km/h		NAOG
45911		X	exceeds speed limit between: 126-130 km/h		NAOG
45929		X	exceeds speed limit between: 131-135 km/h		NAOG
45937		X	exceeds speed limit between: 136-140 km/h		NAOG
45945		X	exceeds speed limit between: 141 or faster km/h		NAOG
Reg.324(2)(a) r/w 1,324(1)(a) (3)&369 r/w Sec.1,86 &89	461 03	X	operating a goods vehicle, combination of motor vehicles or an articulated motor vehicle in excess of 9000kg not displaying the required maximum 80 km/h sign on the rear of that vehicle		150

100 km/h - BUS / MINIBUS					
Sec.76(4)(c) r/w 1,76(3),76(4),86,89 &106 r/w Reg. 324(1)(b)		drove a bus or minibus used for the conveyance of persons in excess of the prescribed speed limit of 100 km/h :			
OUTSIDE AN URBAN AREA					
CODE	56	341	OFFENCE		FINE
45953	X	X	exceeds speed limit between: 106-110 km/h		100
45961	X	X	exceeds speed limit between: 111-115 km/h		125
45979	X	X	exceeds speed limit between: 116-120 km/h		175
45987	X	X	exceeds speed limit between: 121-125 km/h		200
45995	X	X	exceeds speed limit between: 126-130 km/h		250
46006	X	X	exceeds speed limit between: 131-135 km/h		275
46014	X	X	exceeds speed limit between: 136-140 km/h		300
46022		X	exceeds speed limit between: 141-145 km/h		NAOG
46048		X	exceeds speed limit between: 146-150 km/h		NAOG
46056		X	exceeds speed limit between: 151-155 km/h		NAOG
46064		X	exceeds speed limit between: 156-160 km/h		NAOG
46072		X	exceeds speed limit between: 161 or faster km/h		NAOG
Reg.324(2)(b) r/w 1, 324(1)(b),(3)& 369 r/w Sec.1,76(3) 86 &89	46098	X	operating a bus or minibus not displaying the required maximum 100 kilometres per hour speed sign on the rear of that bus or minibus		150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
GOVERNMENT VEHICLES					
Sec.14(1)(m)(i) r/w 1,86,89&106	46145	X		failing to produce a document issued by a competent authority authorising the use of a Government vehicle	300
Sec.14(1)(m)(ii) r/w 1,106	46161	X		failing to furnish information to ascertain whether the vehicle was used for the purpose as authorised	300
ILLEGAL ACTS WITH VEHICLES					
Sec.83(1)(a) R/w 1,83(1)(b),(c), (d),86&106	46226			tampered with another person's vehicle	NAOG
Sec.83(2)(a) R/w 1,83(2)(b),(c), 86&106	46242			rode in or drove a vehicle without consent	NAOG
Sec.83(3)(a),(b) r/w 1,86&106	46268			tampered with a vehicle its equipment or accessories or damaged it without lawful excuse	NAOG
Sec.83(4) R/w 1, 85(4),89,106	46284			tampered with an engine, chassis number or identification number or allowed it to be tampered with, altered, obliterated or mutilated	NAOG
Sec.85(4)(b) R/w 1,106	46307			possessed motor vehicle of which engine or chassis number was tampered with	NAOG
ILLEGAL COMBINATION – VEHICLES					
Reg.241(1)(a) R/w 1, 259&369 r/w Sec.1,86&89	46365	X		operating a drawing vehicle with more than two trailers	200
Reg.241(1)(b) R/w 1, 259&369 r/w Sec.1,86&89	46381	X		operating any combination of motor vehicle drawing one other vehicle which is not a trailer	200
Reg.241(1)(c) R/w 1, 259&369 r/w Sec.1,86&89	46404	X		operating a combination of motor vehicles that could not bend in a horizontal plane	200
Reg.241(1)(d) R/w 1, 259&369 r/w Sec.1,86&89	46412	X		operating 2m/combination including a trailer with more than one axle towbar longer than 2m	200
INCONSIDERATE DRIVING					
Sec.81 R/w 1,86,89& 106	46488	X	X	drove vehicle without reasonable consideration for any other road user	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
INDICATORS – DIRECTION					
Reg.212(1) r/w 1,213,214, 216,217,218 &369 r/w Sec.1,86&89	46543	X		operating motor vehicle not equipped with direction indicators of the flashing/ illuminated window type fitted on both sides of motor vehicle	100
Reg.212(1) r/w 1,213,214, 216,217,218 &369 r/w Sec.1,86&89	68587	X		operating a combination of motor vehicles not equipped with direction indicators of the flashing/ illuminated window type fitted on both sides of motor vehicle when indicator obscured the drawn vehicle's indicators	100
Reg.212(1) r/w 1,213,214, 216,217,218 &369 r/w Sec.1,86&89	46551	X		operating a combination of motor vehicles fitted with direction indicators of the flashing/ illuminated window type fitted on both sides of motor vehicle while trailer forming part of the combination obscured the drawing vehicle's direction indicators	100
Reg.213 (a) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	46569	X		using direction indicators of the flashing type not in incorporate a lamp or lamps	100
Reg.213 (b) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68600	X		using direction indicators of the flashing type not of such intensity that it was clearly visible in normal daylight at a distance of less than 30 m to a person of normal eyesight	100
Reg.213 (c) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68626	X		using direction indicators of the flashing type not equidistant from the longitudinal centre-line	100
Reg.213 (c) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68642	X		using direction indicators of the flashing type not as near as possible to but more than 500 mm from the outer edge of the front or rear of the motor vehicle	100
Reg.213 (d)(i) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68668	X		using direction indicators of the flashing type not so mounted that it was visible from the rear within an angle of 15 degrees inside and/or 45 degrees outside	100
Reg.213 (d)(ii) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68684	X		using direction indicators of the flashing type not so mounted that it was visible from anywhere at the front within in angle of 45 degrees outside	100
Reg.213 (f) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68707	X		using direction indicators of the flashing type combined with or mounted within 150 mm of any lamp the intensity of the light emitted from the indicator not greater as that from the lamp	100
Reg.213 (g) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68723	X		using direction indicators of the flashing type not emitting a white, yellow or amber light to the front	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.213 (g) r/w 1,212, 217, 218&369 r/w Sec.1,86&89	68749	X		using direction indicators of the flashing type not emitting a yellow , amber or red light to the rear	100
Reg.214 (a) r/w 1,212,217, 218&369 r/w Sec.1,86&89	46585	X		using directions indicators of the illuminated window type not in incorporate a lamp or lamps	100
Reg.214 (a) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68765	X		using directions indicators of the illuminated window type not emitting a yellow , amber or red light to the rear	100
Reg.214 (a) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68781	X		using directions indicators of the illuminated window type not of such intensity that it was clearly visible in normal daylight at a distance of less than 30 m to a person of normal eyesight	100
Reg.214 (b) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68804	X		using directions indicators of the illuminated window type of a length of less than 150mm and/or less than 25 mm wide and/or not arrow-shaped	100
Reg.214 (c) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68820	X		using directions indicators of the illuminated window type not fitted to the rear of the vehicle	100
Reg.216 (1) r/w 1,212,217, 218&369 r/w Sec.1,86&89	46608	X		operating motor vehicle or combination of motor vehicles with overall length in excess of 7,6 m not equipped with the prescribed direction indicators and/or direction indicators that do not comply	100
Reg.216 (2)(a) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68846	X		operating motor vehicle equipped with illuminated window type direction indicators at a distance of more than 600 mm of the rear end of the motor vehicle	100
Reg.216 (2)(b) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68862	X		operating combination of motor vehicle equipped with illuminated window type direction indicators at a distance of more than 600 mm of the rear end of the last vehicle of the combination	100
Reg.216 (3) r/w 1,212,217, 218&369 r/w Sec.1,86&89	68888	X		operating a tractor as drawn vehicle after 01 April 2003 not equipped with direction indicators	100
Reg.217 (1) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	46624	X		direction indicators not fitted at a height less than 450 mm and more than 2,1 m above ground level	300
Reg.217 (1) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	68901	X		direction indicators obstructed when in use	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.217 (1) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	68927	X		direction indicators not fitted at a height more than 2,3 m to the sides above ground level	300
Reg.217 (2) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	68943	X		lamps incorporated in direction indicators showing to the front not located on the same level	300
Reg.217 (2) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	68969	X		lamps incorporated in direction indicators showing to the rear not located on the same level	300
Reg.217 (3) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	68985	X		motor vehicle not provided with a device given a visible or audible warning to the driver when the direction indicators were in operation	100
Reg.217 (4) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69004	X		direction indicators fitted on one side cannot be operated separately from those on the other side	300
Reg.217 (5) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69020	X		direction indicators not fitted with a separate switch to operate all the direction indicators simultaneously	300
Reg.217 (6)(a)(i) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69046	X		failing to put the direction indicators simultaneously in operation with a separate switch when vehicle was in a stationary and hazardous position	300
Reg.217 (6)(a)(ii) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69062	X		failing to put the direction indicators simultaneously in operation with a separate switch when vehicle was in motion in an emergency situation	300
Reg.217 (6)(b) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69088	X		put all the direction indicators simultaneously in operation in a circumstances other than stationary and hazardous and/or an emergency situation	300
Reg.217 (7) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69101	X		Motor vehicle fitted with more than one direction indicator to indicate any one turning movement not interconnected to operated simultaneously	300
Reg.217 (8) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	46666	X		direction indicators not maintained in a good working order	150
Reg.217 (9) r/w 1,213 to 216, 218&369 r/w Sec.1,86&89	69127	X		All lamps of direction indicators, when in use, not emitting a difussed light	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.217(10) r/w 1,369 r/w Sec.1,86&89	46632	X		motor vehicle towed by breakdown vehicle not fitted with temporary set of direction indicators co-ordinated with breakdown vehicle	100
INFORMATION PLATES					
Reg.263 r/w 1,253, 262, ,267,268(2)&369 r/w Sec.1,86&89	46721	X		operating a minibus, bus goods vehicle with GVM less than 3500kg without the prescribed mass information plate	100
Reg.264(1) r/w 1,253, 262, 267,268(2)&369 r/w Sec.1,86&89	64101	X		operating a minibus, bus, goods vehicle with GVM exceeding 3500kg without the prescribed mass information plate	100
Reg.264(2) r/w 1,253, 262, 264,267,268(2) &369 r/w Sec.1,86&89	46747	X		operating a tractor without the necessary information plate	100
LAMPS					
Reg.173(1)(a) r/w 1,202 &369 r/w Sec.1,86&89	46802	X	X	operated a motor vehicle with lamps which are damaged, not properly secured and/or capable of being switched on at all times	300
Reg.173(1)(b) r/w 1,174&369 r/w Sec.1,86&89	46828	X	X	failed to switch on lamps of motor vehicle between sunset and sunrise, or at any time due to insufficient light and /or unfavourable weather conditions	300
Reg.173(2) r/w 1,174 &369 r/w Sec.86&89	46844	X	X	motor cycle without the headlamps or lamps being switched on at all times (does not apply to m/cycles manufactured before 31/12/1960)	300
Reg.173(3) r/w 1,174&369 r/w Sec.1,86&89	46852	X		Failed to dipped the main beam of the light emitted of the headlamp if it could cause a dangerous glare to oncoming traffic	300
Reg.174(2) r/w 1,173, 174(1), 202&369 r/w Sec.1,86&89	46886	X		using lamps with insufficient brilliance on a motor vehicle	200
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	64096	X	X	operated a motor vehicle not equipped with headlamps not emitting a main beam and a dipped beam	NOA G
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	69143	X	X	Operated a motor vehicle equipped with headlamps not emitting a main beam to the left	200
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	69169	X	X	Operated a motor vehicle equipped with headlamps not emitting a main beam to the right	300
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	69185	X	X	Operated a motor vehicle equipped with headlamps not emitting a dipped beam to the left	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	69208	X	X	Operated a motor vehicle equipped with headlamps not emitting a dipped beam to the right	300
Reg.175(1)(a) r/w 1,202&369 r/w Sec.1,86&89	69224	X	X	Operated a motor vehicle equipped with headlamps not capable of emitting a main/dipped beam	300
Reg.175(1)(b) r/w 1,202&369 r/w Sec.1,86&89	46909	X	X	Operated a motor cycle or motor tricycle not equipped with headlamps not capable of emitting a dipped beam	NOA G
Reg.175(1)(b) r/w 1,202&369 r/w Sec.1,86&89	69240	X	X	Operated a motor cycle or motor tricycle equipped with headlamps not capable of emitting a main beam	150
Reg.175(1)(c)(i) r/w 1,175(1)(b)(l), (ii),(iii),202 &369 r/w Sec.1,86&89	46925	X	X	Operated a motor cycle with a side-car not equipped with headlamps a main/dipped beam	NOA G
Reg.175(1)(c)(ii) r/w 1,175(1)(b)(l), 177(4)(a), 181& 369 r/w Sec.1,86&89	46941	X	X	operated a sidecar on a motor cycle not equipped with parking lamp/headlamp	150
Reg.175(1)(c)(ii) r/w 1,175(1)(b)(l), (ii),(iii),202 &369 r/w Sec.1,86&89	69266	X	X	Operated a motor cycle with a side-car equipped with headlamps not capable of emitting a dipped beam	150
Reg.175(1)(c)(iii) r/w 1,175(1)(b)(l), (ii),(iii),202 &369 r/w Sec.1,86&89	69282	X	X	Operated a motor cycle with a side-car equipped with headlamps not capable of emitting a main beam	300
Reg. 175(2) r/w 1,175(1)(b)(l), 177(4)(a), 181& 369 r/w Sec.1,86&89	46959	X	X	operated a motor vehicle fitted with head lamps more than 400mm from the outer edge of the front of the motor vehicle emitting dipped beams	300
Reg.176(a) r/w 174,202& 369 r/w Sec.1,86&89	46967	X		object or substantial object not visible in main beam at a distance of 100 meter	150
Reg.176(b) r/w 174, 202& 369 r/w Sec.86&89	46983	X		main beam cannot be extinguished by use of a device to cause or allow dipped beams	300
Reg.177(1) r/w 174, 202& 369 r/w Sec.1,86&89	47002	X		dipped beam with beam pattern not as prescribed	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.177(3) r/w 174, 202& 369 r/w Sec.86&89	47028	X	X	dipped beam with incorrect light pattern and/or wrong distance	150
Reg.177(4)(a) r/w 174, 202& 369 r/w Sec.1,86&89	47044	X	X	dipped beam adjusted in such a way that object was not visible at 45 metres	150
Reg.177(4)(b) r/w 174, 202& 369 r/w Sec.1,86&89	47052	X	X	dipped beam with dangerous glare to oncoming traffic	300
Reg.177(4)(c) r/w 174, 202& 369 r/w Sec.1,86&89	47086	X	X	dipped beam deflects to the right	300
Reg.178(2)(a) r/w 202&369 r/w Sec.1,86&89	47094	X	X	daytime running lamp fitted less than 250mm and/or more than 1,5m above ground level	100
Reg.178(2)(b) r/w 202&369 r/w Sec.1,86&89	47109	X	X	daytime running lamp causing discomfort to the driver either directly or indirectly through any of the rear view mirrors or any other reflecting surface	100
Reg.178(3) r/w 202& 369 r/w Sec.1,86&89	47125	X	X	daytime running lamps not switched on with rear lamps and switched off when head lamps switched on	100
Reg.179(a) r/w 174, 177, 181,202&369 r/w Sec.1,86&89	47141	X	X	stopped or parked a motor vehicle without parking lights	100
Reg.179(a) r/w 174, 177, 180,181,202& 369 r/w Sec.1,86&89	47159	X	X	stopped or parked a motor vehicle without it emitting a dipped beam light from the head lamps or a light from two parking lamps	100
Reg.179(b) r/w 174, 177, 180,181,202& 369 r/w Sec.1,86&89	47167	X	X	stopped or parked a vehicle without it emitting a light from two parking lamps or fog lamps	100
Reg.180(1) r/w 174, 177,202 203&369 r/w Sec.1,86&89	47183	X		more than two fog lamps fitted to motor vehicle	100
Reg.180(2)(a) r/w 174, 177(3), (4),202&369 r/w Sec.1,86&89	47206	X		fog lamps not only capable of emitting a dipped beam	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.180(2)(b) r/w 174, 180(1), 202&369 r/w Sec.1,86&89	47222	X		rear fog lamp/ lamps be brought into operation independently from the front lamps	150
Reg.180(3)(a) r/w 174, 180(1), 202&369 r/w Sec.1,86&89	47230	X		fog lamps fitted higher than the highest point of the illuminating surface of the headlamp emitting a dipped beam at the front and/or with the lowest point not less than 250mm and/or the highest point not more than 1m at the rear	150
Reg.180(3)(b) r/w 174, 180(1), 202&369 r/w Sec.1,86&89	47256	X		fog lamps fitted with the lowest point higher than 250 mm and with the highest point lower than 1m at the rear	150
Reg.180(4)(a) r/w 174, 180(1), 181,202&369 r/w Sec.1,86&89	47248	X		parking lamps not working simultaneously with one fog lamp in front	100
Reg.180(4)(b) R/w 174, 180(1), 181,202&369 r/w Sec.1,86&89	47264	X	X	equipped with two fog lamps in such a manner that vehicle must have parking lamps	100
Reg.180(5) R/w 174, 175(1), 180(1),181,202& 369 r/w Sec.1,86&89	47272	X	X	fog lamp on motor cycle but no parking lamp on the side-car	100
Reg.180(5) R/w 174, 175(1), 180(1),181,202& 369 r/w Sec.1,86&89	47303	X	X	side car fitted with fog lamp but motor cycle without fog or parking lamp	100
Reg.180(6) R/w 174, 180(1), 181,202&369 r/w Sec.1,86&89	47329	X		fog lamp(s) were lighted whilst visibility was not poor caused by snow, fog, mist, dust or smoke	100
Reg.181(3)(a) r/w 174, 181(1), 202&369 r/w Sec.86&89	47337	X	X	motor vehicle fitted with one or two parking lamps in front not visible directly from the front	100
Reg.181(3)(b) r/w 174, 181(1), 202&369 r/w Sec.86&89	47353	X	X	motor vehicle fitted with one or two parking lamps at the rear not visible directly from the rear	100
Reg.181(3)(a) r/w 174, 181(1), 202&369 r/w Sec.86&89	47345	X	X	motor vehicle fitted with one parking lamp in front or rear not on right side	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.181(3)(b) r/w 174, 181(1), 202&369 r/w Sec.1,86&89	47361	X		motor vehicle fitted with two parking lamps further than 400mm from the outer edge of the front or rear and/or further than 500mm in the case of a motor vehicle registered prior to 01/07/1990	100
Reg.182(1) r/w 174,179,181, 202&369 r/w Sec.1,86&89	47387	X		motor vehicle without head lamp within 400mm from side parking lamp not illuminated	100
Reg.182(2) r/w 174,179,181, 202&369 r/w Sec.1,86&89	47395	X		only parking lamps were lighted while motor vehicle was in motion	100
Reg.183(1) r/w 174, 202& 369 r/w Sec.1,86&89	47426	X	X	motor vehicle/combination without front position lamp more than 400 mm from a side and or not visible directly from the front	100
Reg.183(2)(a) r/w 174, 202& 369 r/w Sec.1,86&89	47442	X		front position lamps not as near as possible or more than 400 mm from outer-edges of widest part of motor vehicle	100
Reg.183(2)(a) r/w 174, 202& 369 r/w Sec.1,86&89	47468	X		front position lamps of trailer not as near as possible or more than 150 mm from outer-edges	100
Reg.183(2)(a) r/w 174, 202& 369 r/w Sec.1,86&89	47484	X		front position lamps not fitted less than 350 mm and more than 2,1m from ground level	100
Reg.183(2)(b) r/w 174, 202& 369 r/w Sec.1,86&89	47507	X		front position lamps fitted not emitting a white light	100
Reg.184(1)(a) r/w 174,184(1), 202&369 r/w Sec.1,86&89	47515	X		end-outline-marker lamps fitted to the front not directly visible from the front	100
Reg.184(1)(a) r/w 174,184(1), 202&369 r/w Sec.1,86&89	47531	X		end-outline-marker lamps fitted to the rear not directly visible from the rear	100
Reg.184(2)(a) r/w 174,184(1), 202&369 r/w Sec.1,86&89	47523	X		end-outline-marker lamps not fitted near as possible to outer edges of front and rear of motor vehicle and/or as high as possible	100
Reg.184(2)(b) r/w 174, 184(1), 202&369 r/w Sec.1,86&89	47549	X		end-outline-marker lamps not emitting a white light to front and/or red light to rear.	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.185(1) r/w 174, 202& 369 r/w Sec.1,86&89	47565	X	X	motor vehicle without at least one rear lamp on each side of the motor vehicle	150
Reg.185(1)(a) r/w 174, 202& 369 r/w Sec.1,86&89	47581	X		rear lamps not emitting a red light with a minimum intensity of 2 candelas	150
Reg.185(1)(b), (c),(3) r/w 174,202& 369 r/w Sec.1,86&89	47604	X		operating motor vehicle fitted with rear lamps more than 400mm from the outer edges of the widest part and /or less than 350mm and/or more than 2,1m of the motor vehicle above ground level	100
Reg.185(2) r/w 174, 185(1), 202&369 r/w Sec.1,86&89	47612	X	X	operated motorcycle or motor tricycle not fitted with at least 1 rear lamp	100
Reg.185(2) r/w 174, 185(1), 202&369 r/w Sec.1,86&89	47646	X	X	rear lamps of motor cycle or motor tricycle fitted less than 300mm and more than 2,1m above ground level	100
Reg.185(4) r/w 174, 202& 369 r/w Sec.1,86&89	47662	X	X	vehicle towed by a breakdown not fitted with separate temporary set of rear lamps while being towed	150
Reg.186(1) r/w 1,174,202& 369 r/w Sec.1,86&89	47688	X	X	motor vehicle, motor tricycle or motor quadrucycle not fitted with at least one stop lamp fitted on each side at the rear	100
Reg.186(1) r/w 1,174,202& 369 r/w Sec.1,86&89	47701	X	X	operated a motorcycle without at least one stop lamp fitted to the rear of that motorcycle	100
Reg.186(1)(a) r/w 1,174,202& 369 r/w Sec.1,86&89	47743	X		stop lamp not visible from rear and/or obscured	100
Reg.186(1)(a)(i) r/w 1,174,202& 369 r/w Sec.1,86&89	47727	X		stop lamp obscured and not visible within angles of 45 degrees	100
Reg.186(1)(a)(ii) r/w 1,174,202& 369 r/w Sec.1,86&89	47769	X		stop lamp not visible within an angle of 15 degrees measured vertically	100
Reg.186(1)(b) r/w 1,174,202& 369 r/w Sec.1,86&89	47785	X		operating motor vehicle fitted with stop lamps less than 300mm and/or more than 2,1m above ground level – additional stop lams may be fitted above 2,1m	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.186(1)(c) r/w 1,174,202& 369 r/w Sec.1,86&89	47808	X		Operating motor vehicle fitted with stop lamps not equidistant from and on each side of the longitudinal centre-line of motor vehicle	100
Reg.186(1)(d) r/w 1,174,202& 369 r/w Sec.1,86&89	47824	X	X	Operated motor vehicle fitted with stop lamps not emitting a red light	100
Reg.186(1)(d) r/w 1,174,202& 369 r/w Sec.1,86&89	47832	X		operating a motor vehicle fitted with stop lamps not visible at a distance of less than 30 metres in normal sunlight	100
Reg.186(1)(d) r/w 1, 174,202& 369 r/w Sec.1,86&89	47866	X		operating motor vehicle with light intensity of stop lamps not greater than that emitted by rear lamps	100
Reg.186(1)(e) r/w 1, 174,202& 369 r/w Sec.1,86&89	47882	X	X	operated motor vehicle fitted with stop lamps that did not come into operation as soon as operating device of service brake was activated	100
Reg.186(1)(f) r/w 1, 174,202& 369 r/w Sec.1,86&89	47905	X	X	operated motor vehicle fitted with stop lamps not in clean condition and/or in good working order	100
Reg.186(2) r/w 1, 174,202& 369 r/w Sec.1,86&90	47913	X	X	motor vehicle being towed by a breakdown not fitted with temporary set of stop lamps co-ordinated with the stop lamps of breakdown vehicle	100
Reg.187(1) r/w 1, 174,202& 369 r/w Sec.1,86&89	47947	X	X	operated motor vehicle not fitted with at least 1 number plate lamp	100
Reg.187(1) r/w 1, 174,202& 369 r/w Sec.1,86&89	47890	X	X	operated motor vehicle not fitted with at least 1 number plate lamp not capable to illuminate the number plate or identification card	100
Reg.187(1) r/w 1, 174,202& 369 r/w Sec.1,86&89	47955	X	X	operated motor vehicle not fitted with at least 1 number plate lamp not emitting a white light	100
Reg.187(2) r/w 1, 174,202& 369 r/w Sec.1,86&89	47963	X	X	Operated motor vehicle with beam of light of number plate lamp directed to the rear	100
Reg.188(1) r/w 1, 174,202& 369 r/w Sec.1,86&89	47989	X	X	Operated a breakdown vehicle not fitted with side marker lamps along each side and/or emitting a diffused yellow light when in operation	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.188(1)(a) r/w 1, 174,202& 369 r/w Sec.1,86&89	69321	X	X	Operated a motor vehicle, comb of motor vehicles breakdown vehicle fitted with side marker lamps the furthest forward lamp does not emitting a diffused white or amber light when in operation	100
Reg.188(1)(b) r/w 1, 174,202& 369 r/w Sec.1,86&89	69347	X	X	Operated a motor vehicle, comb of motor vehicles breakdown vehicle fitted with side marker lamps the furthest rearmost lamp does not emitting a diffused red or amber light when in operation	100
Reg.188(2)(a) r/w 174, 188(1), 202&369 r/w Sec.1,86&89	48008	X	X	side marker lamps not placed within 400 mm of each end of the body of a motor vehicle, combination of vehicles or breakdown vehicle	100
Reg.188(2)(a) r/w 174, 188(1), 202&369 r/w Sec.1,86&89	48008	X	X	side marker lamps not placed within 400 mm of each end of the body of a motor vehicle, combination of vehicles or breakdown vehicle	100
Reg.188(2)(b) r/w 174, 188(1), 202&369 r/w Sec.1,86&89	48024	X		distance between successive side marker lamps more than 3,6 metres on any motor vehicle, combination of motor vehicles or breakdown vehicle	100
Reg.188(2)(c) r/w 174, 188(1), 202&369 r/w Sec.1,86&89	48032	X		side marker lamps less than 300 mm from the ground on a motor vehicle, combination of motor vehicles or breakdown vehicle	100
Reg.188(2)(d) r/w 174, 188(1), 202&369 r/w Sec.1,86&89	48066	X		side marker lamps not facing directly outwards in a direction at right angles to the longitudinal centre-line of a motor vehicle, combination of motor vehicles or breakdown vehicle	100
Reg.192(1) r/w 174, 192(1), 202&369 r/w Sec.1,86&89	64054	X		motor vehicle fitted with reversing lamps not emitting a white light	100
Reg.192(2) r/w 174, 192(1), 202&369 r/w Sec.1,86&89	48082	X		motor vehicle fitted with a reversing lamp not under direct control of the driver and/or not connected to a device by which the driver was made aware that the lamp was in operation	100
Reg.192(3) r/w 174, 192(1), 202&369 r/w Sec.1,86&89	48121	X	X	used a reversing lamp emitting a light therefrom without vehicle being reversed or is about to reverse	100
Reg.194(1) r/w 174, 194(2), (3),(5),202&369 r/w Sec.1,86&89	69363	X	X	operated an unspecified motor vehicle fitted with identification lamps	100
Reg.194(1)(a) r/w 174, 194(2), (3),(5),202&369 r/w Sec.1,86&89	69389	X	X	bus or goods vehicle with GVM exceeding 3500 kg fitted with identification lamps of which the capacity of 21 Watts was exceeded	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.194(1)(b) r/w 174, 194(2), (3),(5),202&369 r/w Sec.1,86&89	69402	X	X	bus or goods vehicle with GVM exceeding 3500 kg fitted identification lamps not visible from directly in front of the motor vehicle	100
Reg.194(1)(c) r/w 174, 194(2), (3),(5),202&369 r/w Sec.1,86&89	48147	X	X	bus or goods vehicle with GVM exceeding 3500 kg fitted identification lamps not emitting a green or amber light	100
Reg.194(5) r/w 174, 194(1), (3),202&369 r/w Sec.1,86&89	48163	X	X	driver of specified motor vehicle used the identification lamp unwarranted	100
Reg.194(5)(e) r/w 174, 202& 369 r/w Sec.1,86&89	48202	X	X	operated a breakdown vehicle without an identification lamp emitting an intermittently flashing amber light in any direction when towing a another vehicle	100
Reg.195 r/w 369 r/w Sec.1,86&89	48228	X		operating an unspecified motor vehicle fitted with a spot lamp which can so be adjusted as to enable a beam of light emitted there from to be deflected in any direction	200
Reg.195(a) r/w 369 r/w Sec.1,86&89	48244	X		operating emergency service vehicle and did not use spot lamp for official purposes	100
Reg.195(b) r/w 369 r/w Sec.1,86&89	48252	X		operating a motor vehicle and used the spot lamp other than in the execution of duties as doctor or veterinarian	100
Reg.195(c) r/w 369 r/w Sec.1,86&89	48286	X		operating spot lamp of breakdown vehicle or vehicle for essential services where there was no accident, breakdown or examination of lines	100
Reg.196(1) r/w 1,174,202& 369 r/w Sec.1,86&89	64062	X	X	operated a pedal cycle not fitted with a lamp in front or fitted with a lamp in front not emitting a white light	100
Reg.196(2) r/w 1,174,202& 369 r/w Sec.1,86&89	64070	X	X	operated a pedal cycle not fitted with one or more lamps emitting a red light directly to the rear	100
Reg.197(1) r/w 202& 369 r/w Sec.1,86&89	48294	X	X	operate an animal drawn vehicle not fitted with a lamps in front emitting a white light forward	100
Reg.197(1) r/w 202& 369 r/w Sec.1,86&89	48317	X	X	operate an animal drawn vehicle not fitted with lamps on both sides of the rear emitting a red light to the rear	100
Reg.197(2) r/w 202& 369 r/w Sec.1,86&89	48325	X	X	lead an animal-drawn vehicle without a person leading the animals and carrying the prescribed lamps emitting a white light forward at the head of the foremost animal	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.198(1) r/w 173 to 202& 369 r/w Sec.1,86&89	48341	X	X	operated an unspecified vehicle without the specified lamps	100
Reg.198(2) r/w 173 to 202& 369 r/w Sec.1,86&89	48367	X		operated an unspecified vehicle with lamps with insufficient power	100
Reg.199(1)(a) r/w 174, 187-189, 192,194,202&369 r/w Sec.1,86&89	48383	X		operating a motor vehicle fitted with a lamp not emitting a white, amber or yellow colour to the front	100
Reg.199(1)(b) r/w 174, 187-189, 192,194,202&369 r/w Sec.1,86&89	48406	X		operating a motor vehicle fitted with a lamp not emitting a yellow or amber light to either side	100
Reg.199(1)(c) r/w 174, 187-189, 192,194,202&369 r/w Sec.1,86&89	48422	X	X	operated a motor vehicle fitted with a direction indicator/reversing lamp not emitting a red light to the rear	100
Reg.199(2) r/w 202& 369 r/w Sec.1,86&89	48448	X	X	operated a motor vehicle fitted with 2 or more lamps of the same class not emitting light of the same colour	100
Reg.200 r/w 178,181,183 to 198,202 &369 r/w Sec.1,86&89	48464	X		using certain lamps not emitting diffused light (headlamps of a motor vehicle, front lamp of a pedal cycle, spot-, inspection-, and fog lamp excluded)	100
Reg.201 r/w 175 to 198, 202 &369 r/w Sec.1,86&89	48472	X		using a lamp not emitting a steady light	100
Reg.202(1) r/w 173-195&369 r/w Sec.1,86&89	48503	X		operated a motor vehicle fitted with headlamps less than 450mm and more than 1,5m above ground level and/or more than 500mm behind the front end of the vehicle	100
Reg.202(2) r/w 173-178,180 &369 r/w Sec.1,86&89	48529	X	X	head or fog lamps fitted with clear lenses not designed to prevent dangerous glare to oncoming traffic	150
Reg.202(3)(a) r/w 173-198&369 r/w Sec.1,86&89	48545	X		two of the same lamps fitted to a motor vehicle not symmetrically placed to longitudinal centre-line	100
Reg.202(3)(b) r/w 173-187, 192-198&369 r/w Sec.1,86&89	48561	X		vehicle with lamps of the same type on sides of vehicle not at the same height on the sides	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.202(4) r/w 173-198&369 r/w Sec.1,86&89	48587	X		lamps required to be fitted on vehicle were not securely fixed	100
Reg.202(5) r/w 173-198&369 r/w Sec.1,86&89	48595	X		lenses and reflectors of lamps required to be fitted to or when in use not effective and reasonably clean	100
Reg.202(6) r/w 173-198& 369 r/w Sec.1,86&89	48626	X		lamp on vehicle totally or partially obscured by any fitting or object on the vehicle	100
Reg.203 r/w 173-198 &369 r/w Sec.1,86&89	48642	X	X	Operated a vehicle at any time fitted with lamps not prescribed or authorised in the Road Traffic and Transport Regulations 2001	200
LICENCING AND REGISTRATION – VEHICLES					
Sec. 20(2) r/w 1, 86, 89 & 106 r/w Reg. 1,11,12,13,15	69428	X	X	Operate an unregistered and unlicensed motor vehicle on a public road	200
Reg.11 r/w 1,12, 13, 15, 16&369 r/w Sec. 1,86&89	48707	X		title-holder failed to register the motor vehicle	200
Reg. 14(a) r/w 1,11,12,13, 15,21,24,89&369 r/w Sec 1,86 & 89	71027	X		Fail to register motor vehicle after liability arose on the date of change of title-holder or of owner	300
Reg. 14(b) r/w 1,11,12,13, 15,21,24,89&369 r/w Sec 1,86 & 89	71035	X		Fail to register motor vehicle after liability arose on the date on which a deregistration certificate was issued	300
Reg. 14(c) r/w 1,11,12,13, 15,21,24,89&369 r/w Sec 1,86 & 89	71043	X		Fail to register motor vehicle after liability arose on the expiry of 31 days from the date of repossession of that motor vehicle	300
Reg. 14(d) r/w 1,11,12,13, 15,21,24,89&369 r/w Sec 1,86 & 89	71051	X		Fail to register motor vehicle after liability arose on the date on which the motor vehicle was acquired from the estate of a deceased person or when the estate is wound up	300
Reg.15(1)(a)(i) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	64088	X		Manufacturer failed to register motor vehicle for the first time in Namibia on the date of completion of manufacture of the vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.15(1)(a)(ii) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69460	X		Builder failed to register motor vehicle for the first time in Namibia on the date of completion of the building of the vehicle	300
Reg.15(1)(a)(iii) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69486	X		Person failed to register motor vehicle for the first time in Namibia on the date of completion of the building of the vehicle by a person other than a builder	300
Reg.15(1)(a)(iv) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69509	X		Importer failed to register an imported motor vehicle for the first time in Namibia on the date of arrival of the motor vehicle	300
Reg.15(1)(a)(iv) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69517	X		Importer failed to register an imported motor vehicle for the first time in Namibia on the date on which the motor vehicle was cleared in terms of custom & excise legislation	300
Reg.15(1)(a)(v) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69525	X		failing to register motor vehicle on the date that the motor vehicle which was brought into Namibia acquired outside Namibia	300
Reg.15(1)(a)(v) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69533	X		failing to register motor vehicle on the date on which the motor vehicle was cleared in terms of custom & excise legislation when motor vehicle was acquired outside Namibia	300
Reg.15(1)(a)(vi) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69541	X		failing to register motor vehicle in Namibia after liability arose after a continuous period longer than 12 months calculated from the date on which the vehicle was brought into Namibia which is permanently or ordinarily kept in Namibia	300
Reg.15(1)(a)(vii) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69567	X		failing to register motor vehicle on the date of the withdrawal of the exemption or when the exemption no longer applies	300
Reg.15(1)(b)(i) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69583	X		failing to register motor vehicle which was previously registered in Namibia on the date the registration became void	300
Reg.15(1)(b)(ii) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69606	X		failing to register motor vehicle which was previously registered in Namibia which was stolen and deregistered and recovered on the date of release of the motor vehicle by the NAMPOL	300
Reg.17(a) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69622	X		failed to submit an affidavit to the registration authority stating the parts used, the person from whom those parts were acquired an receipts of the purchase or donation of the parts	300
Reg.17(b) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69648	X		failed to submit a deregistration certificate the motor vehicle permanently unfit and used to built another vehicle which registering such motor vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.17(c) r/w 1,12,13,14,89 &369 r/w Sec.1,86&89	69664	X		failed to submit a Police clearance to the registering authority when registering motor vehicle built up from other parts	300
Reg.18 r/w ,12,13,14,16, 89 &369 r/w Sec.1,86&89	69680	X		failed to submit a Police clearance to the registration authority when the vehicle was stolen and recovered back	300
Reg.19 r/w 1,12,13,14,16, 89 &369 r/w Sec.1,86&89	69703	X		failed to submit a document substantiating the acquisition of the motor vehicle from the estate of a deceased person when registering such motor vehicle	300
Reg.20 r/w ,12,13,14,16, 89 &369 r/w Sec.1,86&89	69729	X		failed to submit a certified copy of the court order or the voluntary surrender documentation when vehicle was repossessed by the title-holder	300
Reg.25 r/w 1,26,27,29-32 &369 r/w Sec.1,86&89	48749	X	X	owner failed to licence motor vehicle with the appropriate registering authority	200
Reg.28(3) r/w 1,28(1),(2)& 369 r/w Sec.1,86&89	48765	X		Operating a vehicle exempted from licensing fees contrary to Regulation 28(1) and (2)	200
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69745	X		failing to license motor vehicle for the first time in Namibia on the date of completion of manufacture of the vehicle	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69787	X		failing to license motor vehicle for the first time in Namibia on the date of completion of the building of the vehicle	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69800	X		failing to license motor vehicle for the first time in Namibia on the date of completion of the building of the vehicle by a person other than a builder	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69826	X		failing to license an imported motor vehicle for the first time in Namibia on the date of arrival of the motor vehicle or on the date on which the motor vehicle was cleared in terms of custom & excise legislation	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69842	X		failing to license motor vehicle on the date that the motor vehicle which was brought into Namibia acquired outside Namibia or on the date on which the motor vehicle was cleared in terms of custom & excise legislation	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69868	X		failing to license motor vehicle in Namibia after liability arose after a continuous period of 12 months calculated from the date on which the motor vehicle was brought into Namibia which is permanently or ordinarily kept in Namibia	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69884	X		failing to license motor vehicle on the date of the withdrawal of the exemption or when the exemption no longer applies	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69907	X		failing to license motor vehicle which was previously registered in Namibia on the date the registration became void	300
Reg.30(1)(a) r/w 1,11,12,13, 14,15,89&369 r/w Sec.1,86&89	69923	X		failing to license motor vehicle on the date which was previously registered in Namibia which was stolen and deregistered and recovered on the date of release of the motor vehicle by the NAMPOL	300
Reg.30(1)(b) r/w 1,11,12,13, 14,35,89&369 r/w Sec.1,86&89	69945	X		failing to license motor vehicle on the date on which a new license number was allocated	300
Reg.30(1)(c) r/w 1,11,12,13, 14,44(1),89&369 r/w Sec.1,86&89	69965	X		failing to license motor vehicle on the date when it was altered or reconstructed to such an extent that the license or license disc issued no longer correctly described the motor vehicle	300
Reg.30(1)(d) r/w 1,11,12,13, 14,33,89&369 r/w Sec.1,86&89	69981	X		failing to license motor vehicle on the date of expiry of the license	300
Reg.30(1)(e) r/w 1,11,12,13, 14,89&369 r/w Sec.1,86&89	70005	X		failing to license stolen motor vehicle that was recovered and not deregistered on the date such motor vehicle was released by the Namibian Police Force	300
Reg.30(1)(f) r/w 1,11,12,13, 14,33,89&369 r/w Sec.1,86&89	70021	X		failing to license motor vehicle on the date on which the license disc and/or roadworthy certificate and/or operator card was lost, stolen or destroyed	300
Reg.30(1)(g) r/w 1,11,12,13, 14,33,89&369 r/w Sec.1,86&89	70047	X		failing to license motor vehicle on the date determined by the Minister in any other circumstances	300
Reg.44(1) r/w 1 & 369 r/w Sec. 1,86&89,	70063	X		failed to license m/vehicle after completion of alteration or reconstruction	300
Reg.44(3) r/w 1 & 369 r/w Sec. 1,86&89,	64850	X		failed to notify the appropriate registering authority within 21 days after changing of colour or replacement of engine of motor vehicle	300
Reg.44(3) r/w 1 & 369 r/w Sec. 1,86&89,	70089	X		failed to submit a police clearance to the appropriate registering authority after changing of colour or replacement of engine of motor vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.45 r/w 1,30(1)(d),31 & 369 r/w Sec. 1,86&89,	70102	X		failed to license motor vehicle at the new appropriate registering authority after the address of the owner changed	300
Reg.50(1) r/w 1,50(2)&369 r/w Sec.1,86&89	48781	X	X	owner of motor vehicle failed to display licence disc issued in respect of motor vehicle	100
Reg.50(2)(a),(b) r/w 1&369 r/w Sec.1,86&89	48804	X	X	licence disc not affixed on the left side of motor vehicle and print not clearly legible from that side	100
Reg.50(2)(c) r/w 1&369 r/w Sec.1,86&89	48812	X		licence disc exposed to the weather not affixed to the inside of a durable watertight holder	100
Reg.50(3)(a) r/w 1&369 r/w Sec.1,86&89	48846			operated motor vehicle displaying licence disc or thing purporting to be a licence disc not applicable to that motor vehicle on that motor vehicle	NAO G
Reg.50(3)(b) r/w 1&369 r/w Sec.1,86&89	48862	X	X	operated motor vehicle with licence disc obscured or illegible	100
Reg.86(1) r/w 1&369 r/w Sec.1,86&89	48888	X		title-holder/owner failed to notify registering authority within 21 days after change of street or postal address	100
Reg.86(1) r/w 1&369 r/w Sec.1,86&89	48901	X		title holder/owner failed to notify registering authority within 21 days after change of details of proxy or representative	100
Reg.87(1)(a) r/w 1,11,25&369 r/w Sec.1,86&89	48927	X		disposed of or delivered an unregistered or unlicensed motor vehicle that was required to be registered and licensed	100
Reg.87(2) r/w 1&369 r/w Sec.1,86&89	48943	X		title-holder failed to complete and submit forms for change of title-holder	100
Reg.87(1)(b) r/w 1,11,25&369 r/w Sec.1,86&89	48969	X		acquired or took into possession an unlicensed and unregistered motor vehicle	100
Reg.87(3) r/w 1&369 r/w Sec.1,86&89	48985			sold or delivered vehicle without registration certificate and completed forms	NAO G
Reg.87(3) r/w 1&369 r/w Sec.1,86&89	49004	X		owner failed to notify registering authority of change of ownership of motor vehicle	100
Reg.89(1)(a) r/w 369 r/w Sec.1,86&89	49012			failed to report the theft of motor vehicle within 24 hours to the Namibian Police after owner becomes aware of the theft	NAO G
Reg.89(1)(b) r/w 369 r/w Sec.1,86&89	49046			Owner failed to notify the title-holder of the theft of the motor vehicle	NAO G
Reg.89(1)(c) r/w 369 r/w Sec.1,86&89	49062			Owner failed to notify registering authority within 7 days of the theft of the motor vehicle after owner becomes aware of the fact	NAO G

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.89(4)(a) r/w 369 r/w Sec.1,86&89	49088			Title-holder failed to notify registering authority of theft of motor vehicle within 3 months after he or she was notified	NAO G
Reg.89(4)(b) r/w 369 r/w Sec.1,86&89	49101	X		Title-holder failed to submit registration certificate of stolen vehicle to the registering authority	100
Reg.89(7)(a) r/w 369 r/w Sec.1,86&89	49127	X		Owner of motor vehicle failed to notify the Namibian Police within 24 hours after the recovery of stolen motor vehicle	100
Reg.89(7)(b) r/w 369 r/w Sec.1,86&89	70128	X		Owner of motor vehicle failed to notify the title-holder and the appropriate registering authority forthwith of recovery of stolen motor vehicle	100
Reg.89(7)(c) r/w 31 & 369 r/w Sec.1,86&89	49135	X		Owner of motor vehicle failed to apply for the licensing of the motor vehicle within 21 days after liability arose	100
Reg.90(1)(a) r/w 369 r/w Sec.1,86&89	49143	X		Owner failed to notify the title-holder that the motor vehicle had become permanently unfit for use as a motor vehicle	100
Reg.90(1)(b) r/w 369 r/w Sec.1,86&89	49169	X		Owner failed to notify the registering authority within 3 months that the motor vehicle had become permanently unfit for use as motor vehicle	100
Reg.90(2)(a) r/w 369 r/w Sec.1,86&89	49185	X		Title-holder failed to notify the registering authority within 3 months that the motor vehicle had become permanently unfit for use as motor vehicle	100
Reg.90(2)(b) r/w 369 r/w Sec.1,86&89	49208	X		Title-holder failed to submit registration certificate of motor vehicle which became permanently unfit for use as motor vehicle to registering authority	100
Reg.91(1) r/w 369 r/w Sec.1,86&89	49224	X		Chassis or engine number of the prescribed specifications not cut embossed stamped or permanently affixed to the motor vehicle	100
Reg.91(3)(c) r/w 369 r/w Sec.1,86&89	49232	X		Title-holder failed to tender motor vehicle not bearing a chassis number/engine number to the Namibian Police	100
Reg.91(3)(d) r/w 369 r/w sec.1,86&89	49282			Title-holder failed to tender motor vehicle with chassis number that appears on another vehicle to the Namibian Police	NAO G
Reg.91(3)(d) r/w 369 r/w sec.1,86&89	49290			Title-holder failed to tender motor vehicle with engine number that appears on another vehicle to the Namibian Police	NAO G
Reg.91(3)(e) r/w 369 r/w Sec.1,86&89	49321			Title-holder failed to tender motor vehicle with an altered/defaced/obliterated engine number to the Namibian Police	NAO G
Reg.91(3)(e) r/w 369 r/w Sec.1,86&89	49339			Title-holder failed to tender motor vehicle with an altered/defaced/obliterated chassis number to the Namibian Police	NAO G
Reg.91(5)(a) r/w 369 r/w Sec.1,86&89	49347	X		Title-holder failed to cut, stamp, emboss or permanently affix the chassis and/or engine number granted by Police on motor vehicle	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.91(7) r/w 369 r/w Sec.1,86&89	49363	X		Title-holder failed to furnish clearance certificate from the Namibian Police to the registering authority	200
Reg.97(1) r/w 369 r/w Sec.1,86&89	49389	X		Failing on request from the Minister/ authorised officer/registering authority to supply info on motor vehicle or body in his/her possession	100
Reg.97(2) r/w 369 r/w Sec.1,86&89	49402	X		Failing to furnish information which he/she is responsible for as required by the Minister/ authorised officer or registering authority	100
Reg.100 r/w 1&369 r/w Sec.1,86&89	49428	X		Failing to notify registering authority of intention to export a motor vehicle	100
LOCOMOTIVES					
Reg.347(1) r/w 369 r/w Sec.1,86&89	49486	X		Causing or allowing a locomotive to cross road without sufficient warning	200
Reg.347(2) r/w 369 r/w Sec.1,86&89	49509	X		Stopping locomotive or device on railway crossing	200
LOADS ON VEHICLES					
Reg.252(1)(a) r/w 250, 251& 369 r/w Sec.1, 86, 87, 88 &89	49567	X		Operating a motor vehicle with too many persons on a seat at 380 mm per person	300
Reg.252(1)(b) r/w 250,251& 369 r/w Sec.1. 86, 87, 88&89	49583	X		Operating a motor vehicle carrying more people than permitted by law	300
Reg.252(2)(a) r/w 250,251& 369 r/w Sec.1,86, 87, 88 & 89	49606	X		Operating a bus with too many persons on a seat at 400 mm per person	300
Reg.252(2)(b) r/w 250, 251& 369 r/w Sec.1,86, 87, 88 & 89	49622	X		Operating a minibus with too many persons on a seat at 380 mm per person	300
SEC/REG.		DESCRIPTION			
Reg.253(1) r/w 1,253(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle with the axle mass load exceeding the permissible maximum axle mass load:			
CODE	56	341	OFFENCE		FINE
49648	X		0 – 999kg		300
49664			1000kg or heavier		NAOG

SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		operated a minibus, bus, tractor or goods vehicle with sum of wheel mass loads exceeding the permissible maximum axle unit mass load as determined in accordance with SABS specifications:		
CODE	56	341	OFFENCE	FINE
49672	X		0 – 1600kg	300
49703			1601 – or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		operated a minibus, bus, tractor or goods vehicle with sum of wheel mass loads exceeding the permissible maximum axle unit mass load as approved by manufacturer(s) of the tyre(s):		
CODE	56	341	OFFENCE	FINE
49729	X		0 – 1600kg	300
49745			1600kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88, & 89		operated a minibus, bus, tractor or goods vehicle exceeding the maximum permissible axle unit mass load to wit : more than gross axle unit mass load by:		
CODE	56	341	OFFENCE	FINE
49761	X		0 – 999kg	300
49787			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle with axle unit mass load of an axle consisting of two axles each with two or three wheels exceeding the maximum permissible:		
CODE	56	341	OFFENCE	FINE
49795	X		0 – 999kg	300
49826			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a refuse or breakdown vehicle with two axles fitted with four wheels with axle unit mass load exceeding 20 400kg:		
CODE	56	341	OFFENCE	FINE
49884	X		0 – 2040kg	300
49907			2041kg or heavier	NAOG

SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a motor vehicle other than a refuse or breakdown vehicle with two axles fitted with four wheels with axle unit mass load exceeding 18 000kg:		
CODE	56	341	OFFENCE	FINE
49923	X		0-999kg	300
49949			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle with an axle unit mass load of axle consisting of 3 or more axles each with two or three wheels exceeding the maximum permissible:		
CODE	56	341	OFFENCE	FINE
49965	X		0-999kg	300
49981			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.254(1) r/w 1,254(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle fitted with an axle unit consisting of 3 or more axles each fitted with 4 wheels exceeding permissible maximum axle unit mass:		
CODE	56	341	OFFENCE	FINE
50005	X		0-999kg	300
50021			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.255(1) r/w 1,255(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle in excess of the permissible maximum axle or axle unit mass loads:		
CODE	56	341	OFFENCE	FINE
50047	X		0-999kg	300
50063			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.255(1) r/w 1,255(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle exceeding the permissible maximum vehicle mass determined as sum of maximum axle mass loads:		
CODE	56	341	OFFENCE	FINE
50089	X		0-999kg	300
50102			1000kg or heavier	NAOG

SEC/REG.		DESCRIPTION		
Reg.255(1) r/w 1,255(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a minibus, bus, tractor or goods vehicle exceeding the permissible maximum vehicle mass determined as sum of maximum axle mass loads:		
CODE	56	341	OFFENCE	FINE
50128	X		0-999kg	300
50144			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.255(1) r/w 1,255(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a motor vehicle exceeding the permissible maximum vehicle mass determined by the gross vehicle mass:		
CODE	56	341	OFFENCE	FINE
50186	X		0-999kg	300
50209			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.255(1) r/w 1,255(2),267&369 r/w Sec.1,86, 87, 88 & 89		Operated a motor vehicle with a combination exceeding the mass load capacity of bridge formula:		
CODE	56	341	OFFENCE	FINE
50267	X		0-999kg	300
50283			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles with the sum of the wheel mass loads exceeding the maximum permissible:		
CODE	56	341	OFFENCE	FINE
50306	X		0 –500kg	300
50322			501kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles with the axle mass load of 2 or 3 wheels exceeding the maximum permissible:		
CODE	56	341	OFFENCE	FINE
50348	X		0 – 500kg	300
50364			501kg or heavier	NAOG

SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles with the axle mass load of 4 wheels designed to compress refuse and which is carrying it exceeds maximum permissible:		
CODE	56	341	OFFENCE	FINE
50372	X		0 – 500kg	300
50403			501kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a vehicle mentioned in Reg 259(c)(v) fitted with one axle with four wheels with an axle mass load exceeding 9 000 kilograms:		
CODE	56	341	OFFENCE	FINE
50429	X		0 –500kg	300
50445			501kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a vehicle exceeding the permissible combination mass determined as the sum of all the axle and axle unit mass loads for metal tyres:		
CODE	56	341	OFFENCE	FINE
50461	X		0-2000kg	300
50487			2001kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and combination exceeds the permissible combination mass determined as sum of all axle and axle unit mass loads – not air or metal		
CODE	56	341	OFFENCE	FINE
50495	X		0-2000kg	300
50526			2001kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and combination exceeds permissible combination mass determined as the sum of all axle and axle unit mass loads:		
CODE	56	341	OFFENCE	FINE
50542	X		0-999kg	300
50568			1000kg or heavier	NAOG

SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and maximum permissible combination mass of combination where a vehicle is being drawn is exceeded:		
CODE	56	341	OFFENCE	FINE
50584	X		0-999kg	300
50607			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and maximum permissible combination mass of combination where a vehicle is being drawn is exceeded:		
CODE	56	341	OFFENCE	FINE
50623	X		0 – 999kg	300
50649			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) R/w 1,256(2), 267&369 R/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and motor vehicle exceeds the permissible maximum combination mass determined by the net power in kilowatts by:		
CODE	56	341	OFFENCE	FINE
50665	X		0 – 999kg	300
50681			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) R/w 1,256(2), 267&369 R/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and combination exceeds permissible maximum combination mass calculated as 5 times the total driving axle(s) mass loads		
CODE	56	341	OFFENCE	FINE
50704	X		0 – 999kg	300
50712			1000kg or heavier	NAOG
SEC/REG.		DESCRIPTION		
Reg.256(1) R/w 1,256(2), 267&369 R/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and combination exceeds the mass load capacity of bridges by:		
CODE	56	341	OFFENCE	FINE
50746	X		0 – 999kg	300
50762			1000kg or heavier	NAOG

SEC/REG.		DESCRIPTION		
Reg.256(1) r/w 1,256(2), 267&369 r/w Sec.1,86, 87, 88 & 89		Operated a combination of vehicles and combination mass exceeds 56 000 kilograms by		
CODE	56	341	OFFENCE	FINE
50788	X		0 – 999kg	300
50801			1000 – 1999kg	NAOG
SEC/REG.		DESCRIPTION		
Reg.261(a)(i) r/w 1,237& 369 r/w Sec.1,86, 87, 88 & 89		Operated a vehicle with an axle with two wheels with wheel mass loads differing more than 10%:		
CODE	56	341	OFFENCE	FINE
50827	X		10 – 20%	300
50843			20 - <30%	NAOG
SEC/REG.		DESCRIPTION		
Reg.261(b) r/w 1,267& 369 r/w Sec.1,86, 87, 88 & 89		Operated articulated vehicle with a steering axle mass load less than 11% of the sum total of all axle mass loads :		
CODE	56	341	OFFENCE	FINE
50869	X		12 – 21%	300
50885			22 – 31%	NAOG
SEC/REG.		DESCRIPTION		
Reg.261(c) r/w 1,267& 369 r/w Sec.1,86, 87, 88 & 89		Operated a vehicle (not articulated) with steering axle unit mass load less than 30% of sum of axle mass load:		
CODE	56	341	OFFENCE	FINE
50908	X		31 – 40%	300
50924			41 – 50%	NAOG
SEC/REG.		DESCRIPTION		
Reg.261(d) r/w 1,267& 369 r/w Sec.1,86, 87, 88 & 89		Operated a tractor with a steering axle mass load less than 12% of the sum of all axle mass loads:		
CODE	56	341	OFFENCE	FINE
50932	X		13 – 22%	300
50966			23 – 32%	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
MINIBUS / BUS					
Reg.270 r/w 1&369 r/w Sec.1,86&89	51035	X		Operating a bus or minibus with the sides enclosed with material which was not durable and weather-proof at a height less than 600 mm	300
Reg.270 r/w 1&369 r/w Sec.1,86&89	51051	X		Operating a bus or minibus without a weatherproof roof	100
Reg.271(1)(a) r/w 1&369 r/w Sec.1,86&89	52609			Operated a bus or minibus not fitted with at least 1 entrance leading from the left hand side to the passenger compartment	NAOG
Reg.271(1)(b) r/w 1&369 r/w Sec.1,86&89	51077			Operated a minibus not fitted with at least 1 emergency exit on the right hand side or rear of the minibus	NAOG
Reg.271(1)(c) r/w 1&369 r/w Sec.1,86&89	51093			Operated a bus or lower deck of double deck without emergency exit	NAOG
Reg.271(1)(d) r/w 1&369 r/w Sec.1,86&89	51116			Operated bus where upper deck of double deck bus without emergency exit in the rear/on each side and roof	NAOG
Reg.271(1)(e) r/w 1,271(1)(h), &369 r/w Sec.1,86&89	51132			Operated a minibus or bus without an emergency exit of at least 900 by 450 mm and unable to open from inside and possible to open inwards	NAOG
Reg.271(1)(f) r/w 1&369 r/w Sec.1,86&89	51158			Operated a minibus or bus where passengers must pass goods compartment or stairs to reach emergency exit	NAOG
Reg.271(1)(g) r/w 1&369 r/w Sec.1,86&89	51174			Operated a minibus or bus with escape hatches, knock-out windows or -panels not marked correctly	NAOG
Reg.271(1)(i) r/w 1&369 r/w Sec.1,86&89	51182			Operated a minibus or bus for reward fitted with entrance on right hand side of longitudinal centre-line	NAOG
Reg.272(a) r/w 1&369 r/w Sec.1,86&89	51213			Operated minibus or bus without doors or other effective barriers	NAOG
Reg.272(b) r/w 1&369 r/w Sec.1,86&89	51239			Operated a minibus or bus with persons thereon with doors not closed when it was in motion	NAOG
Reg.273 r/w 1&369 r/w Sec.1,86&89	51255	X		Operating a double-decker bus with stairs not fitted with a handrail, partition or screen on the side of the stairs	100
Reg.274 (a) r/w 1&369 r/w Sec.1,86&89	51271	X		Operating a bus with passageways with a width of less than 300 mm wide from floor to seat level	100
Reg.274 (a) r/w 1&369 r/w Sec.1,86&89	51289	X		Operating a bus with passageways with a width of less than 350 mm wide above seat level	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.275(1) r/w 1&369 r/w Sec.1,86&89	51297	X		Operating a bus with driver's seat not adjustable/ without partition or not enough space	100
Reg.275(2)(a)(i) r/w 1&369 r/w Sec.1,86&89	51302	X		Operating a minibus or bus with a backrest of which the top thereof was less than 350 mm from seat level	100
Reg.275(2)(a)(ii) r/w 1&369 r/w Sec.1,86&89	51310	X		Operating a minibus or bus with a backrest of which the bottom was in excess of 200 mm from seat level	100
Reg.275(2)(a)(iii) r/w 1&369 r/w Sec.1,86&89	51328	X		Operating a minibus or bus with a backrest of which the width, including the frame, was less than 340 mm	100
Reg.275(2)(b) r/w 1&369 r/w Sec.1,86&89	51336	X		Operating a minibus or bus with seats height was less than 250 mm measured from the floor or foot rest of the seat to the seat level	100
Reg.275(2)(c) r/w 1&369 r/w Sec.1,86&89	51352	X		Operating a minibus or bus with depth of seats less than 340 mm measured from the front of the seat to the front of the backrest	100
Reg.275(2)(d) r/w 1,252&369 r/w Sec.1,86&89	51378	X		Operating a minibus or bus with seats with wrong width	100
Reg.275(2)(e) r/w 1&369 r/w Sec.1,86&89	51394	X		Operating a minibus or bus with too little space between a seat and a partition	100
Reg.275(2)(f) r/w 1&369 r/w Sec.1,86&89	51417	X		Operating a bus with seats facing each other too near to each other	100
Reg.275(2)(g) r/w 1&369 r/w Sec.1,86&89	51433	X		Operating a minibus or bus with too little space between seats – 570 mm	100
Reg.275(4) r/w 1&369 r/w Sec.1,86&89	51459	X		Operating a or bus without the necessary handrail or partition	100
Reg.275(5) r/w 1&369 r/w Sec.1,86&89	51475	X		Operating a minibus or bus with a seat not securely fixed	300
Reg.276(a) r/w 1&369 r/w Sec.1,86&89	51491	X		Operating a minibus or bus for reward without compartments or containers for goods	300
Reg.276(b) r/w 1&369 r/w Sec.1,86&89	51514	X		Operating a minibus or bus for reward with goods constituting a danger to the persons being conveyed	300
Reg.276(c) r/w 1&369 r/w Sec.1,86&89	51522	X		Operating a minibus or bus for reward with goods obstructing entrance, exit or passageway	100
Reg.277(1)(a) r/w 1 &369 r/w Sec.1,86&89	51556	X		Operating a minibus or bus without a continuous row of windows on both sides	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.277(1)(a)(i) or(ii) r/w 1 &369 r/w Sec.1,86&89	51572	X		Operating a minibus or bus not fitted with windows of prescribed size	100
Reg.277(1)(b) r/w 1& 369 r/w Sec.1,86&89	51598	X		Operating a minibus or bus with overall window area less than 25% of floor area	200
Reg.277(1)(c) r/w 1& 369 r/w Sec.1,86&89	51611	X		Operating a minibus or bus without adequate window openings	200
Reg.277(2) r/w 1& 369 r/w Sec.1,86&89	51637	X		Operating a minibus or bus stationary/in motion every alternate window in each side not capable of being opened	200
Reg.277(3) r/w 1& 369 r/w Sec.1,86&89	51653	X		Operating bus with a window, out of which a person can put his/her elbow while it is open	200
Reg.277(4) r/w 1& 369 r/w Sec.1,86&89	51679	X		Operating a minibus or bus with unsound, broken and unclear window-panes	200
Reg.278(1)(a) r/w 1& 369 r/w Sec.1,86&89	51695	X		Operating a minibus or bus with fuel tank receptacle or pipe placed inside the body or steering cab	200
Reg.278(1)(b) r/w 1& 369 r/w Sec.1,86&89	51718	X		Operating a minibus or bus with filling opening of fuel tank not on the outside	200
Reg.278(2) r/w 1& 369 r/w Sec.1,86&89	51734	X		Operating a bus with the main fuel tank close to the engine	200
Reg.279(1) r/w 1& 369 r/w Sec.1,86&89	51742	X		Operating a minibus for reward not carrying at least 1 fire extinguisher/ not complying with specifications/ in good working order	200
Reg.279(2) r/w 1& 369 r/w Sec.1,86&89	51776	X		Operating bus for reward not carrying at least 1 fire extinguisher/ not complying with specifications/ in good working order	200
Reg.280 r/w 1,223& 369 r/w Sec.1,86&89	51792	X		Operating a bus for reward without a rear-view mirror reflecting every exit and entrance of the bus	200
Reg.281(1) r/w 1& 369 r/w Sec.1,86&89	51815	X		Operating a double-deck bus not able to tilt 23 degrees without overturning	200
Reg.282(1) r/w 1,274&369 r/w Sec.1,86&89	51831	X		Operating a bus and permitting a person to stand when not allowed to	200
Reg.282(2) r/w 1,282(1)&369 r/w Sec.1,86&89	51857	X		Carrying too many persons standing in a bus	200
Reg.282(3) r/w 1&369 r/w Sec.1,86&89	51873	X		Operating a bus not equipped with straps, handrails or grab handles	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.282(4) r/w 1,282(1),(2), (3) &369 r/w Sec.1,86&89	51899	X		Operating a minibus for reward and permitting a person to stand	100
MOTORCADE					
Reg.337(1)(a) r/w 337(1)(b), (c),(e) r/w Sec.1,80(1), 86,89&106	51962			Failed to stop a vehicle at the extreme left of the road where road is demarcated into one traffic-lane for his/her direction of travel when being approached or passed by a State motorcade	NAOG
Reg.337(1)(b) r/w 337(1),(c),(e) r/w Sec.1,80(1), 86,89&106	51954			Failed to stop a vehicle in a safe position at the extreme left of the left lane where the road is demarcated into two traffic-lanes for his/her direction of travel when being approached or passed by a State motorcade	NAOG
Reg.337(1)(b) r/w 337(1),(c),(e) r/w Sec.1,80(1), 86,89&106	51970			Failed to stop a vehicle adjacent to any vehicle which might be to his/her left if he/she was in the right lane where road is demarcated into one traffic-lane for his/her direction of travel when being approached or passed by a State motorcade	NAOG
Reg.337(1)(c) r/w 337(1),(e) r/w Sec.1,80(1), 86,89&106	51988			Failed to stop a vehicle in a safe position at the extreme left of the left lane where the road is demarcated into more than two traffic-lanes for his/her direction of travel when being approached or passed by a State motorcade	NAOG
Reg.337(1)(d) r/w 369 r/w Sec.1,86&89	51996			Failed to remain stationary when stopped in any lane at a controlled intersection until instructed to proceed	NAOG
Reg.337(2) r/w Sec.1,80(1), 86,89&106	52015			Overtook or attempted to overtake any vehicle in a State motorcade	NAOG
MOTORCYCLES					
Reg.227 r/w 1&369 r/w Sec.1,86&89	52073	X		Operating a motorcycle with side-car not attached to left side with centre-line of axle within the wheelbase of motorcycle.	100
Reg.227 r/w 1&369 r/w Sec.1,86&89	52099	X		Operating a motor cycle under 50 cc with a side-car attached to that motor cycle	100
Reg.343(1) r/w 1,343(10) &369 r/w Sec.1,86&89	52112	X		Driving a motorcycle with feet not resting on front footrests	150
Reg.343(1) r/w 1,343(10) &369 r/w Sec.1,86&89	52120	X		Driving a motorcycle not seated astride on the saddle	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.343(2) r/w 1,343(10) &369 r/w Sec.1,86&89	52942	X	X	driving motorcycle under 50 cc carrying passengers	150
Reg.343(2) r/w 1,343(10) &369 r/w Sec.1,86&89	70144	X	X	Driver of motorcycle carrying passenger not seated in a side-car attached to motorcycle	150
Reg.343(2) r/w 1,343(10) &369 r/w Sec.1,86&89	70152	X	X	Driver of motorcycle allow passenger to sit otherwise other than astride on a pillion attached to motorcycle	150
Reg.343(2) r/w 1,343(10) &369 r/w Sec.1,86&89	70160	X	X	Driver of motorcycle allow passenger to sit with feet otherwise than on the footrests fitted to motor cycle suitable for that purpose	150
Reg.343(3) r/w 1,343(2) ,343 (10)&369 r/w Sec.1,86&89	52138	X		driving motorcycle carrying more than 2 persons	200
Reg.343(4) r/w 1,343(10) &369 r/w Sec.1,86&89	52154	X		operating motorcycle carrying more than two adult persons in a sidecar	200
Reg.343(5) r/w 1,343(10) &369 r/w Sec.1,86&89	52162	X		driving a motorcycle carrying an object, person or animal in front of the driver	300
Reg.343(5) r/w 1,343(10) &369 r/w Sec.1,86&89	52170	X		driving a motorcycle carrying an object, person or animal in front of the driver thereof obstructing his/her view	300
Reg.343(5) r/w 1,343(10) &369 r/w Sec.1,86&89	52188	X		driving a motorcycle carrying an object, person or animal in front of the driver thereof preventing him/her from exercising complete control over the motorcycle	300
Reg.343(6) r/w 1,343(10) &369 r/w Sec.1,86&89	52196	X		failing to drive in single file with motorcycles	150
Reg.343(6) r/w 1,343(10) &369 r/w Sec.1,86&89	52219	X		overtaking another vehicle with a motorcycle at the same time as another motorcycle	150
Reg.343(7) r/w 1,343(10) &369 r/w Sec.1,86&89	52235	X		driver/passenger taking hold of a moving vehicle while riding on a motorcycle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.343(8) r/w 1,343(10) &369 r/w Sec.1,86&89	52251	X		failing to have at least one hand on handlebars of motorcycle while driving	200
Reg.343(9) r/w 1,343(10) &369 r/w Sec.1,86&89	52277	X		Failing to keep all wheels of motorcycle in contact with road surface	150
MOTOR TRADE NUMBERS					
Reg.52(3) r/w 1&369 r/w Sec.1,86&89	52382	X		Unauthorised use of motor trade number licence and motor trade number	300
Reg.53(1) r/w 1&369	52405	X		Holder of motor trade number failed to register motor trade number with the appropriate registering authority	300
Reg.55 r/w 1&369	70186	X		Holder of motor trade number failed to license motor trade number with the appropriate registering authority	300
Reg.56 r/w 1&369	70209	X		Holder of motor trade number failed to license motor trade number when liability arose at the appropriate registering authority	300
Reg.61(1) r/w 1,48&369 r/w Sec.1,86&89	70225	X		holder of motor trade number failed to notify the appropriate registering authority within 21 days after the postal or street address changed	300
Reg.61(2)(a) r/w 1,48&369 r/w Sec.1,86&89	70241	X		Holder of motor trade number failed to notify the appropriate registering authority within 21 days after the name and identification number changed	300
Reg.61(2)(b) r/w 1,48&369 r/w Sec.1,86&89	70267	X		Holder of motor trade number failed to submit a new acceptable identification to the appropriate registering authority	300
Reg.61(2)(c) r/w 1,48&369 r/w Sec.1,86&89	70283	X		Holder of motor trade number failed to submit every motor trade number registration number certificate to the appropriate registering authority	300
Reg.62(2) r/w 1,48,64&369 r/w Sec.1,86&89	52439	X		Holder of motor trade number failed to surrender the motor trade number, motor trade registration certificate, motor trade number license, motor trade number disc and the plate after cancellation of the motor trade number	300
Reg.64(1)(a) r/w 1,48&369 r/w Sec.1,86&89	52447	X		Failed to display the motor trade number on the inside of the rear window in an upright position	300
Reg.64(1)(a)&(b) r/w 1,48&369 r/w Sec.1,86&89	52455			Letters and figures of the motor trade number not clearly legible when viewed from the rear of the motor vehicle	300
Reg.64(1)(b) r/w 1,48&369 r/w Sec.1,86&89	52463	X		Failed to display motor trade number on the rear end of the motor vehicle in an upright position	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.64(2) r/w 1,58&369 r/w sec.1,86&89	52489	X		motor trade number licence disc not affixed to the inside of the transparent front of a durable watertight holder	300
Reg.64(3) r/w 1,64(1),64(2) &369 r/w Sec.1,86&89	52502	X		watertight holder not attached to the motor trade plate and/or the print of the face of the motor trade number license disc not clearly legible	300
Reg.64(4) r/w 1&369 r/w Sec.1,86&89	52528	X		motor trade number permanently affixed to motor vehicle	300
NUMBER PLATES					
Reg.37(2) r/w 1,37(4)-(8)& 369 r/w 1,86&89	52578	X		Number plate manufacturer manufactured a personalised number plate whilst not authorised by an issuing authority or person designated by the Minister	NAOG
Reg.37(3) r/w 1,37&369 r/w 1,86&89	52586	X	X	Personalised licence number consist of more than seven alphabetical or numerical characters or combination of alphanumeric characters	200
Reg.37(4) r/w 1,37&369 r/w 1,86&89	52594			Personalised licence number characters not followed by the Namibian coat of arms and the letters "NA" depicting "Namibia"	200
Reg.37(5) r/w 1,37&369 r/w 1,86&89	70306			Personalised licence number does not comply with the SABS specifications	200
Reg.37(5) r/w 1,37&369 r/w 1,86&89	70322			Personalised licence number characters not blue on a white background	200
Reg.37(5) r/w 1,37&369 r/w 1,86&89	70348			Personalised license number of an obscene, indecent and/or immoral nature and/or such that it offend the public morals or decency	200
Reg.41(2) r/w 1,41&369 r/w 1,86&89	70364			Failed to surrender personalised license number to the issuing authority or person when motor vehicle was deregistered	200
Reg.45 r/w 1,30(1)(d),31 &369 r/w 1,86&89	70380			Owner of motor vehicle failed to apply for a license to the new appropriate registering authority when his/her address changed	200
Reg.48(1) R/w 1&369 R/w Sec. 1,86&89	52617	X	X	Licence number plate displayed on motor vehicle does not comply with SABS specifications	200
Reg.48(2) R/w 1&369 R/w Sec. 1,86&89	52633	X	X	Number plate does not bear a standardisation mark as defined in section 1 of the Standards Act, 1982 and as shown in SABS 1116	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.48(2) R/w 1,48(2)(a) – (g) &369 R/w Sec. 1,86&89	70403	X	X	Colour of the number plate does not comply with the prescribed colours	200
Reg.48(3) R/w 1&369 R/w Sec. 1,86&89	52641	X	X	Letters and figures on number plate not arranged as prescribed	100
Reg.48(4) R/w 1,48(6)&369 R/w Sec.1,86&89	52667	X	X	Number plate not affixed to motor vehicle from date of licensing	100
Reg.48(5)(a) R/w 1&369 R/w 1,86&89	52683			Operated a motor vehicle displaying a licence number/something purporting to be licence number not applicable to the motor vehicle	NAOG
Reg.48(5)(b) R/w 1&369 R/w Sec.1,86&89	52706	X	X	Operated a motor vehicle with licence number not clearly legible or obscured	100
Reg.48(5)(c) R/w 1&369 R/w Sec.1,86&89	52722	X	X	Design appeared on number plate not permitted within 150 mm from licence number or fitted to number plate or number plate holder	100
Reg.48(6)(a) R/w 1,48(8)&369 R/w Sec.1,86&89	52764	X		Number plate easily detachable from motor vehicle	100
Reg.48(6)(b) R/w 1,48(8)&369 R/w Sec.1,86&89	52772	X	X	Failed to affix number plate to the back of a motorcycle or trailer	100
Reg.48(6)(c) R/w 1,48(8)&369 R/w Sec.1,86&89	52803	X	X	Failed to affix number plate to the front of motor vehicle	100
Reg.48(6)(c) R/w 1,48(8)&369 R/w Sec.1,86&89	52803	X	X	Failed to affix number plate to the back of motor vehicle	100
Reg.48(6)(c) R/w 1,48(8)&369 R/w Sec.1,86&89	52829	X	X	Failed to affix number plate to the front and to the back of the motor vehicle	100
Reg.48(6)(d) R/w 1,48(8)&369 R/w Sec.1,86&89	52845	X		Failing to affix number plate in an upright position or within 15 degrees from that position	100
Reg.48(6)(e) R/w 1,48(8)&369 R/w Sec.1,86&89	52861	X	X	Each letter and figure on the number plate is not clearly legible	100
Reg.48(6)(f) R/w 1,48(8)&369 R/w Sec.1,86&89	52887	X	X	Whole number plate was not clearly visible	100
Reg.48(7)(a) R/w 1&369 R/w Sec.1,86&89	52895	X		Affixing a number plate of double-deck bus with engine at the rear higher than 1,9 metres from ground level	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.48(7)(b) R/w 1&369 R/w Sec.1,86&89	52926	X		Affixing a number plate on motor vehicle higher than 1,5 metres from ground level	100
OPERATOR					
Reg.290(a) R/w 284,286 &369 R/w Sec.1,86&89	53029	X		Failing to affix operator card in an upright position on the inside of transparent windscreen	200
Reg.290(b) R/w 284,286&369 R/w Sec.1,86,89	53053	X		Failing to affix operator card in a conspicuous position on left front side of motor vehicle not fitted with transparent windscreen	200
Sec.60(1) R/w 1,60(2),86,89 &106 r/w Reg.284&285	53087			Person operated motor vehicle for which no operator was registered	NAOG
Sec.60(2),(3) R/w 1,60(4),(6),63, 64,86,89&106 R/w Reg.284&285	53118			Owner/person used motor vehicle failed to register as operator	NAOG
Sec.62 R/w 1,86,89 &106 r/w Reg. 290	53142	X		Failed to display the operator card on the motor vehicle	200
Sec.63(2) r/w 1,63(1)&106	53176			Certified a false copy, imprint or extract from an operator card	NAOG
Sec.64(a) r/w 1,67&106	53207			Operator failed to exercise proper control over the driver of the vehicle	NAOG
Sec.64(b) r/w 1, 60(1), 60(6), 67 106 & Chapter 5	53231			Operator failed to ensure that motor vehicle complied with the fitness requirements of the Act	NAOG
Sec.64(b) r/w 1, 60(1), 60(6), 67 106 & Chapter 5	53249			Operator failed to ensure that motor vehicle complied with the requirements regarding the equipment as may be prescribed	NAOG
Sec.64(c) r/w 1,60(1),60(6), 67&106	53265			Operator failed to conduct his/her operations with due care for the safety of the public	NAOG
Sec.64(d) r/w 1,60(1),60(6), 67&106	53273	X		Operator failed to caused to maintained a logbook for the motor vehicle	200
Sec.64(e) r/w 1,60(1),60(6), 67&106	53281			Operator failed to take all reasonable measures to ensure that the motor vehicle was used in compliance with the requirements relating to the loading and transportation of goods as prescribed	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec.64(f) r/w 1,60(1),60(6), 67&106	53299			Operator failed to comply with the requirements for the conveyance of dangerous goods	NAOG
Sec.64(g) r/w 1,60(1),61, 67&106	53312	X		Operator failing to return operator card within 7 days after the circumstances pertaining to the registration of an operator changed.	200
Sec.64(g)(i) r/w 1,60(1),61, 67&106	53320			Operator failed to notify the owner of the motor vehicle within 7 days after the occurrence of any change in the circumstances pertaining his/her registration as operator	300
Sec.64(g)(ii) r/w 1,60(1),61, 67&106	53346			Operator failed to notify the registering authority concerned within 7 days after the occurrence of any change in the circumstances pertaining his/her registration as operator	300
Sec.64(h) r/w 1,60(1), 67 &106	53354	X		Operator failing to keep operator card safe and protect from theft or to report the loss of his/her operator card	200
Sec.65(1)(a) r/w 1,60(1), 67 &106	53362			Operator failed to take adequate steps to ensure the continued roadworthiness of the motor vehicle on written demand of the Minister	NAOG
Sec.65(1)(b) r/w 1,60(1), 67 &106	53370			Operator failed to indicate in writing to the Minister what precautions was taken to ensure the continued roadworthiness of the motor vehicle	NAOG
Sec.65(1)(c) r/w 1,60(1), 67 &106	53388			Operator failed to produce the motor vehicle for examination at the time and place specified by the Minister	NAOG
Sec.65(2)(b) r/w 1,60(1), 67 &106	53396			Failed to indicate in writing what precautions was taken in order to ensure that proper control was exercised over his/her driver on request of the Minister	NAOG
Sec.65(2)(c) r/w 1,60(1), 67 &106	53401	X		Operator failed to produce the records relating to drivers for examination which the operator was required to kept	300
Sec.65(2)(d) r/w 1,60(1), 67 &106	70429			Operator failed that the driver concerned be re-tested	NAOG
Sec.65(3)(c) r/w 1,60(1), 67 &106	70445			Operator failed to appear before the Minister or any person appointed by the Minister to furnish reasons for his/her failure to fulfil the duties as operator	NAOG
OVERALL - HEIGHT					
Reg.243(a) r/w 1&369 r/w Sec.1,86&89	53419	X		Operating a double-deck bus that was higher than 4,65m (0 – 200 mm)	150
Reg.243(a) r/w 1&369 r/w Sec.1,86&89	53427	X		Operating a double-deck bus that was higher than 4,65m (in excess of 200 mm)	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.243(b) r/w 1&369 r/w Sec.1,86&89	53435	X		Operating a motor vehicle that was higher than 4,3 m together with the load (0 – 200 mm)	150
Reg.243(b) r/w 1&369 r/w Sec.1,86&89	53443	X		Operating a motor vehicle that was higher than 4,3 m together with the load (in excess of 200 mm)	NAOG
OVERALL – LENGTH					
Reg.240(a) r/w 1&369 r/w Sec.1,86&89	53493	X		Operating a trailer which was coupled to a drawing vehicle whilst it could not swivel in a horizontal plane – trailer exceeding 1,8 m (0 – 200 mm)	200
Reg.240(a) r/w 1&369 r/w Sec.1,86&89	53508			Operating a trailer which was coupled to a drawing vehicle whilst it could not swivel in a horizontal plane – trailer exceeding 1,8 m (in excess of 200 mm)	NAOG
Reg.240(b)(i) r/w 1&369 r/w Sec.1,86&89	53516	X		Operating a trailer with GVM >12 000 kg with an overall length in excess of 11,3 metres (0 – 200 mm)	200
Reg.240(b)(i) r/w 1&369 r/w Sec.1,86&89	53524			Operating a trailer with GVM >12 000 kg with an overall length in excess of 11,3 metres (in excess of 200 mm)	NAOG
Reg.240(b)(ii) r/w 1&369 r/w Sec.1,86&89	53532	X		Operating a trailer with a GVM <12 000 kg with an overall length in excess of 8 metres (0 – 200 mm)	200
Reg.240(b)(ii) r/w 1&369 r/w Sec.1,86&89	53540			Operating a trailer with a GVM <12 000 kg with an overall length in excess of 8 metres (in excess of 200 mm)	NAOG
Reg.240(c) r/w 1&369 r/w Sec.1,86&89	53558	X		Operating an articulated or combination of motor vehicles with overall length in excess of 18,5 metres (0 – 200 mm)	200
Reg.240(c) r/w 1&369 r/w Sec.1,86&89	53566			Operating an articulated or combination of motor vehicles with overall length in excess of 18,5 metres (in excess of 200 mm)	NAOG
Reg.240(d) r/w 1&369 r/w Sec.1,86&89	53574	X		Operating a bus train with an overall length exceeding 20 metres (0 – 200 mm)	200
Reg.240(d) r/w 1&369 r/w Sec.1,86&89	53590			Operating a bus train with an overall length exceeding 20 metres (in excess of 200 mm)	NAOG
Reg.240(e) r/w 1&369 r/w Sec.1,86&89	53582	X		Operating a trailer with a GVM >12 000 kg with an overall length more than 12,5 metres (0 – 200 mm)	200
Reg.240(e) r/w 1&369 r/w Sec.1,86&89	53605			Operating a trailer with a GVM >12 000 kg with an overall length more than 12,5 metres (in excess of 200 mm)	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.240(f) r/w 1&369 r/w Sec.1,86&89	53613	X		Operating a vehicle with an overall length in excess of 12,5 metres (0 – 200 mm)	200
Reg.240(f) r/w 1&369 r/w Sec.1,86&89	53621			Operating a vehicle with an overall length in excess of 12,5 metres (in excess of 200 mm)	NAOG
Reg.240(g) r/w 1&369 r/w Sec.1,86&89	53639	X		Operating a combination of motor vehicles longer than 22 metres (0 – 200 mm)	200
Reg.240(g) r/w 1&369 r/w Sec.1,86&89	53647			Operating a combination of motor vehicles longer than 22 metres (in excess of 200 mm)	NAOG
OVERALL – WIDTH					
Reg.242(a) r/w 1&369 r/w Sec.1,86&89	53697	X		Operating a bus with distance between centre lines of two front wheels >1,9 metres whilst overall width of the bus >2,6 m (0 – 100 mm)	200
Reg.242(a) r/w 1&369 r/w Sec.1,86&89	52950			Operating a bus with distance between centre lines of two front wheels >1,9 metres whilst overall width of the bus >2,6 m (in excess of 100 mm)	NAOG
Reg.242(b) r/w 1&369 r/w Sec.1,86&89	52968	X		Operating a goods vehicle with a GVM <12 000kg with an overall width in excess of 2,6 m (0 – 100 mm)	200
Reg.242(b) r/w 1&369 r/w Sec.1,86&89	52976			Operating a goods vehicle with a GVM <12 000kg with an overall width in excess of 2,6 m (in excess of 100 mm)	NAOG
Reg.242(c) r/w 1&369 r/w Sec.1,86&89	53702	X		Operating a vehicle with an overall width in excess of 2,5 m (0 – 100 mm)	150
Reg.242(c) r/w 1&369 r/w Sec.1,86&89	53710			Operating a vehicle with an overall width in excess of 2,5 m (in excess of 100 mm)	NAOG
OVERHANG – FRONT					
Reg.245(1)(a) r/w 1, 239&369 r/w Sec.1,86&89	53778	X		Operating a semi-trailer with a front overhang longer than 1,8 m (0 – 200 mm)	150
Reg.245(1)(a) r/w 1, 239&369 r/w Sec.1,86&89	53786			Operating a semi-trailer with a front overhang longer than 1,8 m (in excess of 200 mm)	NAOG
Reg.245(1)(b)(i) r/w 1, 239&369 r/w Sec.1,86&89	53794	X		operating a vehicle with front overhang in excess of 60% of the wheel- base (0 – 200 mm)	150
Reg.245(1)(b)(i) r/w 1, 239&369 r/w Sec.1,86&89	53809			operating a vehicle with front overhang in excess of 60% of the wheel- base (in excess of 200 mm)	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.245(1)(b)(ii) r/w 1, 239&369 r/w Sec.1,86&89	53817	X		operating a vehicle with a too long overhang taking the driver seat into consideration (0 – 200 mm)	150
Reg.245(1)(b)(ii) r/w 1, 239&369 r/w Sec.1,86&89	53825			operating a vehicle with a too long overhang taking the driver seat into consideration (in excess of 200 mm)	NAOG
Reg.245(1)(b)(iii) r/w 1,239&369 r/w Sec.1,86&89	53833	X		operating a vehicle with a front overhang exceeding 5,8 m less half the wheelbase (0 – 200 mm)	150
Reg.245(1)(b)(iii) r/w 1,239&369 r/w Sec.1,86&89	53841			operating a vehicle with a front overhang exceeding 5,8 m less half the wheelbase (in excess of 200 mm)	NAOG
OVERHANG – REAR					
Reg.245(2)(a) r/w 1, 239&369 r/w Sec.1,86&89	53891	X		operating specified vehicle with rear overhang in excess of 70% of the wheelbase (0 – 200 mm)	150
Reg.245(2)(a) r/w 1, 239&369 r/w Sec.1,86&89	53906			operating specified vehicle with rear overhang in excess of 70% of the wheelbase (in excess of 200 mm)	NAOG
Reg.245(2)(b) r/w 1, 239&369 r/w Sec.1,86&89	53914	X		operating a trailer with rear overhang in excess of 50% of the body length (0 – 200 mm)	150
Reg.245(2)(b) r/w 1, 239&369 r/w Sec.1,86&89	71019			operating a trailer with rear overhang in excess of 50% of the body length (in excess of 200 mm)	NAOG
Reg.245(2)(c) r/w 1, 239&369 r/w Sec.1,86&89	53922	X		operating a vehicle with a rear overhang in excess of 60% of the wheelbase (0 – 200 mm)	150
Reg.245(2)(c) r/w 1, 239&369 r/w Sec.1,86&89	53930			operating a vehicle with a rear overhang in excess of 60% of the wheelbase (in excess of 200 mm)	NAOG
OVERTAKING					
Reg.329(1) r/w 327, 329(2), (4)&369 r/w Sec.1,86&89	53998	X		failing to pass another vehicle at the right thereof at a save distance	300
Reg.329(1) r/w 327, 329(2), (4)&369 r/w Sec.1,81,86&89	54017	X		move to the left after passing another vehicle before safely passing that other vehicle	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.329(1)(e) r/w 327,329(1) (a)-(d), (2),(4), 330&369 r/w Sec.1,86&89	54033	X		passing another vehicle on the left on the shoulder or verge of the road	300
Reg.329(2) r/w 329(2)(a)-(c) &369 r/w Sec.1,81,86 &89	54059	X		passing on summit/in curve/any other place and thus created a hazard to other traffic	300
Reg.329(3) r/w 329(1)&369 r/w Sec.1,86&89	54075	X		failing to drive as near as possible to the left edge of the roadway	300
Reg.329(3) r/w 329(1) &369 r/w Sec.1,81,86 &89	54091	X		accelerating speed of vehicle when another vehicle passed	300
Reg.329(4) r/w 369 r/w Sec.1,81,86 &89	54114	X		endangering oncoming traffic	300
Reg.329(5) r/w 369 r/w Sec.1,81,86 &89	54122			passed a stationary bus without due care for safety of persons	NAOG
PARKING					
SEC/REG.	DESCRIPTION				
Reg.338(1)(a) r/w 336 &369 r/w Sec.1,86&89	parked a vehicle in contravention of road traffic sign:				
CODE	56	341	OFFENCE	FINE	
54198	X	X	no parking line marking - yellow line RM13	150	
64208	X	X	limited parking reservation (2 hrs, 1 hr 30 min) R306P	150	
64216	X	X	limited parking reservation (1 hour) R306P	150	
64224	X	X	parking prohibited sign – no parking R216	150	
64232	X	X	Motorcycles sign (R)526	150	
64240	X	X	“except government vehicles” R216	150	
64258	X	X	Vehicles conveyed disabled persons sign (R)578	150	
64266	X	X	Taxi sign (R)564	150	
Reg.338(1)(a) r/w 336 &369 r/w Sec.1,86&89	64274	X	X	parked a vehicle outside the parking bay RM6	150

PARKING CONTINUED				
SEC/REG.		DESCRIPTION		
Reg.338(1)(b) r/w 336 &369 r/w Sec.1,86&89		parked a vehicle:		
CODE	56	341	OFFENCE	FINE
54211	X	X	at excavation or obstruction	150
54237	X	X	within tunnel or subway or on a bridge	150
54253	X	X	where width of road was constricted	150
54279	X	X	on right-hand side of roadway	150
54295	X	X	alongside or opposite another vehicle	150
54318	X	X	within railway reserve	150
54342	X	X	where vehicle constituted a danger or obstruction	300
SEC/REG		DESCRIPTION		
Reg. 338(1)(c) r/w 337 & 369 r/w Sec.1,86&89		Parked a vehicle in contravention of an exclusive parking marking bay, RM7 viz;		
CODE	56	341	DESCRIPTION	
64753	X	X	Ambulance (A)	300
64761	X	X	Buses (B)	300
64282	X	X	Loading zones (C)	300
64779	X	X	Taxis (T)	300
64787	X	X	Fire fighting vehicles (F)	300
64795	X	X	Police (P)	300
64800	X	X	Rickshaws (R)	300
64818	X	X	Diplomatic vehicles (CD)	300
64826	X	X	SOS-telephones (SOS)	300
64834	X	X	Defence Force (D)	300
64842	X	X	Minibuses (MB)	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.338(1)(c) r/w 369 r/w 1,86&89	54376	X	X	parked a vehicle on the same side as fire hydrant	150
Reg.338(1)(d) r/w 369 r/w 1,86&89	54392	X	X	parked a vehicle obscuring a road traffic sign	150
Reg.338(1)(e) r/w 369 r/w 1,86&89	54415	X	X	parked a vehicle on a sidewalk	150
Reg.338(1)(f) r/w .369 r/w 1,86&89	54431	X	X	parked a vehicle obstructing a private or public vehicular entrance	150
Reg.338(3) r/w 369 r/w 1,86&89	54457	X	X	parked a vehicle on roadway outside an urban area	150
Reg.338(4)(a) r/w 336&369 r/w 1,86&89	54473	X	X	parked a vehicle within 9 metres of pedestrian crossing in urban area	150
Reg.338(4)(b) r/w 369 r/w 1,86&89	54499	X	X	parked a vehicle within 5 metres of intersection in urban area	150
Reg.338(4)(c) r/w 369 r/w 1,86&89	54512	X	X	parked a vehicle upon the actuating mechanism of traffic signal in urban area	150
Reg.338(4)(d)(i) r/w 369 r/w 1,86&89	54538	X	X	parked a vehicle more than 450 mm within roadway in urban area	150
Reg.338(4)(d)(ii) r/w 369 r/w 1,86&89	54554	X	X	parked a vehicle with right-hand wheel more than 450 mm within roadway (1-way)	150
Reg.338(4)(e) r/w 369 r/w 1,86&89	54562	X	X	parked a vehicle on roadway where road is less than 5,4 m wide	150
Reg.338(5) r/w 369 r/w sec. 1,86&89	54596	X	X	parked a vehicle on traffic island, in pedestrian mall or in pedestrian lane	150
PEDAL CYCLES					
Reg.346(1) r/w 1&369 r/w Sec.1,86&89	54651	X		failing to ride astride on the saddle of pedal cycle	100
Reg.346(2) r/w 1&369 r/w Sec.1,86&89	54677	X		failing to ride in single file on pedal cycles	100
Reg.346(2) r/w 1&369 r/w Sec.1,86&89	54693	X		overtaking another vehicle at the same time as another cyclist	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.346(3) r/w 1&369 r/w Sec.1,86&89	54716	X		taking hold of a vehicle in motion	200
Reg.346(4) r/w 1&369 r/w Sec.1,86&89	54732	X		deliberately causing a pedal cycle to swerve from side to side	100
Reg.346(5) r/w 1&369 r/w Sec.1,86&89	54758	X		carrying a person/animal/object obstructing view or preventing proper control	100
Reg.346(6) r/w 1&369 r/w Sec.1,86&89	54774	X		failing to have at least one hand on handlebars of pedal cycle while riding	100
Reg.346(7) r/w 1&369 r/w Sec.1,86&89	54782	X		failing to ride on portion of road set aside for pedal cycles	100
PEDESTRIANS					
Reg.350(1) r/w 1,351&369 r/w Sec.1,86&89	54855	X		entering a pedestrian crossing contrary to indications of traffic signal	150
Reg.350(2) r/w 1,351&369 r/w Sec.1,86&89	54871	X		failing to yield right of way to, slowing down or stopping for pedestrian	300
Reg.350(3) r/w 1,350(2),351 &369 r/w Sec.1,86&89	54897	X		suddenly entering a pedestrian crossing and walking/running in front of a vehicle	100
Reg.350(4) r/w 1,351&369 r/w Sec.1,86&89	54902	X		passing a vehicle which had stopped for pedestrians at a pedestrian crossing	300
Reg.351(1) r/w 1&369 r/w Sec.1,86&89	54936	X		walking on roadway where sidewalk/footpath abuts on roadway	100
Reg.351(2) r/w 1&369 r/w Sec.1,86&89	54952	X		failing to walk on right-hand side of road so as to face oncoming traffic where there was no sidewalk	100
Reg.351(3),(4) r/w 1&369 r/w Sec.1,86&89	54978	X		crossing a road without due care or lingering on the road when crossing it	100
Reg.351(5) r/w 1&369 r/w Sec.1,86&89	54994	X		constituting a source of danger to himself/herself/or other traffic on the road	150
Reg.351(6) r/w 1&369 r/w Sec.1,86&89	55013	X		not crossing a road at pedestrian crossing/at a distance further than 50 m from a pedestrian crossing or intersection	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
PROCEED BEFORE SIGNALLED					
Reg.364(2) r/w 1,369& Schedule 2 r/w Sec.1,86&89	55071	X	X	proceeded before traffic officer signalled driver/ pedestrian to do so	300
PROJECTIONS					
Reg.246(1)(a)(i) (aa) r/w 1,239,242, 244& 369 r/w Sec.1,86&89	55136	X		operating a bus or goods vehicle with goods projecting more than 1,3m of either side of the longitudinal centre-line	200
Reg.246(1)(a)(i) (bb) r/w 1,239,246(1) (a)(i)(aa) & 369 r/w Sec.1,86&89	55152	X		operating a vehicle with goods projecting further than 1,25 metres of either side of the longitudinal centre-line	200
Reg.246(1)(a)(ii) r/w 1, 239&369 r/w Sec.1,86&89	55178	X		operating a vehicle with goods projecting more than 300 mm beyond the front of that vehicle	150
Reg.246(1)(a) (iii) r/w 1, 239&369 r/w Sec.1,86&89	55194	X		operating a vehicle with goods projecting more than 1,8 metres beyond the rear-end of that vehicle	200
Reg.246(1)(b)(i) r/w 1, 239,245& 369 r/w Sec.1,86&89	55217	X		operating a vehicle with a too long front overhang of goods and body	200
Reg.246(1)(b)(ii) r/w 1, 239,245& 369 r/w Sec.1,86&89	55233	X		operating a vehicle with a bracket projecting more than 150 mm beyond the widest part of vehicle	200
Reg.246(2) r/w 1,239, 240& 369 r/w Sec.1,86&89	55259	X		operating a vehicle or combination with projection longer than permissible length	200
Reg.247 r/w 1,239& 369 r/w Sec.1,86&89	55275	X		operating a motorcycle or a pedal cycle with goods projecting more than 600 mm to the front axle centre of the front wheel	100
Reg.247 r/w 1,239& 369 r/w Sec.1,86&89	70461	X		operating a motorcycle or a pedal cycle with goods projecting more than 900 mm to the rear axle centre of the rear wheel	100
Reg.247 r/w 1,239& 369 r/w Sec.1,86&89	70487	X		operating a motorcycle or pedal cycle with goods projecting more than 450 mm to the either side of the wheels	100
Reg.247 r/w 1,239& 369 r/w Sec.1,86&89	70500	X		operating a motorcycle fitted with a side-car with goods projecting more than 300 mm to the outside of the wheel of the sidecar	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.248(1)(a) r/w 1,174(2),239, 248(3)&369 r/w Sec.1,86&89	55314	X		operating a vehicle with load projecting more than 150 mm to the side without a white/red retro-reflector or lamp emitting a white/red light – Night Time	300
Reg.248(1)(b) r/w 1, 239&369 r/w Sec.1,86&89	55322	X		operating a vehicle with load projecting more than 150 mm to the side without a red flag or red cloth as prescribed - Day Time	300
Reg.248(2)(a) r/w 1,174(2),239, 248(2)&369 r/w Sec.1,86&89	55356	X		operating a vehicle with load projecting more than 300 mm to the rear without red retro-reflector or red lamp – Night Time	300
Reg.248(2)(b) r/w 1, 239, 248(2)&369 r/w Sec.1,86&89	55372	X		operating a vehicle with load projecting more than 300 mm to the rear without a Red Flag or Red Cloth as prescribed - Day Time	300
PROTECTIVE - HELMETS					
Reg.226(1) r/w 1&369 r/w Sec.1,86&89	55437	X		failing to wear a protective helmet while driving a motor cycle	300
Reg.226(1) r/w 1,226(1) &369 r/w Sec.1,86&89	70526	X		Passenger on motor cycle or a passenger in side-car attached to a motor cycle failed to wear a protective helmet	300
Reg.226(1)(a) r/w 1,226(1) &369 r/w Sec.1,86&89	70542	X		Driving a motorcycle wearing a protective helmet which was not specially designed for use in connection of a motorcycle	300
Reg.226(1)(a) r/w 1,226(1) &369 r/w Sec.1,86&89	70568	X		Passenger riding on a motorcycle wearing a protective helmet which was not specially designed for use in connection of a motorcycle	300
Reg.226(1)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70584	X		Driving a motorcycle wearing a protective helmet which does not fit him/her properly	300
Reg.226(1)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70607	X		Passenger riding on a motorcycle wearing a protective helmet which does not fit him/her properly	300
Reg.226(1)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70623	X		Driving a motorcycle wearing a protective helmet of which the chin strap was not properly fastened under his/her chin	300
Reg.226(1)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70649	X		Passenger riding on a motorcycle wearing a protective helmet of which the chin strap was not properly fastened under his/her chin	300
Reg.226(2) r/w 1,226(1) &369 r/w Sec.1,86&89	55453	X		Driver failed to ensure that the passenger who was younger than 14 years wore a protective helmet	300
Reg.226(3) r/w 1,226(1) &369 r/w Sec.1,86&89	70665	X		Failing to wear a protective helmet while a pedal cycle After a date determined by the Minister	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.226(3) r/w 1,226(1) &369 r/w Sec.1,86&89	70681	X		Passenger failed to wear a protective helmet while riding on a pedal cycle After a date determined by the Minister	100
Reg.226(3)(a) r/w 1,226(1) &369 r/w Sec.1,86&89	70704	X		Driving a pedal cycle wearing a protective helmet which was not specially designed for use in connection of a pedal cycle After a date determined by the Minister	100
Reg.226(3)(a) r/w 1,226(1) &369 r/w Sec.1,86&89	70720	X		Passenger riding on a pedal cycle wearing a protective helmet which was not specially designed for use in connection of a pedal cycle After a date determined by the Minister	100
Reg.226(3)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70746	X		Driving a pedal cycle wearing a protective helmet which does not fit him/her properly After a date determined by the Minister	100
Reg.226(3)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70762	X		Passenger riding on a pedal cycle wearing a protective helmet which does not fit him/her properly After a date determined by the Minister	100
Reg.226(3)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70788	X		Driving a pedal cycle wearing a protective helmet of which the chin strap was not properly fastened properly fastened under his/her chin After a date determined by the Minister	100
Reg.226(3)(b) r/w 1,226(1) &369 r/w Sec.1,86&89	70801	X		Passenger riding on a pedal cycle wearing a protective helmet of which the chin strap was not properly fastened under his/her chin After a date determined by the Minister	100
PROFESSIONAL AUTHORISATION					
Reg 127(1)(d) r/w 1, 128, 129 & 369 r/w 1, 86, & 89	T0005	X	X	Drove a motor vehicle contrary to the conditions of the professional authorisation endorsed on the driving license pertaining to the certain categories of driving licenses	300
Reg 128 (6) r/w 1, 127, 128, 129 & 369 r/w 1, 86, & 89	T0006	X	X	Drove a motor vehicle of any class without a professional authorisation	300
RACES AND SPORTS					
Reg.352(2) r/w 369 r/w Sec.1,86&89	55754	X		organising or partaking in a race or sport without permission of Minister/local authority	100
Reg.352(3) r/w 369 r/w Sec.1,86&89	55762	X		failing to comply with conditions imposed in respect of a race or sport	200
REAR UNDERRUN PROTECTION DEVICE					
Reg.237(a) r/w 369 r/w Sec.1,86&89	55835	X		failing to fit a rear underrun protection device to a trailer with the GVM in excess of 3500 kg registered for the first time after 01/01/1988	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.237(a) r/w 369 r/w Sec.1,86&89	55835	X		failing to fit a rear underrun protection device to a goods vehicle with the GVM in excess of 12000 kg registered for the first time after 01/01/1988	300
RECKLESS OR NEGLIGENT DRIVING					
Sec.80(1) r/w 1,86,89 &106	55893			drove vehicle on a recklessly and/or negligently manner	NAOG
REFLECTORS					
Reg.204(1)(a) r/w 1,207&369 r/w Sec.1,86&89	55974	X		operating a trailer without white retro-reflectors at the same height on each side and equidistant from the longitudinal centre-line	100
Reg.204(1)(b) r/w 1,207&369 r/w Sec.1,86&89	55982	X		operating a person-drawn vehicle without white retro-reflectors at the same height on each side and equidistant from the longitudinal centre-line	100
Reg.204(1)(c) r/w 1, 207&369 r/w Sec.1,86&89	56019	X		operating animal-drawn vehicle without 2 white retro-reflectors on the front on each side and equidistant from longitudinal centre-line	100
Reg.204(2)(a) r/w 1,204(1), 207&369 r/w Sec.1,86&89	56051	X		white retro-reflector fitted further than 400 mm from the outer edge of the widest portion of the vehicle	100
Reg.204(2)(b) r/w 1,204(1), 204(2)(a),207 &369 r/w Sec.1,86&89	56093	X		vehicles not specified fitted with retro-reflectors further than 150 mm from the outer edge of the widest portion of the vehicle	100
Reg.204(3) r/w 1,207,210& 369 r/w Sec.1,86&89	56132	X		operating a pedal cycle without a white retro-reflector complying with prescribed requirements on the front	100
Reg.205(1)(a) r/w 1,207& 369 r/w Sec.1,86&89	56174	X		operating a motor vehicle not fitted with two red retro-reflectors on rear at the same height and equidistant from longitudinal centre-line	100
Reg.205(1) r/w 1, 207&369 r/w Sec.1,86&89	56213	X		operating combination of motor vehicles not fitted with rear retro-reflectors on drawing and rearmost vehicle	100
Reg.205(1)(c) r/w 1, 207&369 r/w Sec.1,86&89	56255	X		operating animal-drawn vehicle not fitted with two red retro-reflectors on the rear on each side and equidistant form longitudinal line	100
Reg.205(2) r/w 1, 207 &369 r/w Sec.1,86&89	56297	X		operating a vehicle with red-reflectors placed more than 400mm from the outer edge of the widest part of the vehicle	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.205(3) r/w 1, 207 &369 r/w Sec.1,86&89	56336	X		operating motorcycle/tricycle with 1 wheel at rear without a red retro-reflector on rear of motorcycle/tricycle	100
Reg.205(4) r/w 1, 207,210 &369 r/w Sec.1,86&89	56378	X		operating a pedal cycle without a red retro-reflector on the rear of pedal cycle	100
Reg.206(1)(a)(i) r/w 1,207& 369 r/w Sec.1,86&89	56417	X		operating a motor vehicle or combination of vehicles of which the overall length exceeded 7 m fitted with one yellow retro-reflector more than 3 m on both sides from the front	100
Reg.206(1)(a)(ii) r/w 1,207& 369 r/w Sec.1,86&89	56425	X		operating a motor vehicle or combination of vehicles of which the overall length exceeded 7 m fitted with one yellow retro-reflector more than 1 m on both sides from the rear	100
Reg.206(1)(a)(iii) r/w 1,207& 369 r/w Sec.1,86&89	56433	X		Operate a trailer which form part of a combination of motor vehicles fitted with one yellow retro-reflector more than 3 m from the front of the trailer	100
Reg.206(1)(b) r/w 1,207& 369 r/w Sec.1,86&89	56441	X		operating a motor vehicle or combination of vehicles of which the overall length exceeded 7 m fitted with yellow retro-reflectors on the sides more than 3,6 m apart	100
Reg.206(2)(a) r/w 1,207& 369 r/w Sec.1,86&89	70827	X		operating a school bus not fitted with yellow retro-reflectors on both sides of the bus	100
Reg.207(1)(a) r/w 1,209, 210& 369 r/w Sec.1,86&89	56459	X		vehicle or load fitted with retro-reflectors less than 300 mm from ground level	100
Reg.207(1)(a) r/w 1,209, 210& 369 r/w Sec.1,86&89	56467	X		vehicle or load fitted with retro-reflectors higher than 1,5 m from ground level	100
Reg.207(1)(b)(i) r/w 1,209, 210& 369 r/w Sec.1,86&89	56475	X		vehicle or load fitted with retro-reflectors not in a vertical position and/or does not face squarely to the front	100
Reg.207(1)(b)(ii) r/w 1,209, 210& 369 r/w Sec.1,86&89	56483	X		vehicle or load fitted with retro-reflectors not in a vertical position and/or does not face squarely to the rear	100
Reg.207(1)(b)(iii) r/w 1,209, 210& 369 r/w Sec.1,86&89	70843	X		vehicle or load fitted with yellow retro-reflectors not in a vertical position and/or does not face squarely to the sides	100
Reg.207(1)(c) r/w 1,209, 210& 369 r/w Sec.1,86&89	70869	X		vehicle or load fitted with retro-reflectors not in a in a good and clean condition and/or obscured	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.207(1)(d) r/w 1,209, 210& 369 r/w Sec.1,86&89	70885	X		vehicle fitted with retro-reflectors on any movable part thereof	100
Reg.208 r/w 1,205, 207, 210&369 r/w Sec.1,86&89	56491	X		fitting retro-reflectors on vehicles with certain bodies not as prescribed	150
Reg.209(2)(a) r/w 1,210& 369 r/w Sec.1,86&89	56522	X		operating a motor vehicle not fitted with a chevron complying with the prescribed specifications	150
Reg.209(2)(a) r/w 1,210& 369 r/w Sec.1,86&89	60262	X		operating a trailer not fitted with a chevron complying with the prescribed specifications	150
Reg.209(2)(b) r/w 1,210& 369 r/w Sec.1,86&89	56530	X		operating a motor vehicle fitted with a warning sign to the rear which does not bears the certification mark	150
Reg.209(2)(c) r/w 1,210& 369 r/w Sec.1,86&89	56548	X		operating a vehicle fitted with a warning sign to the rear of which without red and yellow retro-reflective chevron strips incorporated	150
Reg.209(3)(b) r/w 1,207, 210& 369 r/w Sec.1,86&89	56572	X		operating a motor vehicle due to the design or construction thereof did not allow a modified chevron to be fitted not fitted with at least eleven retro-reflectors instead of a chevron	150
Reg.209(3)(b) r/w 1,207, 210& 369 r/w Sec.1,86&89	64355	X		operating a trailer GVM not in excess of 3500 kg due to the design or construction thereof did not allow a modified chevron to be fitted not fitted with at least seven retro-reflectors instead of a chevron	150
Reg.210 r/w 1,209,211,212, 324(2),326&369 r/w Sec.1,86&89	56611	X		operating a vehicle not fitted with white retro-reflectors to the front	100
Reg.210(1)(c) r/w 1,209,211,212, 324(2),326&369 r/w Sec.1,86&89	56629	X		operating a vehicle not fitted with the yellow retro-reflectors to the side of the motor vehicle except when a vehicle was manufactured with red retro-reflectors on the side	100
Reg.210(3) r/w 1,209,211,212, 324(2),326&369 r/w Sec.1,86&89	56637	X		operating a pedal cycle between the period sunset or sunrise not fitted with the yellow or white retro-reflectors or reflective material to the pedal, pedal arms or spokes	100
Reg.211(1) r/w 369 r/w Sec.1,86&89	56653	X		operating a goods vehicle with a GVM above 10 000 kg. without the required reflective materials	200
Reg.211(1)(a) r/w 1&369 r/w Sec.1,86&89	56695	X		rear under run protection device not fitted along its length with a rear marking strip	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.211(1)(b) r/w 1&369 r/w Sec.1,86&89	56734	X		the letter C was not brought onto the retro-reflective marking material	100
Reg.211(1)(c) r/w 1&369 r/w Sec.1,86&89	56776	X		retro-reflective advertising used not as prescribed	100
Reg.211(1)(d) r/w 1&369 r/w Sec.1,86&89	56815	X		retro-reflective material on the sides or the rear was not yellow	100
REFUSE NAME AND ADDRESS					
Sec.14(1)(h) r/w 1&106	56873			refused to furnish name and address or any other particulars which are required for his/her identification or any process	NAOG
ROAD TRAFFIC SIGNS					
Sec.74(7) r/w 1&106	56938			displayed a road traffic sign on a public road without authorisation	NAOG
Sec.74(8) r/w 1&106	56954			failed to remove road traffic sign as instructed	NAOG
Sec.74(9) r/w 1&106	56962			wilfully or negligently damaged, removed or moved a road traffic sign	NAOG
Sec.75 r/w 1,74,86,89 &106 r/w Schedule 2 of RTTR	56996	X	X	failed to comply with the direction of a road traffic mark : yellow directional arrow - RM8	150
SEC/REG.		DESCRIPTION			
Sec.75 r/w 1,74,86,89 &106 r/w Schedule 2 of RTTR		failed to comply with the direction of a road traffic sign:			
CODE	56	341	OFFENCE		FINE
57015	X	X	stop sign	R1	300
57031	X	X	yield at traffic circle	R2.2	150
57057	X	X	no entry sign	R3	150
57073	X	X	one way roadway sign	R4	150
57099	X	X	keep left sign/keep right sign	R103/R104	150
57112	X	X	proceed left only	R105	150
57138	X	X	proceed right only	R106	150
57154	X	X	turn left/right sign	R108/R109	150
57162	X	X	minibuses only sign	R119	150
57196	X	X	switch head lamps on sign	R133	150
57219	X	X	mass limit sign	R202	300
57235	X	X	axle mass load limit sign	R203	300
57251	X	X	height limit sign	R204	300
57277	X	X	excessive noise prohibited	R206	200

CODE	56	341	OFFENCE	FINE
57293	X	X	unauthorised vehicle prohibited R208	150
57316	X	X	left turn ahead prohibited R209	150
57332	X	X	right turn ahead prohibited R210	150
57358	X	X	left turn prohibited sign R211	150
57374	X	X	right turn prohibited sign R212	150
57382	X	X	U-turn prohibited sign R213	150
57413	X	X	overtaking prohibited sign R214	150
57439	X	X	motor cycle prohibited R222	150
57455	X	X	taxi prohibited sign R224	150
SEC/REG.	DESCRIPTION			
Sec.75 r/w 1,74,86,89 &106 r/w Schedule 2 of RTTR	failed to comply with the direction of a road traffic sign:			
CODE	56	341	OFFENCE	FINE
57471	X	X	hawkers prohibited sign R241	300
57497	X	X	woonerf sign prohibiting a vehicle exceeding 3500 Kg/more than 10 seats not local/delivery R403	100
57502	X	X	woonerf sign not yielding right-of-way to pedestrians and children in the roadway R403	100
57536	X	X	woonerf sign by exiting area indicated by the sign without breaking journey R403	100
57552	X	X	no overtaking marking RM1	300
57578	X	X	stop line marking RTM1	100
57594	X	X	no crossing marking RM2	200
57617	X	X	channelizing line marking RM3	200
57633	X	X	red traffic signal S1	300
57659	X	X	zig-zag zone RM11	300
57675	X	X	no stopping line marking RM12	300
57691	X	X	no parking line marking RM13	200
57714	X	X	steady yellow disc light signal S1	300
57722	X	X	red man light signal S11	300
57756	X	X	steady red cross S17	300
57772	X	X	taxi parking reserve sign R309	150
57798	X	X	yield to oncoming traffic R6	150
57811	X	X	roundabout sign R317	150
57853	X	X	pedal cycle lane reservation R304	150
57879	X	X	exclusive lane line marking RM9	300
57895	X	X	box junction marking RM10	300
57918	X	X	goods vehicle above GVM reservation R124	300
57942	X	X	goods vehicle over indicated GVM reservation sign R314	300
57976	X	X	Specify - (only signs not mentioned in this fine list)	150
57992	X	X	taxis only sign R118	150
58011	X	X	yield sign R2	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
ROADWORTHINESS					
Sec.58 r/w 1,86,89,106	58079	X		operate a motor vehicle which was not in a roadworthy condition	
RULES OF THE ROAD					
Reg.327(1) r/w 369 r/w Sec.1,86&89	58134	X		failing to drive vehicle on the left side of the roadway	200
Reg.328(1) r/w 369 r/w Sec.1,86&89	70924	X		Failed to drive on the left-hand roadway of an intervening space, physical barrier or dividing space	200
Reg.328(2) r/w 369 r/w Sec.1,86&89	58142	X		Driving vehicle on/over/across/within dividing space, barrier or section	200
Reg.330 r/w 369 r/w Sec.1,86&89	58176	X		Driving motor vehicle on shoulder of road	150
Reg.331(1) r/w 369 r/w Sec.1,86&89	58192	X		Crossing a road in such a way that he/she obstructed/endangered other traffic	300
Reg.331(2) r/w 369 r/w Sec.1,86&89	58215	X		Entering a public road unsafely	300
Reg.331(3) r/w 369 r/w Sec.1,86&89	58231	X		Driving (changing) unsafely from one lane to another	200
SCHOOL BUS					
Reg.283(a) r/w 1,251,252,271, 275&369 r/w Sec.1,86&89	58362	X		Permitting too many persons on a seat of a school bus at 330 mm per person	100
Reg.283(b)(i) r/w 1,251,252,271, 275&369 r/w Sec.1,86&89	58396	X		Dimensions of backrest of seats of school bus not according to requirements	100
Reg.283(b)(ii) r/w 1,251,252,271, 275&369 r/w Sec.1,86&89	58419	X		School bus fitted with seats not of proper height	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.283(b)(iii) r/w 1,251,252,271, 275&369 r/w Sec.1,86&89	58435	X		School bus fitted with seats with depth not correct	100
Reg.283(b)(iv) r/w 1,251,252,271, 275&369 r/w Sec.1,86&89	58451	X		School bus fitted with seats with wrong width	100
Reg.283(b)(v) r/w 1, 251,252,271, 275&369 r/w Sec.1,86&89	58477	X		School bus fitted with seats facing each other too near to each other	100
Reg.283(b)(vi) r/w 1, 251,252,271, 275&369 r/w Sec.1,86&89	58493	X		School bus fitted with seats facing a partition or similar obstruction at a horizontal distance at seat level less than 530mm	100
SEATBELTS					
Reg.232(3)(a) r/w 369 r/w Sec.1,86&89	58558	X		Motor vehicle not fitted with seatbelts	300
Reg.232(3)(b) r/w 369 r/w Sec.1,86&89	54334	X		Operating a minibus with a GVM in excess of 2500kg not fitted with seat belts on the front seats	300
Reg.232(3)(c) r/w 369 r/w Sec.1,86&89	52748	X		Operating a motor vehicle fitted with seatbelts not in a good working order	300
Reg.232(3)(d) r/w 369 r/w Sec.1,86&89	55916	X		using a motor vehicle while seatbelts are removed for repair or replacement purposes	300
Reg.232(4) r/w 369 r/w Sec.1,86&89	58574	X		Occupying a seat in a motor vehicle operated on a public road and failing to wear a safety belt if fitted	300
Reg.232(5) r/w 369 r/w Sec.1,86&89	58582	X		Failing to use an available seatbelt while seated on a row of seats	300
Reg.232(6) r/w 232(1) &369 r/w Sec.1,86&89	58613	X		Failing to ensure that a child used an appropriate child restraint if available or wore an available seatbelt	300
Reg.232(7) r/w 232(1) &369 r/w Sec.1,86&89	58639	X		Failing to ensure that a child occupied a rear seat if not seatbelt available in motor vehicle	300
Reg.232(8)(a) r/w 369 r/w Sec.1,86&89	58655	X		Seatbelts not complying with SABS specifications	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.232(8)(b) r/w 369 r/w Sec.1,86&89	58671	X		child restraint not complying with SABS specifications	300
SOUNDING DEVICE					
Reg.220(1)(a) r/w 369 r/w Sec.1,75,86,89	58736	X		Operating a motor vehicle not equipped with an efficient sounding device in good working order and/or clearly audible	100
Reg.220(1)(b) r/w 369 r/w Sec.1,86 &89	58752	X		Operating a pedal cycle not equipped with an efficient sounding device in good working order and/or not giving adequate warning of its approach	100
Reg.220(1)(c) r/w 369 r/w Sec.1,75,86 &89	58778	X		Operating a vehicle fitted with a siren	300
Reg.220(1)(d) r/w 369 r/w Sec.1,75,86 &89	58794	X		Operating a vehicle fitted with a device emitting a sound of which the tone of pitch varies	100
Reg.345 r/w 369 r/w Sec.1,86&89	58817	X		using a hooter unnecessarily	100
SPECIAL / TEMPORARY PERMITS					
Reg.66(1)(b) r/w 1,52(2)&369 r/w Sec.1,86&89	58825	X		Operating a motor vehicle displaying a special permit contrary to the conditions and provisions applicable to the special permit	300
Reg.66(2)(a) r/w 1,153(1)&369 r/w Sec.1,86&89	58833			Issued a temporary permit without a road worthy certificate in respect of the motor vehicle	NAOG
Reg.66(2)(b) r/w 1,153(1)&369 r/w Sec.1,86&89	58841	X		Issued a temporary permit without a copy of the application being submitted for the licensing of the motor vehicle	300
Reg.66(2)(c) r/w 1,153(1)&369 r/w Sec.1,86&89	58859	X		Issued a blank temporary permit to a person other than a motor dealer	300
Reg.66(4) r/w 1&369 r/w Sec.1,86&89	58875	X		Operating a motor vehicle conveying persons or goods as a holder of a special permit	300
Reg.69(3)(a) r/w 1&369 r/w Sec.1,86&89	70940	X		Motor dealer failed to complete the temporary permit and counterfoil on the approved form upon payment of the appropriate fees	300
Reg.69(3)(c) r/w 1,67(3)(c) &369 r/w Sec.1,86&89	70966	X		Motor dealer failed to record the date, number and place of issue of the roadworthy certificate on the counterfoil of the temporary permit	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.69(5) r/w 1,69(2) &369 r/w Sec.1,86&89	70982	X		Motor dealer issued a more than one temporary permit to the same person in respect of the same motor vehicle	300
Reg.69(7) r/w 1,&369 r/w Sec.1,86&89	71001	X		Registering authority issued a more than one temporary permit and/or to the same person in respect of the same vehicle	300
Reg.71(1)(a) r/w 1&369 r/w Sec.1,86&89	58891	X		Failing to display temporary/special permit as prescribed	100
Reg.71(1)(b) r/w 1&369 r/w Sec.1,86&89	58914	X		Failing to display permit in conspicuous place on rear of vehicle	100
Reg.71(2) r/w 1&369 r/w Sec.1,86&89	58922			Displayed permit on vehicle not applicable to that specific vehicle	NOAG
Reg.72(a) r/w 1&369 r/w Sec.1,86&89	58930	X		Motor dealer failed to keep a record by means of the completed counterfoil, of the name and address of the applicant	300
Reg.72(a) r/w 1&369 r/w Sec.1,86&89	55291	X		Motor dealer failed to keep a record of the date, number and place of issue of the roadworthy certificate on counterfoil if applicable	300
Reg.72(b) r/w 1&369 r/w Sec.1,86&89	58948	X		Motor dealer failed to return every book of counterfoils completed within 14 days after the completion of the tenth permit in a book	300
Reg.71(3) r/w 1&369 r/w Sec.1,86&89	58956	X		displaying a permit which was obscured or illegible	100
SPECIAL VEHICLES (ABNORMAL VEHICLES)					
Sec 99(2)(a) r/w 1, 86, 89, 99(1) & 106 r/w Parts 4, 5, 6 of Chapter 5 RTT Reg GN 53/2001	97811			Operating a vehicle which does not comply with the provisions of this Act and/or without a generally or specifically written authorisation (ABNORMAL PERMIT)	NOAG
Sec 99(2)(b) r/w 1, 86, 89, 99(1) & 106 r/w Parts 4, 5, 6 of Chapter 5 RTT Reg GN 53/2001	97829			Conveying passengers or any load otherwise than in accordance with the provisions of this Act and/or without a generally or specifically written authorisation (ABNORMAL PERMIT)	NOAG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Sec 99(2) r/w 1, 86, 89, 99(1) & 106 r/w Parts 4, 5, 6 of Chapter 5 RTT Reg GN 53/2001	97837			Operating a vehicle or conveying passengers and/or any load contrary to the conditions of any written authorisation (ABNORMAL PERMIT)	300
Reg.239(3)(a) r/w239(1),239(2) &369 r/w Sec.1,86&89	59017	X		operating a specified vehicle on a public road in poor visibility (fitness of vehicles)	300
Reg.239(3)(b) r/w239(1),239(2) &369 r/w Sec.1,86&89	59033	X		operating a specified vehicle without stopping or not stopping off the roadway to let other vehicles pass (fitness of vehicles)	300
Reg.249(2)(a) r/w 243,245, 249(1), &369 r/w Sec.1,86&89	59091	X		operating special vehicle on public road in poor visibility (overall height/length/width)	300
Reg.249(2)(b) r/w 243,245, 249(1)&369 r/w Sec.1,86&89	59114	X		operating special vehicle with overall width more than 3,5 m (overall height/length/width)	300
Reg.249(2)(c) r/w 249(1) &369 r/w Sec.1,86&89	59122	X		failing to stop a special vehicle off the roadway or to allow other traffic to pass (overall height/length/width)	300
Reg.249(2)(d) r/w240,242, 249(1)&369 r/w Sec.1,86&89	59156	X		operating a special vehicle in excess of the overall width not displaying 2 flags (overall height/length/width)	300
Reg.249(4)(a) r/w 249(3)&369 r/w Sec.1,86&89	59172	X		operating agricultural vehicle on a public road in poor visibility (overall height/length/width)	200
Reg.249(4)(b) r/w 249(3)&369 r/w Sec.1,86&89	59198	X		failing to stop an agricultural vehicle off the roadway or to allow other traffic to pass (overall height/length/width)	200
Reg.249(4)(c)(i) r/w 243,249(3)& 369 r/w Sec.1,86&89	59211	X		operating an agricultural vehicle in excess of the overall length not displaying 2 flags (overall height/length/width)	200
Reg.249(4)(c)(ii) r/w 249(3)&369 r/w Sec.1,86&89	59237	X		operating agricultural vehicle encroaching beyond half the width of the roadway not displaying 2 flags (overall height/length/width)	200
Reg.249(4)(c)(iii) r/w 249(3)&369 r/w Sec.1,86&89	59253	X		operating agricultural vehicle in excess of 2,6 but less than 3,5 m long not displaying 2 flags (overall height/length/width)	200
Reg.249(4)(d) r/w 249(3)&369 r/w Sec.1,86&89	59279	X		operating agricultural vehicle exceeding 4.5m in width	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.249(4)(d)(i) r/w 249(3)&369 r/w Sec.1,86&89	59295	X		operating agricultural vehicle wider than 3.5m that encroaches beyond half the width of the roadway (overall height/length/width)	200
Reg.249(4)(d)(ii) r/w 249(3)&369 r/w Sec.1,86&89	59318	X		operating agricultural vehicle wider than 3.5m without 2 escort vehicles (overall height/length/width)	200
Reg.268(3)(a) r/w 268(1),(2)& 369 r/w Sec.1,86&89	59334	X		operating a special vehicle/agricultural vehicle on a public road in poor visibility (loads)	300
Reg.268(3)(b) r/w286(1),(2)&36 9 r/w Sec.1,86&89	59342	X		failing to stop special vehicle/agricultural vehicle off the roadway or allowing other traffic to pass (loads)	300
SPEEDOMETER					
Reg. 234(1) r/w 369 r/w Sec. 1,86&89	59368	X		operated a motor vehicle which is designed for or capable of reaching a speed of 60 km/h or more not equipped with a speedometer	300
Reg. 234(1) r/w 369 r/w Sec. 1,86&89	59384	X		operated a motor vehicle equipped with a speedometer not in a good working order	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
STEERING MECHANISMS					
Reg.219(1)(a) r/w 369 r/w Sec.1,86&89	59415	X		operating a motor vehicle with an unsafe and/or inefficient steering mechanism	300
Reg.219(1)(b) r/w 219(1)(a)&369 r/w Sec.1,86&89	59431	X		operating a motor vehicle with steering mechanism with unacceptable play	150
Reg.219(1)(c) r/w 369 r/w sec.1,86&89	59457	X		Operated a motor vehicle fitted with anti-theft device which enables the steering to be disengaged/ disconnected from the steering mechanism	300
Reg.219(2) r/w 219(2)(a) & 369 r/w Sec.1,86&89	64290	X		operating a motor vehicle first registered on/after 1 Jan 2003 with a steering wheel on the left hand side	300
Reg.219(3)(a) r/w 369 r/w Sec.1,86&89	59473	X		operating a motorcycle with handlebars not symmetrically to longitudinal centre-line of the motorcycle	150
Reg.219(3)(b) r/w 369 r/w Sec.1,86&89	59499	X		operating a motorcycle below 200cc with handlebars less than 600mm apart or a motorcycle 200cc or more with handlebars 500mm apart	150
Reg.219(3)(c) r/w 369 r/w Sec.1,86&89	59512	X		operating a motorcycle with handgrips of the handlebars 500 mm above seat or lower than seat and or more than 800 mm apart	150
STOPPING					
Reg.336(a) r/w 337&369 r/w Sec.1,86&89	59562	X	X	stopped a vehicle alongside or opposite an excavation or obstruction where it would obstructed or endangered other traffic	150
Reg.336(b) r/w 337&369 r/w Sec.1,86&89	59596	X	X	stopped a vehicle within tunnel or subway or on a bridge or within 6 metres thereof	150
Reg.336(c) r/w 337&369 r/w Sec.1,86&89	59619	X	X	stopped a vehicle on or within 6 metres from the beginning or end of roadway where the normal width was for any reason constricted	150
Reg.336(d) r/w 337&369 r/w Sec.1,86&89	59635	X	X	stopped a vehicle in contravention of any road traffic sign - no stopping	150

SEC/REG	DESCRIPTION			
Reg.336(d) r/w 337&369 r/w Sec.1,86&89	Stopped a vehicle in contravention of an exclusive parking marking bay RM7 viz;			
CODE	56	341	DESCRIPTION	FINE
64656	X	X	Ambulance (A)	300
64664	X	X	Buses (B)	300
58312	X	X	Loading zones (C)	300
SEC/REG	DESCRIPTION			
Reg.336(d) r/w 337&369 r/w Sec.1,86&89	Stopped a vehicle in contravention of an exclusive parking marking bay RM7 viz;			
CODE	56	341	DESCRIPTION	FINE
64672	X	X	Taxis (T)	300
64680	X	X	Fire fighting vehicles (F)	300
64698	X	X	Police (P)	300
64703	X	X	Rickshaws (R)	300
64711	X	X	Diplomatic vehicles (CD)	300
64729	X	X	SOS-telephones (SOS)	300
64737	X	X	Defence Force (D)	300
64745	X	X	Minibuses (MB)	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.336(e) r/w 337&369 r/w Sec.1,86&89	59651	X	X	stopped a vehicle on right-hand side of roadway facing on-coming traffic	150
Reg.336(f) r/w 337&369 r/w Sec.1,86&89	59677	X	X	stopped a vehicle alongside or opposite another vehicle where the roadway is less than nine metres	150
Reg.336(g) r/w 337&369 r/w Sec.1,86&89	59693	X	X	stopped a vehicle within a railway reserve at a level crossing	150
Reg.336(h) r/w 337&369 r/w Sec.1,86&89	59716	X	X	stopped a vehicle within 9 metres of the approaching side of a pedestrian crossing	150
Reg.336(i) r/w 337&369 r/w Sec.1,86&89	59732	X	X	stopped a vehicle where it would or would be likely constituted a danger or an obstruction to other traffic	300
TOWING OF VEHICLES					
Reg.365(a) r/w 335 & 369 r/w Sec.1,86&89	59782	X		operating a vehicle towing another with tow-rope, chain or tow-bar longer than 3,5 metres	100
Reg.365(b) r/w 335 & 369 r/w Sec.1,86&89	59813	X		operating a vehicle towing another vehicle in such a manner that both vehicles were not under control	200
Reg.365(c) r/w 291(1),335& 369 r/w Sec.1,86&89	59839	X		operating a vehicle towing another vehicle whilst the driver thereof was not in possession of the correct code of driving licence	200
Reg.365(d) r/w 171,335&369 r/w Sec.1,86&89	59855	X		operating a vehicle towing another vehicle with defective brakes	150
Reg.365(e) r/w 335 & 369 r/w Sec.1,86&89	59871	X		operating a vehicle towing another vehicle at a speed in excess of 30 kilometres per hour	150
Reg.365(f) r/w 335 & 369 r/w Sec.1,86&89	59897	X		operating a vehicle towing another vehicle while towed vehicle is conveying persons	150
Reg.365(g) r/w 335 & 369 r/w Sec.1,86&89	64305	X		operating a motorcycle or pedal cycle while towing another vehicle	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
TRADING					
Reg.357 r/w 369 r/w Sec.1&86	59952	X		trading on or alongside public road within 180m from railway level crossing/road traffic sign denoting a blind corner rise/ within 5m from any intersection	150
Reg.357 r/w 369 r/w Sec.1&86	59978	X		trading on or alongside public road outside urban area	150
TURNING					
Reg.332 r/w 359-364& 369 r/w Sec.1,86&89	60042	X		failing to give an appropriate driving signal	150
Reg.333 r/w 369 r/w Sec.1,86&89	60076	X		failing to yield right of way to traffic on the right	150
Reg.334(1) r/w 333&369 r/w Sec.1,86&89	60092	X		failing to indicate/keep left or turning without due care - left turn	100
Reg.334(2) r/w 333&369 r/w Sec.1,86&89	60115	X		obstructing or endangering other traffic - right turn	300
Reg.334(2) r/w 333&369 r/w Sec.1,86&89	58257	X		failing to drive immediately left of the middle of the roadway before turning right	100
Reg.334(2) r/w 333&369 r/w Sec.1,86&89	58273	X		driving on right half of roadway before entering intersection	200
Reg.334(2) r/w 333&369 r/w Sec.1,86&89	58299	X		failing to pass on left of traffic island or to comply with direction of road traffic sign	200
TURNING RADIUS					
Reg.244(a) r/w 1&369 r/w Sec.1,86&89	60173	X		operating a vehicle with turning radius exceeding 13,1 meters	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
TYRES					
Reg.231(a) r/w 369 r/w Sec.1,86&89	60131	X	X	operated a motor vehicle, other than a tractor or trailer, equipped with metal tyres	100
Reg.231(b) r/w 369 r/w Sec.1,86&89	60157	X	X	operated a tractor or trailer, other than an animal-drawn vehicle, equipped with metal tyres less than 130 mm in width	100
Reg.231(c) r/w 369 r/w Sec.1,86&89	60165	X	X	operated an animal-drawn vehicle equipped with metal tyres less than 40mm in width	100
Reg.231(d) r/w 369 r/w Sec.1,86&89	60199	X	X	operated a vehicle equipped with metal tyres while the whole tread width not at all times in direct contact with surface of road	100
Reg.231(e) r/w 369 r/w Sec.1,86&89	60212	X	X	operated a motor vehicle with tyres in a state of disrepair likely to cause damage to the road surface or to be a danger	200
Reg.231(f) r/w 369 r/w Sec.1,86&89	60238	X	X	operated a motor vehicle with pneumatic tyres so worn or damaged that the fabric or cord thereof is exposed	200
Reg.231(g) r/w 369 r/w Sec.1,86&89	60254	X	X	operated a motor vehicle with tyres so constructed and fitted that the metal part of the wheel came into contact with the road surface	200
Reg.231(h) r/w 369 r/w Sec.1,86&89	64313	X	X	operated a motorcycle equipped with retreaded a tyres	100
Reg.231(i) r/w 369 r/w Sec.1,86&89	64321	X	X	operated a motor vehicle equipped with regrooved tyres with a bead diameter of 430mm or less	100
Reg.231(j) r/w 369 r/w Sec.1,86&89	64339	X	X	operated a motor vehicle with 1 pneumatic tyre of which the tread clearly visible is not at least 1 mm in depth over the whole tyre	100
Reg.231(j) r/w 369 r/w Sec.1,86&89	64347	X	X	operated a motor vehicle with 2 pneumatic tyres of which the tread clearly visible is not at least 1 mm in depth over the whole tyre	150
Reg.231(j) r/w 369 r/w Sec.1,86&89	63456	X	X	operated a motor vehicle with 3 pneumatic tyres of which the tread clearly visible is not at least 1 mm in depth over the whole tyre	200
Reg.231(j) r/w 369 r/w Sec.1,86&89	63464	X	X	operated a motor vehicle with 4 pneumatic tyres of which the tread clearly visible is not at least 1 mm in depth over the whole tyre	300
Reg.231(k) r/w 369 r/w Sec.1,86&89	60296	X	X	operated a motorcycle 50cc and less fitted with pneumatic tyres without a visible tread pattern over at least 80 per cent of full width	100
Reg.231(l) r/w 369 r/w Sec.1,86&89	60319	X	X	operated a motor vehicle equipped with pneumatic tyres with a brake in fabric/cut measured in any direction of such depth that it reaches the cord in excess of 25mm/10 per cent maximum width of tyre	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.231(m) r/w 369 r/w Sec.1,86&89	60335	X	X	operated a motor vehicle equipped with pneumatic tyres with a lump or bulge caused by separation of or partial break in structure	100
VEHICLE - REVERSE / FORWARD					
Reg.230 r/w 369 r/w Sec.1,86&89	60393	X		operating a motor vehicle with a tare in excess of 570kg which could not be driven in reverse and forwards	100
VIEW - DRIVER					
Reg.223(1)(a) r/w 1&369 r/w Sec.1,86&89	60458	X		operating a motor vehicle which did not afford the driver a full and clear view of the roadway ahead or to his/her right or left	100
Reg.223(1)(b) r/w 1&369 r/w Sec.1,86&89	60474	X		operating a motor vehicle not fitted with rear-view mirror/s enabling the driver to see a clear reflection of traffic to the rear	100
Reg.223(1)(c) r/w 1&369 r/w Sec.1,86&89	60482	X		operating motor car, bus, minibus or goods vehicle <3 500kg GVM without exterior mirror on driver's side and interior rear-view mirror	100
Reg.223(1)(c) r/w 1&369 r/w Sec.1,86&89	60513	X		operating motor car, bus, minibus or goods vehicle with GVM <3500kg registered after 1/1/87 without exterior mirror on left hand side	100
Reg.223(1)(d) r/w 1&369 r/w Sec.1,86&89	60539	X		operating a bus, minibus or goods vehicle with GVM >3500kg and registered after 1/1/87 not fitted with exterior rear-view mirrors on both sides	100
Reg.223(1)(e) r/w 1&369 r/w Sec.1,86&89	60555	X		operating a motorcycle not fitted with rear-view mirrors on both sides of handlebars	100
Reg.223(2)(a) r/w 1&369 r/w Sec.1,86&89	60571	X		operating a motor car, bus, minibus or goods vehicle fitted with rear-view mirror not flat or spherically convex and with average radius of curvature <1,2m	100
Reg.223(2)(b) r/w 1,223(1)(d) &369 r/w Sec.1,86&89	60597	X		operating a bus, minibus or goods vehicle with rear-view mirrors not flat or spherically convex and with average radius of curvature of <1,8 m	100
WHEEL BASE					
Reg.244(b)(i) r/w 1&369 r/w Sec.1,86&89	60652	X		operating a semi-trailer with wheel base more than nine metres	150
Reg.244(b)(ii) r/w 1,239&369 r/w Sec.1,86&89	60678	X		operating a bus-train with wheel base more than 15 metres	150
Reg.244(b)(iii) r/w 1, 239&369 r/w Sec.1,86&89	60694	X		operating a vehicle with wheel base more than 8,5 metres	150

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
WHEEL FLAPS					
Reg.236(1) r/w 369 r/w Sec.1,86&89	60759	X		operating a trailer with GVM >3500kg not fitted with wheel flaps maintained and approved by manufacturer/complying with SABS specifications (after 1 July 2002)	200
Reg.236(1) r/w 369 r/w Sec.1,86&89	63472	X		operating a bus or goods vehicle with GVM >7500 kg not fitted with wheel flaps maintained and approved by manufacturer/complying with SABS specifications (after 1 July 2002)	300
WILFULLY HINDERED / OBSTRUCTED TRAFFIC					
Reg.354(1) r/w 369 r/w Sec.1,86&89	60814	X		wilfully or unnecessarily preventing, hindering or interrupting the free and proper passage of traffic	300
Reg.354(2) r/w 369 r/w Sec.1,86&89	60822	X		placing/abandoning/causing to placed or abandoned an object endangering traffic on the road	200
WINDSCREEN, GLASS ETC.					
Reg.221(1)(a) r/w 369 r/w Sec.1,86&89	60898	X		operating a motor vehicle without sufficient visibility through windscreen, window or partition for safe driving	100
Reg.221(1)(b) r/w 221(1)(a) &369 r/w Sec.1,86&89	60911	X		operating a motor vehicle with a windscreen not made of glass and if registered after 1958 made of shatterproof glass	100
Reg.221(1)(c) r/w 1& 369 r/w Sec.1,86&89	60937	X		operating a motor vehicle registered after 1958 not fitted with safety glass or all panes are not permanently marked with name/trade mark	100
Reg.221(3)(a) r/w 369 r/w Sec.1,86&89	60953	X		operating a motor vehicle with windscreen not transmitting 70% light and/or windows not transmitting 35% light	100
Reg.221(4) r/w 221(3)(a) & 369 r/w Sec.1,86&89	63480	X		operating a motor vehicle after 1Jan 2002 with any film or material on windscreen/window which presence reduces visibility	100
Reg.222 r/w 369 r/w Sec.1,86&89	60979	X		operating a motor vehicle not fitted with at least 1 electrical windscreen wiper and/or when operated not wiping adequately in front of driver	100

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
SCHEDULE 3 – MOTOR DEALERS LICENCES					
Item 1(2) Sched.3 r/w Item 6 r/w Reg.1&369 r/w Sec.1&86	61022	X		operating motor vehicle under dealer's licence without dealer's clearance certificate being displayed	200
Item 3(1) Sched.3 r/w Reg 1&369	61056	X		failing to renew motor vehicle dealer's licence on or before 21 January	300
Item 5(1)&(2) Sched.3 r/w Item 7 r/w Reg.1&369	61072	X		failing to notify registering authority and/or surrender documents within 21 days of sale, disposal or cessation of business	300
Item 5(1)&(2) Sched.3 r/w Item 7 r/w Reg.1&369	61098			failed to surrender register after cessation of business	NAOG
Item 6(1) Sched.3 r/w Reg.1&369 r/w Sec.1,86&89	61111	X		failing to display registration mark/clearance certificate on vehicle operated under the authority of a motor vehicle dealer's licence	100
Item 6(2) Sched.3 r/w Reg.1&369 r/w Sec.1,86&89	61218	X		failing to display motor vehicle dealer's clearance certificate on registration plate or in a waterproof holder.	100
Item 7 Sched.3 r/w Item 9 r/w Reg.1&369	61137	X		dealer failing to keep a register or to submit a return	300
Item 8 Sched.3 r/w Item 7&9 r/w Reg.1&369	61153			refused inspection of register by a police officer	NAOG
Item 10 Sched.3 r/w Reg.1&369 r/w Sec.1,86&89	61179	X		operating/permitting 2 or more motor vehicles to be operated using the same registration mark and number	300
Item 14(1) Sched.3 r/w Item 2 r/w Reg.1 r/w Sec.1&86	61195	X		using motor vehicle under motor dealer's licence not in the course of his/her business	300

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
SCHEDULE 5 - PUBLIC MOTOR VEHICLES					
Item 1(1)(a) Sched.5 r/w Item 1(3)&20 r/w Reg.1&369 r/w Sec.1,86&89	61682	X		operating a public motor vehicle without a certificate of fitness	300
Item 1(1)(b) Sched.5 r/w Item 1(3)&20 r/w Reg.1&369 r/w Sec.1,86&89	61713	X		operating a public motor vehicle contrary to terms and conditions of certificate of fitness. (specify)	300
Item 2(1), Sched.5 r/w Item 2(4)&20 r/w Reg.1&369 r/w Sec.1,86&89	61739	X		operating a public motor vehicle without a public driving permit	300
Item 2(1) Sched.5 r/w Item 2(4)&20 r/w Reg.1&369 r/w Sec.1,86&89	61755	X		failing to carry public driving permit in vehicle	200
Item 2(1) Sched.5 r/w Item 2(4)&20 r/w Reg.1&369 r/w Sec.1,86&89	61771	X		driving a public motor vehicle contrary to terms and conditions of public driving permit (specify)	150
Item 5(3) Sched.5 r/w Item 20 r/w Reg.1	61797			wilfully or negligently issued an incorrect report authorizing the issuing of a certificate of fitness	NAOG
Item 7(1) Sched.5 r/w Item 7(2)&20 r/w Reg.1&369 r/w Sec.1,86&89	61802	X		holding more than 1 certificate of fitness for the same vehicle where the period of validity overlaps or coincides	200
Item 8(1) Sched.5 r/w Item 7(2)&20 r/w Reg.1&369 r/w Sec.1,86&89	61836	X		failing to carry certificate of fitness in public motor vehicle	200
Item 10(2)Sched.5 r/w Item 10(1)& Item 10(4) r/w Reg.1&369	61852	X		failing to surrender certificate of fitness within 7 days to registering authority after it became null and void due to alterations to vehicle	150
Item 10(3)Sched.5 r/w Item 10(4)& Item 11(1) r/w Reg.1&369	61878	X		failing to submit/surrender certificate of fitness within 21 days after replacing the engine of that motor vehicle	150
Item 11(2)Sched.5 r/w Item 11(7) r/w Reg.1&369	61894	X		failing to surrender suspended or cancelled certificate of fitness	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Item 14(4) Sched.5 r/w Item 14(8)&20 r/w Reg.1&369 r/w Sec.1,86&89	61917			obtained a public driving permit whilst the original public driving permit was suspended or cancelled	NAOG
Item 14(5) Sched.5 r/w Item 14(8)&20 r/w Reg.1&369	61933	X		failing to surrender public driving permit for cancellation after obtaining permit for passengers/passengers and goods	150
Item 16(2) Sched.5 r/w Item 16(1)& Item 16(2) r/w Reg.1&369	61959			failed to surrender that public driving permit after the cancellation/suspension thereof (convicted of a second or subsequent offence)	NAOG
Item 18(1) Sched.5 r/w Item 18(2)&20 r/w Reg.1&369 r/w Sec.1,86&89	61975			failed to surrender invalid certificate of fitness or public driving permit (contrary to the Schedule)	NAOG
Item 19(1)(a) Sched.5 r/w Item 19(2)&20 r/w Reg.1&369 r/w Sec.1,86&89	61991	X		employing or permitting person without a public driving permit to drive a public motor vehicle	300
Item 19(1)(b) Sched.5 r/w Item 19(2)&20 r/w Reg.1&369 r/w Sec.1,86&89	62002	X		holder of a public driving permit allowing other person to use that permit	300
Item 21(1) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62036	X		failing to display or remove the "Full" notice	100
Item 21(2) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62052	X		mounting or entering a public bus displaying the "Full" notice	100
Item 21(3) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62078	X		refusing to leave full public bus immediately when requested to do so by the driver/conductor	150
Item 21(4) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62094	X		driver or conductor of public bus permitting a person to mount or alight from the bus while it is in motion or person mounting or alighting from bus while it is in motion	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Item 21(5) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62117	X		driver of public bus permitting a person to be in front of or beside him/her whilst bus is in motion	150
Item 21(6) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62133	X		driver or conductor of public bus permitting goods to be placed in passageway	100
Item 21(7) Sched.5 r/w Item 21(6),(13) &20 r/w Reg.1&369 r/w Sec.1,86&89	62159	X		passenger failing upon request of driver/conductor to move goods that are causing obstruction	100
Item 21(8) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1,86&89	62175	X		driver/conductor of public bus failing to keep at least two exits at all times unobstructed	200
Item 21(9)(a) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62191	X		using obscene/indecent/offensive/quarrelsome language or gestures whilst travelling in or upon a public bus	200
Item 21(9)(b) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62214	X		behaving in an obscene/indecent/offensive/quarrelsome manner whilst travelling in/upon a public bus	200
Item 21(9)(c) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62222	X		wilfully interfering with reasonable comfort or convenience of passengers whilst travelling in/upon a public bus	200
Item 21(9)(d) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62256	X		wilfully obstructing/impeding the driver/conductor in the performance of his/her duties whilst travelling in/upon a public bus	200
Item 21(9)(e) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62272	X		wilfully damaging a public bus whilst travelling in/upon that bus	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Item 21(9)(f) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62298	X		Spitting on any part of or from public bus whilst travelling in/upon that bus	200
Item 21(11) Sched.5 r/w Item 21(13)&20 r/w Reg.1&369 r/w Sec.1&86	62311			travelled in/upon a public bus and refused to furnish name and address to driver/conductor if requested to do so	NAOG
Item 21(12) Sched.5 r/w Item 21(13)&20 r/w Reg.1 r/w Sec.1,80,86,89 &106	62337			driver of public motor vehicle carrying passengers failed to stop that bus not less than 5 meters from an uncontrolled railway crossing	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
SCHEDULE 6 – ROADWORTHINESS					
Item 1(1) Sched.6 r/w Item 1(2) r/w Reg.1&369 r/w Sec.1,86&89	62395	X		operating an unroadworthy vehicle on a public road (specify)	300
Item 1(3)(a) Sched.6 r/w Reg.1&369	62418	X		selling an unroadworthy vehicle	300
Item 2(8) Sched.6 r/w Reg.369 r/w Sec.1,86&89	62434	X		operating a vehicle contrary to conditions of notice to discontinue use of vehicle	300
Item 3(1) Sched.6 r/w Reg.1&369 r/w Sec.1,86&89	62442			obstructed/hindered/interfered with a police officer/ examiner of vehicles/inspector of licences in the execution of his/her duties	NAOG

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
ROAD TRANSPORTATION – PASSENGERS ROAD TRANSPORTATION ACT, 74/1977					
Sec.24(1)(a) r/w Sec.1,23bis, 35& 38	62515	X		failing to carry permit/written permission in terms of Sec. 23bis on motor vehicle to which it relates - on displaying of permit	200
Sec.24(1)(a) r/w Sec.1,23bis, 35& 38	62531			refused to produce permit/written permission on demand by authorised officer	NAOG
Sec.24(1)(b) r/w Sec.1,35&38	62557	X		failing to keep permit in a legible condition	100
Sec.24(1)(b) r/w Sec.1,35&38	62573	X		failing to apply for duplicate permit if permit is damaged or ceases to be legible	100
Sec.24(1)(c) r/w Sec.1,35&38	62599	X		failing to bear particulars viz. name address and nature of business on a conspicuous place on motor vehicle	200
Sec.31(1)(a) r/w Sec.1,2,34, 35,36,37&38 r/w Reg.2&25(1)	62612	X		undertake road transportation without a transportation permit – passengers (first offence)	300
Sec.31(1)(a) r/w Sec.1,2,34, 35,36,37&38 r/w Reg.2&25(1)	62638			undertook road transportation without a transportation permit – passengers (second and more offences)	NAOG
Sec.31(1)(b) r/w Sec.1,2,12bis 31(1)(a),34,35,36, 37&38 r/w Reg.1&25(1)	62654	X		undertaking road transportation contrary to the provisions conditions or requirements of transportation permit – passengers (specify)	300
Sec.31(1)(c)(iii) r/w Sec.1,2, 34, 35,36, 37&38 r/w Reg.2&25(1)	62662	X		claiming or accepting remuneration other than money	200
Sec.33(a) r/w Sec.1,2,34, 35,36, 37&38	62670			altered/defaced/mutilated/added anything to transportation permit or other document with intent to deceive	NAOG
Sec.33(b) r/w Sec.1,2,34, 35,36, 37&38	62719			used/uttered a writing purporting to be a permit/document or an altered/defaced/mutilated/ added to permit/document	NAOG
Sec.33(c), r/w Sec.1,2,34, 35,36, 37&38	62735	X		transferring permit/distinguishing mark(token)to other person/motor vehicle without written consent of board	200
Sec.33(e), r/w Sec.1,2,34, 35,36, 37&38	62751			wilfully obstructed/hindered/interfered with an inspector in the execution of his/her duties	NAOG
Reg.2(1),2(2)& 25(1) r/w Sec.1,35&38	62777	X		failing to display/paint identifying particulars on vehicle viz. name/business address/nature of business on motor vehicle	200

SEC/REG.	CODE	56	341	DESCRIPTION	FINE
Reg.2(1),2(2)&25(1) r/w Sec.1,35&38	62793	X		identifying particulars not displayed on both sides of motor vehicle/colour not showing clearly against background	200
Reg.24 r/w Sec.1,2,34,35,36, 37&38	62816	X		failing to keep record of transportation as prescribed/failing to keep records in vehicle/refusing to make records available if requested	200
Reg.26(2)(f) r/w Sec.1,2,24,35&38	62832	X		driver/conductor failing to produce records to be kept in terms of Reg. 24 on request of authorised officer	200

PARAGRAPH	CODE	56	341	DESCRIPTION	FINE
ROAD FUND ADMINISTRATION ROAD FUND ADMINISTRATION GN 263 of 21 NOVEMBER 2000					
Paragraph 6(1) r/w par 1 & 6(3)	64606	X		Brought a foreign vehicle into Namibia without being in the possession of an entry fee certificate	300
Paragraph 6(1) r/w par 1 & 6(3)	64614	X		Drove a foreign vehicle on any road in Namibia not being in the possession of an entry fee certificate	300
Paragraph 6(2) r/w par 1 & 6(3)	64622	X		Brought a foreign vehicle into Namibia failing to keep the relevant entry fee certificate in the vehicle in respect of which it was issued	100
Paragraph 6(2) r/w par 1 & 6(3)	64630	X		Drove a foreign vehicle on any road in Namibia failing to keep the relevant entry fee certificate in the vehicle in respect of which it was issued	100
Paragraph 6(2) r/w par 1 & 6(3)	64648	X		Failed to produce the entry fee certificate on the request of an authorised officer	100